92
401: B61
1988
c2

N.C. DOCUMENTS
CLEARINGHOUSE

NOV 14 1989

N.C. STATE LIBRARY
RALEIGH

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS '88


Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1988nort

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book***, contains computerized tables showing statewide counts and percentages for 1988 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Ian Whitley Shackelford, **born** March 31, 1989, as photographed by Kathy Blue.

Ian's father is Ray Shackelford, Provider **Relations Manager** with the Office of Purchase of Medical Care **Services.**

North Carolina Residents

1988

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF STATISTICS AND INFORMATION SERVICES
POST OFFICE BOX 27687
RALEIGH, NORTH CAROLINA 27611-7687

September, 1989

STATE OF NORTH CAROLINA

James G. Martin, Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES

William W. Cobey, Jr., Secretary

DIVISION OF STATISTICS AND INFORMATION SERVICES

Delton Atkinson, M.S.P.H., M.P.H., Director

The following categories are tabulated in State tables:

NOMENCLATURE	9TH ICD CODE
No malformation listed	None
Spina bifida	741
Cong. anom. of heart	745, 746
Cleft palate and cleft lip	749
Hypospadias and epispadias	752.6
Deformities of feet (includes clubfoot)	754.5-754.7
Polydactyly	755.0
Down's Syndrome	758.0
All other 740-759	All other

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite' are used. Where one parent is classified as white and the other nonwhite, the birth is classified as nonwhite.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the State office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

RESIDENT BIRTHS, YEAR 0001
EXAMPLE AGE/WT/MS/RACE

- C R O S S T A B U L A T I O N O F - - - - - - - - - - - - - - - - - -
AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS VALUE.. 1 LEGITIMATE
RACE VALUE.. 1 WHITE
- PAGE 2 OF 3

AGE	WT: 2500 GMS OR LESS (1)	WT: OVER 2500 GMS (2)	ROW TOTAL
20	355	2150	2505
	14.2	85.8	9.5
	10.4	9.4	
21	275	1855	2130
	12.9	87.1	8.1
	8.0	8.1	
22	209	1615	1824
	11.5	88.5	6.9
	6.1	7.0	
23	175	1420	1595
	11.0	89.0	6.1
	5.1	6.2	
24	177	1190	1367
	12.9	87.1	5.2
	5.2	5.2	
25 - 29	503	3990	4493
	11.2	88.8	17.1
	14.7	17.4	
30 - 34	216	1678	1894
	11.4	88.6	7.2
	6.3	7.3	
35 - 39	97	685	782
	12.4	87.6	3.0
	2.8	3.0	
40 - 44	35	199	234
	15.0	85.0	0.9
	1.0	0.9	
COLUMN TOTAL	3425	22925	26350
	13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE PARTITIONS WHICH ARE SEPARATED BY ROWS OF DASHES. THE FIRST PARTITION, ABOVE THE DASHES, INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND PARTITION, BETWEEN THE TWO ROWS OF DASHES, SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER'AND 'BIRTH WEIGHT IN GRAMS' FOR LEGITIMATE WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD PARTITION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 LEGITIMATE WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'WT' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 LEGITIMATE WHITE BIRTHS THAT WEIGHED 2500 GMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 LEGITIMATE WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2 AND 10.4. THIS MEANS THAT

- 355 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 14.2 PERCENT OF 2505 LEGITIMATE WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GMS OR LESS.
- 10.4 PERCENT OF 3425 LEGITIMATE WHITE BIRTHS WEIGHING 2500 GMS OR LESS WERE TO WOMEN AGE 20.

TABLE OF CONTENTS

L I S T I N G O F C R O S S T A B U L A T I O N S O F R E S I D E N T L I V E B I R T H S

TABLE

1. AGE OF MOTHER BY BIRTH ORDER BY MARITAL STATUS BY RACE 1
   (AGE/BTH ORDR/MS/RACE)

2. AGE OF MOTHER BY BIRTH ORDER BY RACE 13
   (AGE/BTH ORDR/RACE)

3. AGE OF MOTHER BY BIRTH WEIGHT BY RACE 22
   (AGE/BTH WT/RACE)

4. EDUCATION OF MOTHER BY BIRTH ORDER BY RACE 31
   (ED/BTH ORDR/RACE)

5. MONTH PRENATAL CARE BEGAN BY EDUCATION OF MOTHER BY RACE 34
   (MPCB/ED/RACE)

6. MONTH PRENATAL CARE BEGAN BY AGE OF MOTHER BY RACE 40
   (MPCB/AGE/RACE)

7. MONTH PRENATAL CARE BEGAN BY MARITAL STATUS BY RACE 52
   (MPCB/MS/RACE)

8. MONTH PRENATAL CARE BEGAN BY BIRTH ORDER BY RACE 58
   (MPCB/BTH ORDR/RACE)

9. MONTH PRENATAL CARE BEGAN BY BIRTH WEIGHT BY RACE 64
   (MPCB/BTH WT/RACE)

10. NUMBER OF PRENATAL VISITS BY EDUCATION OF MOTHER BY RACE 70
    (PRENTL VSTS/ED/RACE)

11. NUMBER OF PRENATAL VISITS BY AGE OF MOTHER BY RACE 76
    (PRENTL VSTS/AGE/RACE)

12. NUMBER OF PRENATAL VISITS BY MARITAL STATUS BY RACE 88
    (PRENTL VSTS/MS/RACE)

13. NUMBER OF PRENATAL VISITS BY BIRTH ORDER BY RACE 94
    (PRENTL VSTS/BTH ORDR/RACE)

14. NUMBER OF PRENATAL VISITS BY BIRTH WEIGHT BY RACE 100
    (PRENTL VSTS/BTH WT/RACE)

15. MONTH PRENATAL CARE BEGAN BY NUMBER OF PRENATAL VISITS BY RACE 106
    (MPCB/PRENTL VSTS/RACE)

16. PREVIOUS LIVE BORN NOW DEAD BY RACE 118
(PREV LB NOW DEAD/RACE)

17. OTHER TERMINATIONS BY RACE 119
(OTHER TERMINS/RACE)

18. APGAR SCORE (5 MIN) BY AGE OF MOTHER BY RACE 121
(APGAR5/AGE/RACE)

19. APGAR SCORE (5 MIN) BY EDUCATION OF MOTHER BY RACE 133
(APGAR5/EDUC/RACE)

20. CONGENITAL MALFORMATION BY AGE OF MOTHER BY RACE . . . . *** IN STATE BABYBOOK ONLY *** . .139
(MAL/AGE/RACE)

21. CONGENITAL MALFORMATION BY EDUCATION OF MOTHER BY RACE . *** IN STATE BABYBOOK ONLY *** . .145
(MAL/EDUC/RACE)

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
		1	2	3	4	5	6	7	8	9	10	
13		2										2
		100.0										.0
		.0										
14		12										12
		100.0										.0
		.1										
15		71	7	1								79
		89.9	8.9	1.3								.1
		.3	.0	.0								
16		287	44	6								337
		85.2	13.1	1.8								.6
		1.3	.2	.1								
17		610	157	34	2	1					1	805
		75.8	19.5	4.2	.2	.1					.1	1.4
		2.8	.8	.3	.0	.1					.7	
18		1022	353	79	10	3	2				1	1470
		69.5	24.0	5.4	.7	.2	.1				.1	2.5
		4.7	1.8	.8	.2	.2	.3				.7	
19		1400	605	173	39	6	2	1	1		3	2230
		62.8	27.1	7.8	1.7	.3	.1	.0	.0		.1	3.8
		6.4	3.1	1.7	1.0	.4	.3	.4	.9		2.1	
20		1497	842	287	72	10	4	1	3		13	2729
		54.9	30.9	10.5	2.6	.4	.1	.0	.1		.5	4.7
		6.9	4.3	2.8	1.8	.7	.6	.4	2.7		9.2	
21		1504	1021	399	108	27	11	1			4	3075
		48.9	33.2	13.0	3.5	.9	.4	.0			.1	5.3
		6.9	5.2	3.9	2.6	1.8	1.7	.4			2.8	
	COLUMN	21748	19454	10192	4103	1536	646	236	112	79	141	58247
(CONTINUED)	TOTAL	37.3	33.4	17.5	7.0	2.6	1.1	.4	.2	.1	.2	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 1 WHITE

AGE	BO COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	22	1415	1129	496	132	40	10	7	1	2	9	3241
		43.7	34.8	15.3	4.1	1.2	.3	.2	.0	.1	.3	5.6
		6.5	5.8	4.9	3.2	2.6	1.5	3.0	.9	2.5	6.4	
	23	1506	1278	522	172	57	19	7	1	1	11	3574
		42.1	35.8	14.6	4.8	1.6	.5	.2	.0	.0	.3	6.1
		6.9	6.6	5.1	4.2	3.7	2.9	3.0	.9	1.3	7.8	
	24	1507	1299	636	195	77	21	5	2	3	7	3752
		40.2	34.6	17.0	5.2	2.1	.6	.1	.1	.1	.2	6.4
		6.9	6.7	6.2	4.8	5.0	3.3	2.1	1.8	3.8	5.0	
	25	7232	6982	3435	1397	464	189	61	29	8	47	19844
25 - 29		36.4	35.2	17.3	7.0	2.3	1.0	.3	.1	.0	.2	34.1
		33.3	35.9	33.7	34.0	30.2	29.3	25.8	25.9	10.1	33.3	
	26	2769	4294	2943	1302	516	223	84	37	31	28	12227
30 - 34		22.6	35.1	24.1	10.6	4.2	1.8	.7	.3	.3	.2	21.0
		12.7	22.1	28.9	31.7	33.6	34.5	35.6	33.0	39.2	19.9	
	27	551	1049	928	531	271	124	56	31	22	9	3572
35 - 39		15.4	29.4	26.0	14.9	7.6	3.5	1.6	.9	.6	.3	6.1
		2.5	5.4	9.1	12.9	17.6	19.2	23.7	27.7	27.8	6.4	
	28	56	93	101	85	40	28	11	6	10		430
40 - 44		13.0	21.6	23.5	19.8	9.3	6.5	2.6	1.4	2.3		.7
		.3	.5	1.0	2.1	2.6	4.3	4.7	5.4	12.7		
	29	1	1	3	1	3						9
45 AND OVER		11.1	11.1	33.3	11.1	33.3						.0
		.0	.0	.0	.0	.2						
	30	306	300	149	57	21	13	2	1	2	8	859
NOT STATED		35.6	34.9	17.3	6.6	2.4	1.5	.2	.1	.2	.9	1.5
		1.4	1.5	1.5	1.4	1.4	2.0	.8	.9	2.5	5.7	
	COLUMN TOTAL	21748 37.3	19454 33.4	10192 17.5	4103 7.0	1536 2.6	646 1.1	236 .4	112 .2	79 .1	141 .2	58247 100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		1										1
		100.0										.0
		.0										
13		11										11
		100.0										.1
		.3										
14		44	3									47
		93.6	6.4									.6
		1.0	.2									
15		174	9									183
		95.1	4.9									2.4
		4.1	.5									
16		361	30	3	1						1	396
		91.2	7.6	.8	.3						.3	5.2
		8.6	1.6	.3	.2						3.6	
17		656	84	9	1							750
		87.5	11.2	1.2	.1							9.8
		15.6	4.5	1.0	.2							
18		699	175	30	6	1						911
		76.7	19.2	3.3	.7	.1						11.9
		16.7	9.4	3.4	1.5	.5						
19		588	217	48	5	1					1	860
		68.4	25.2	5.6	.6	.1					.1	11.2
		14.0	11.7	5.5	1.2	.5					3.6	
20		394	202	82	16	9	1				1	705
		55.9	28.7	11.6	2.3	1.3	.1				.1	9.2
		9.4	10.9	9.4	3.9	4.5	1.4				3.6	
(CONTINUED)	COLUMN TOTAL	4194	1861	870	407	199	72	27	17	10	28	7685
		54.6	24.2	11.3	5.3	2.6	.9	.4	.2	.1	.4	100.0

TABLE 1

CROSSTABULATION OF

AGE — AGE OF MOTHER
CONTROLLING FOR..
STATUS — MARITAL STATUS OF MOTHER
RACE

BY BO — BIRTH ORDER

VALUE.. 2 NOT MARRIED
VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	ROW TOTAL
21		271	178	82	23	7	1	1			3	566
		47.9	31.4	14.5	4.1	1.2	.2	.2			.5	7.4
		6.5	9.6	9.4	5.7	3.5	1.4	3.7			10.7	
22		200	168	84	36	16	5	1			2	512
		39.1	32.8	16.4	7.0	3.1	1.0	.2			.4	6.7
		4.8	9.0	9.7	8.8	8.0	6.9	3.7			7.1	
23		148	143	80	33	15	6	2	1		3	431
		34.3	33.2	18.6	7.7	3.5	1.4	.5	.2		.7	5.6
		3.5	7.7	9.2	8.1	7.5	8.3	7.4	5.9		10.7	
24		142	115	64	35	7	2				5	370
		38.4	31.1	17.3	9.5	1.9	.5				1.4	4.8
		3.4	6.2	7.4	8.6	3.5	2.8				17.9	
25		323	351	231	152	75	28	8	4	2	2	1176
25 - 29		27.5	29.8	19.6	12.9	6.4	2.4	.7	.3	.2	.2	15.3
		7.7	18.9	26.6	37.3	37.7	38.9	29.6	23.5	20.0	7.1	
26		91	125	98	59	42	17	8	4	1		445
30 - 34		20.4	28.1	22.0	13.3	9.4	3.8	1.8	.9	.2		5.8
		2.2	6.7	11.3	14.5	21.1	23.6	29.6	23.5	10.0		
27		33	30	28	34	15	7	7	5	4		163
35 - 39		20.2	18.4	17.2	20.9	9.2	4.3	4.3	3.1	2.5		2.1
		.8	1.6	3.2	8.4	7.5	9.7	25.9	29.4	40.0		
28		2	6	10	3	6	3		2	1		33
40 - 44		6.1	18.2	30.3	9.1	18.2	9.1		6.1	3.0		.4
		.0	.3	1.1	.7	3.0	4.2		11.8	10.0		
29									1			1
45 AND OVER									100.0			.0
									5.9			
COLUMN TOTAL		4194	1861	870	407	199	72	27	17	10	28	7685
		54.6	24.2	11.3	5.3	2.6	.9	.4	.2	.1	.4	100.0

(CONTINUED)

TABLE 1

CROSSTABULATION OF
AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH	8TH	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
30		56	25	21	3	5	2			2	10	124
NOT STATED		45.2	20.2	16.9	2.4	4.0	1.6			1.6	8.1	1.6
		1.3	1.3	2.4	.7	2.5	2.8			20.0	35.7	
	COLUMN	4194	1861	870	407	199	72	27	17	10	28	7685
	TOTAL	54.6	24.2	11.3	5.3	2.6	.9	.4	.2	.1	.4	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 3 NOT STATED
RACE VALUE.. 1 WHITE

	BO		
COUNT / ROW PCT / COL PCT	1ST	NOT STATED	ROW TOTAL
AGE	1	10	
17	1 100.0 100.0		1 20.0
25 - 29		3 100.0 75.0	3 60.0
30 NOT STATED		1 100.0 25.0	1 20.0
COLUMN TOTAL	1 20.0	4 80.0	5 100.0

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
14		4										4
		100.0										.0
		.1										
15		6	2									8
		75.0	25.0									.1
		.2	.0									
16		17	9	2								28
		60.7	32.1	7.1								.2
		.5	.2	.1								
17		43	27	5	3						1	79
		54.4	34.2	6.3	3.8						1.3	.6
		1.3	.6	.2	.2						2.4	
18		111	69	19	5	3						207
		53.6	33.3	9.2	2.4	1.4						1.5
		3.4	1.6	.6	.3	.4						
19		180	149	60	14	4	1				1	409
		44.0	36.4	14.7	3.4	1.0	.2				.2	3.0
		5.5	3.5	2.0	.9	.5	.3				2.4	
20		279	225	111	29	8	4	2				658
		42.4	34.2	16.9	4.4	1.2	.6	.3				4.8
		8.5	5.3	3.6	1.8	1.0	1.1	1.1				
21		272	299	152	58	21	1	1			2	806
		33.7	37.1	18.9	7.2	2.6	.1	.1			.2	5.9
		8.3	7.1	5.0	3.6	2.8	.3	.6			4.9	
22		274	302	191	75	22	10	4	1		1	880
		31.1	34.3	21.7	8.5	2.5	1.1	.5	.1		.1	6.4
		8.4	7.2	6.2	4.6	2.9	2.8	2.3	1.3		2.4	
(CONTINUED)	COLUMN TOTAL	3276	4206	3062	1631	763	353	175	80	96	41	13683
		23.9	30.7	22.4	11.9	5.6	2.6	1.3	.6	.7	.3	100.0

TABLE 1

CROSSTABULATION OF AGE BY BO BIRTH ORDER

CONTROLLING FOR.. AGE AGE OF MOTHER
STATUS MARITAL STATUS OF MOTHER VALUE.. 1 MARRIED
RACE VALUE.. 2 NONWHITE

AGE		BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	23	261	347	239	97	36	12	6	1		2	1001
		26.1	34.7	23.9	9.7	3.6	1.2	.6	.1		.2	7.3
		8.0	8.3	7.8	5.9	4.7	3.4	3.4	1.3		4.9	
	24	250	326	222	122	42	13	6	1		2	984
		25.4	33.1	22.6	12.4	4.3	1.3	.6	.1		.2	7.2
		7.6	7.8	7.3	7.5	5.5	3.7	3.4	1.3		4.9	
	25	1029	1444	1097	597	241	112	59	24	15	18	4636
25 - 29		22.2	31.1	23.7	12.9	5.2	2.4	1.3	.5	.3	.4	33.9
		31.4	34.3	35.8	36.6	31.6	31.7	33.7	30.0	15.6	43.9	
	26	408	761	691	445	239	109	53	35	34	9	2784
30 - 34		14.7	27.3	24.8	16.0	8.6	3.9	1.9	1.3	1.2	.3	20.3
		12.5	18.1	22.6	27.3	31.3	30.9	30.3	43.8	35.4	22.0	
	27	81	176	216	153	113	70	33	12	33	4	891
35 - 39		9.1	19.8	24.2	17.2	12.7	7.9	3.7	1.3	3.7	.4	6.5
		2.5	4.2	7.1	9.4	14.8	19.8	18.9	15.0	34.4	9.8	
	28	12	20	22	17	20	17	8	5	11		132
40 - 44		9.1	15.2	16.7	12.9	15.2	12.9	6.1	3.8	8.3		1.0
		.4	.5	.7	1.0	2.6	4.8	4.6	6.3	11.5		
	29				1	1	1	1	1	2		7
45 AND OVER					14.3	14.3	14.3	14.3	14.3	28.6		.1
					.1	.1	.3	.6	1.3	2.1		
	30	49	50	35	15	13	3	2		1	1	169
NOT STATED		29.0	29.6	20.7	8.9	7.7	1.8	1.2		.6	.6	1.2
		1.5	1.2	1.1	.9	1.7	.8	1.1		1.0	2.4	
	COLUMN	3276	4206	3062	1631	763	353	175	80	96	41	13683
	TOTAL	23.9	30.7	22.4	11.9	5.6	2.6	1.3	.6	.7	.3	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		11										11
		100.0										.1
		.1										
13		51										51
		100.0										.3
		.7										
14		208	7									215
		96.7	3.3									1.2
		2.8	.1									
15		492	50	6	1							549
		89.6	9.1	1.1	.2							3.1
		6.6	1.0	.2	.1							
16		804	154	23	3						3	987
		81.5	15.6	2.3	.3						.3	5.5
		10.7	3.1	.8	.2						5.7	
17		1013	327	69	8	1	1				2	1421
		71.3	23.0	4.9	.6	.1	.1				.1	7.9
		13.5	6.7	2.4	.5	.2	.3				3.8	
18		1006	465	165	24	5	1				3	1669
		60.3	27.9	9.9	1.4	.3	.1				.2	9.3
		13.4	9.5	5.7	1.6	.8	.3				5.7	
19		875	567	209	61	15	2				4	1733
		50.5	32.7	12.1	3.5	.9	.1				.2	9.7
		11.7	11.6	7.3	4.1	2.4	.7				7.5	
	COLUMN	7508	4897	2880	1481	633	294	98	42	49	53	17935
(CONTINUED)	TOTAL	41.9	27.3	16.1	8.3	3.5	1.6	.5	.2	.3	.3	100.0

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED
RACE VALUE.. 2 NONWHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	20	721	539	283	109	22	7	2	1		5	1689
		42.7	31.9	16.8	6.5	1.3	.4	.1	.1		.3	9.4
		9.6	11.0	9.8	7.4	3.5	2.4	2.0	2.4		9.4	
	21	565	525	268	126	48	13	5	4		2	1556
		36.3	33.7	17.2	8.1	3.1	.8	.3	.3		.1	8.7
		7.5	10.7	9.3	8.5	7.6	4.4	5.1	9.5		3.8	
	22	404	414	305	148	54	23	1	3		2	1354
		29.8	30.6	22.5	10.9	4.0	1.7	.1	.2		.1	7.5
		5.4	8.5	10.6	10.0	8.5	7.8	1.0	7.1		3.8	
	23	304	355	238	132	53	17	3	1	1	1	1105
		27.5	32.1	21.5	11.9	4.8	1.5	.3	.1	.1	.1	6.2
		4.0	7.2	8.3	8.9	8.4	5.8	3.1	2.4	2.0	1.9	
	24	252	290	242	131	57	28	6			3	1009
		25.0	28.7	24.0	13.0	5.6	2.8	.6			.3	5.6
		3.4	5.9	8.4	8.8	9.0	9.5	6.1			5.7	
	25	551	822	682	421	221	101	26	19	11	11	2865
25 - 29		19.2	28.7	23.8	14.7	7.7	3.5	.9	.7	.4	.4	16.0
		7.3	16.8	23.7	28.4	34.9	34.4	26.5	45.2	22.4	20.8	
	26	154	282	290	230	114	58	35	8	15	2	1188
30 - 34		13.0	23.7	24.4	19.4	9.6	4.9	2.9	.7	1.3	.2	6.6
		2.1	5.8	10.1	15.5	18.0	19.7	35.7	19.0	30.6	3.8	
	27	50	62	73	76	34	33	15	4	16	2	365
35 - 39		13.7	17.0	20.0	20.8	9.3	9.0	4.1	1.1	4.4	.5	2.0
		.7	1.3	2.5	5.1	5.4	11.2	15.3	9.5	32.7	3.8	
	28	4	2	8	8	4	10	2	1	6		45
40 - 44		8.9	4.4	17.8	17.8	8.9	22.2	4.4	2.2	13.3		.3
		.1	.0	.3	.5	.6	3.4	2.0	2.4	12.2		
	COLUMN TOTAL	7508	4897	2880	1481	633	294	98	42	49	53	17935
		41.9	27.3	16.1	8.3	3.5	1.6	.5	.2	.3	.3	100.0

(CONTINUED)

TABLE 1

CROSSTABULATION OF

AGE AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

STATUS MARITAL STATUS OF MOTHER VALUE.. 2 NOT MARRIED

RACE VALUE.. 2 NONWHITE

AGE		BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
	29							1				1
45 AND	OVER							100.0				.0
								1.0				
	30	42	36	19	3	5		2	1		13	121
NOT	STATED	34.7	29.8	15.7	2.5	4.1		1.7	.8		10.7	.7
		.6	.7	.7	.2	.8		2.0	2.4		24.5	
	COLUMN	7508	4897	2880	1481	633	294	98	42	49	53	17935
	TOTAL	41.9	27.3	16.1	8.3	3.5	1.6	.5	.2	.3	.3	100.0

TABLE 1

CROSSTABULATION OF AGE BY BO BIRTH ORDER

CONTROLLING FOR.. AGE AGE OF MOTHER
STATUS MARITAL STATUS OF MOTHER
RACE VALUE.. 3 NOT STATED
VALUE.. 2 NONWHITE

		BO	
	COUNT / ROW PCT / COL PCT	NOT STATED	ROW TOTAL
		10	
AGE			
19		1	1
		100.0	20.0
		20.0	
23		1	1
		100.0	20.0
		20.0	
30		3	3
NOT STATED		100.0	60.0
		60.0	
COLUMN TOTAL		5	5
		100.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF AGE BY BO

AGE OF MOTHER

BIRTH ORDER

CONTROLLING FOR.. RACES

VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		12										12
		100.0										.0
		.0										
13		64										64
		100.0										.1
		.2										
14		268	10									278
		96.4	3.6									.3
		.7	.0									
15		743	68	7	1							819
		90.7	8.3	.9	.1							.8
		2.0	.2	.0	.0							
16		1469	237	34	4						4	1748
		84.0	13.6	1.9	.2						.2	1.8
		4.0	.8	.2	.1						1.5	
17		2323	595	117	14	2	1				4	3056
		76.0	19.5	3.8	.5	.1	.0				.1	3.1
		6.3	2.0	.7	.2	.1	.1				1.5	
18		2838	1062	293	45	12	3				4	4257
		66.7	24.9	6.9	1.1	.3	.1				.1	4.4
		7.7	3.5	1.7	.6	.4	.2				1.5	
19		3043	1538	490	119	26	5	1	1		10	5233
		58.2	29.4	9.4	2.3	.5	.1	.0	.0		.2	5.4
		8.3	5.1	2.9	1.6	.8	.4	.2	.4		3.7	
(CONTINUED)	COLUMN TOTAL	36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO
CONTROLLING FOR.. AGE OF MOTHER BIRTH ORDER
RACES VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
20		2891	1808	763	226	49	16	5	4		19	5781
		50.0	31.3	13.2	3.9	.8	.3	.1	.1		.3	5.9
		7.9	5.9	4.5	3.0	1.6	1.2	.9	1.6		7.0	
21		2612	2023	901	315	103	26	8	4		11	6003
		43.5	33.7	15.0	5.2	1.7	.4	.1	.1		.2	6.2
		7.1	6.7	5.3	4.1	3.3	1.9	1.5	1.6		4.0	
22		2293	2013	1076	391	132	48	13	5	2	14	5987
		38.3	33.6	18.0	6.5	2.2	.8	.2	.1	.0	.2	6.1
		6.2	6.6	6.3	5.1	4.2	3.5	2.4	2.0	.9	5.1	
23		2219	2123	1079	434	161	54	18	4	2	18	6112
		36.3	34.7	17.7	7.1	2.6	.9	.3	.1	.0	.3	6.3
		6.0	7.0	6.3	5.7	5.1	4.0	3.4	1.6	.9	6.6	
24		2151	2030	1164	483	183	64	17	3	3	17	6115
		35.2	33.2	19.0	7.9	3.0	1.0	.3	.0	.0	.3	6.3
		5.9	6.7	6.8	6.3	5.8	4.7	3.2	1.2	1.3	6.3	
25		9135	9599	5445	2567	1001	430	154	76	36	81	28524
25 - 29		32.0	33.7	19.1	9.0	3.5	1.5	.5	.3	.1	.3	29.2
		24.9	31.6	32.0	33.7	32.0	31.5	28.7	30.3	15.4	29.8	
26		3422	5462	4022	2036	911	407	180	84	81	39	16644
30 - 34		20.6	32.8	24.2	12.2	5.5	2.4	1.1	.5	.5	.2	17.1
		9.3	18.0	23.7	26.7	29.1	29.8	33.6	33.5	34.6	14.3	
27		715	1317	1245	794	433	234	111	52	75	15	4991
35 - 39		14.3	26.4	24.9	15.9	8.7	4.7	2.2	1.0	1.5	.3	5.1
		1.9	4.3	7.3	10.4	13.8	17.1	20.7	20.7	32.1	5.5	
28		74	121	141	113	70	58	21	14	28		640
40 - 44		11.6	18.9	22.0	17.7	10.9	9.1	3.3	2.2	4.4		.7
		.2	.4	.8	1.5	2.2	4.2	3.9	5.6	12.0		
(CONTINUED)	COLUMN TOTAL	36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO
AGE OF MOTHER BIRTH ORDER
CONTROLLING FOR.. RACES
VALUE = TOTAL

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
29		1	1	3	2	4	1	2	2	2		18
45 AND OVER		5.6	5.6	16.7	11.1	22.2	5.6	11.1	11.1	11.1		.0
		.0	.0	.0	.0	.1	.1	.4	.8	.9		
30		453	411	224	78	44	18	6	2	5	36	1277
NOT STATED		35.5	32.2	17.5	6.1	3.4	1.4	.5	.2	.4	2.8	1.3
		1.2	1.4	1.3	1.0	1.4	1.3	1.1	.8	2.1	13.2	
COLUMN TOTAL		36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 2

CROSSTABULATION OF AGE BY BO
AGE OF MOTHER BIRTH ORDER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
12		1										1
		100.0										.0
		.0										
13		13										13
		100.0										.0
		.1										
14		56	3									59
		94.9	5.1									.1
		.2	.0									
15		245	16	1								262
		93.5	6.1	.4								.4
		.9	.1	.0								
16		648	74	9	1						1	733
		88.4	10.1	1.2	.1						.1	1.1
		2.5	.3	.1	.0						.6	
17		1267	241	43	3	1					1	1556
		81.4	15.5	2.8	.2	.1					.1	2.4
		4.9	1.1	.4	.1	.1					.6	
18		1721	528	109	16	4	2				1	2381
		72.3	22.2	4.6	.7	.2	.1				.0	3.6
		6.6	2.5	1.0	.4	.2	.3				.6	
19		1988	822	221	44	7	2	1	1		4	3090
		64.3	26.6	7.2	1.4	.2	.1	.0	.0		.1	4.7
		7.7	3.9	2.0	1.0	.4	.3	.4	.8		2.3	
20		1891	1044	369	88	19	5	1	3		14	3434
		55.1	30.4	10.7	2.6	.6	.1	.0	.1		.4	5.2
		7.3	4.9	3.3	2.0	1.1	.7	.4	2.3		8.1	
COLUMN TOTAL		25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE BY BO

CONTROLLING FOR.. AGE OF MOTHER
BIRTH ORDER
RACE
VALUE.. 1 WHITE

AGE	BO / COUNT / ROW PCT / COL PCT	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
	21	1775	1199	481	131	34	12	2			7	3641
		48.8	32.9	13.2	3.6	.9	.3	.1			.2	5.5
		6.8	5.6	4.3	2.9	2.0	1.7	.8			4.0	
	22	1615	1297	580	168	56	15	8	1	2	11	3753
		43.0	34.6	15.5	4.5	1.5	.4	.2	.0	.1	.3	5.7
		6.2	6.1	5.2	3.7	3.2	2.1	3.0	.8	2.2	6.4	
	23	1654	1421	602	205	72	25	9	2	1	14	4005
		41.3	35.5	15.0	5.1	1.8	.6	.2	.0	.0	.3	6.1
		6.4	6.7	5.4	4.5	4.1	3.5	3.4	1.6	1.1	8.1	
	24	1649	1414	700	230	84	23	5	2	3	12	4122
		40.0	34.3	17.0	5.6	2.0	.6	.1	.0	.1	.3	6.3
		6.4	6.6	6.3	5.1	4.8	3.2	1.9	1.6	3.4	6.9	
	25	7555	7333	3666	1549	539	217	69	33	10	52	21023
25 - 29		35.9	34.9	17.4	7.4	2.6	1.0	.3	.2	.0	.2	31.9
		29.1	34.4	33.1	34.3	31.1	30.2	26.2	25.6	11.2	30.1	
	26	2860	4419	3041	1361	558	240	92	41	32	28	12672
30 - 34		22.6	34.9	24.0	10.7	4.4	1.9	.7	.3	.3	.2	19.2
		11.0	20.7	27.5	30.2	32.2	33.4	35.0	31.8	36.0	16.2	
	27	584	1079	956	565	286	131	63	36	26	9	3735
35 - 39		15.6	28.9	25.6	15.1	7.7	3.5	1.7	1.0	.7	.2	5.7
		2.3	5.1	8.6	12.5	16.5	18.2	24.0	27.9	29.2	5.2	
	28	58	99	111	88	46	31	11	8	11		463
40 - 44		12.5	21.4	24.0	19.0	9.9	6.7	2.4	1.7	2.4		.7
		.2	.5	1.0	2.0	2.7	4.3	4.2	6.2	12.4		
	29	1	1	3	1	3			1			10
45 AND OVER		10.0	10.0	30.0	10.0	30.0			10.0			.0
		.0	.0	.0	.0	.2			.8			
	COLUMN TOTAL	25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER

AGE CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 1 WHITE

AGE	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
30	COUNT	362	325	170	60	26	15	2	1	4	19	984
	ROW PCT	36.8	33.0	17.3	6.1	2.6	1.5	.2	.1	.4	1.9	1.5
NOT STATED	COL PCT	1.4	1.5	1.5	1.3	1.5	2.1	.8	.8	4.5	11.0	
COLUMN TOTAL		25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 2

CROSSTABULATION OF AGE OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
11		1										1
		100.0										.0
		.0										
12		11										11
		100.0										.0
		.1										
13		51										51
		100.0										.2
		.5										
14		212	7									219
		96.8	3.2									.7
		2.0	.1									
15		498	52	6	1							557
		89.4	9.3	1.1	.2							1.8
		4.6	.6	.1	.0							
16		821	163	25	3						3	1015
		80.9	16.1	2.5	.3						.3	3.2
		7.6	1.8	.4	.1						3.0	
17		1056	354	74	11	1	1				3	1500
		70.4	23.6	4.9	.7	.1	.1				.2	4.7
		9.8	3.9	1.2	.4	.1	.2				3.0	
18		1117	534	184	29	8	1				3	1876
		59.5	28.5	9.8	1.5	.4	.1				.2	5.9
		10.4	5.9	3.1	.9	.6	.2				3.0	
19		1055	716	269	75	19	3				6	2143
		49.2	33.4	12.6	3.5	.9	.1				.3	6.8
		9.8	7.9	4.5	2.4	1.4	.5				6.1	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

(CONTINUED)

TABLE 2

CROSSTABULATION OF AGE BY BO

AGE OF MOTHER

BIRTH ORDER

CONTROLLING FOR.. RACE

VALUE.. 2 NONWHITE

AGE	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
20		1000	764	394	138	30	11	4	1		5	2347
		42.6	32.6	16.8	5.9	1.3	.5	.2	.0		.2	7.4
		9.3	8.4	6.6	4.4	2.1	1.7	1.5	.8		5.1	
21		837	824	420	184	69	14	6	4		4	2362
		35.4	34.9	17.8	7.8	2.9	.6	.3	.2		.2	7.5
		7.8	9.1	7.1	5.9	4.9	2.2	2.2	3.3		4.0	
22		678	716	496	223	76	33	5	4		3	2234
		30.3	32.1	22.2	10.0	3.4	1.5	.2	.2		.1	7.1
		6.3	7.9	8.3	7.2	5.4	5.1	1.8	3.3		3.0	
23		565	702	477	229	89	29	9	2	1	4	2107
		26.8	33.3	22.6	10.9	4.2	1.4	.4	.1	.0	.2	6.7
		5.2	7.7	8.0	7.4	6.4	4.5	3.3	1.6	.7	4.0	
24		502	616	464	253	99	41	12	1		5	1993
		25.2	30.9	23.3	12.7	5.0	2.1	.6	.1		.3	6.3
		4.7	6.8	7.8	8.1	7.1	6.3	4.4	.8		5.1	
25		1580	2266	1779	1018	462	213	85	43	26	29	7501
25 - 29		21.1	30.2	23.7	13.6	6.2	2.8	1.1	.6	.3	.4	23.7
		14.7	24.9	29.9	32.7	33.1	32.9	31.1	35.2	17.9	29.3	
26		562	1043	981	675	353	167	88	43	49	11	3972
30 - 34		14.1	26.3	24.7	17.0	8.9	4.2	2.2	1.1	1.2	.3	12.6
		5.2	11.5	16.5	21.7	25.3	25.8	32.2	35.2	33.8	11.1	
27		131	238	289	229	147	103	48	16	49	6	1256
35 - 39		10.4	18.9	23.0	18.2	11.7	8.2	3.8	1.3	3.9	.5	4.0
		1.2	2.6	4.9	7.4	10.5	15.9	17.6	13.1	33.8	6.1	
28		16	22	30	25	24	27	10	6	17		177
40 - 44		9.0	12.4	16.9	14.1	13.6	15.3	5.6	3.4	9.6		.6
		.1	.2	.5	.8	1.7	4.2	3.7	4.9	11.7		
(CONTINUED)	COLUMN TOTAL	10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

TABLE 2

CROSSTABULATION OF AGE BY BO BIRTH ORDER
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE

AGE	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
45 AND OVER	COUNT				1	1	1	2	1	2		8
	ROW PCT				12.5	12.5	12.5	25.0	12.5	25.0		.0
	COL PCT				.0	.1	.2	.7	.8	1.4		
NOT STATED	COUNT	91	86	54	18	18	3	4	1	1	17	293
	ROW PCT	31.1	29.4	18.4	6.1	6.1	1.0	1.4	.3	.3	5.8	.9
	COL PCT	.8	.9	.9	.6	1.3	.5	1.5	.8	.7	17.2	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACES

VALUE = TOTAL

AGE	WT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
11	COUNT							1				1
	ROW PCT							100.0				.0
	COL PCT							.0				
12	COUNT			1	1	2	2	4	2			12
	ROW PCT			8.3	8.3	16.7	16.7	33.3	16.7			.0
	COL PCT			.1	.1	.0	.0	.0	.0			
13	COUNT	1	1			5	15	33	6	2	1	64
	ROW PCT	1.6	1.6			7.8	23.4	51.6	9.4	3.1	1.6	.1
	COL PCT	.5	.2			.1	.1	.1	.0	.0	.7	
14	COUNT	2	3	8	9	19	69	108	49	11		278
	ROW PCT	.7	1.1	2.9	3.2	6.8	24.8	38.8	17.6	4.0		.3
	COL PCT	1.1	.5	1.1	.6	.4	.4	.3	.2	.1		
15	COUNT	1	10	6	19	70	193	307	176	37		819
	ROW PCT	.1	1.2	.7	2.3	8.5	23.6	37.5	21.5	4.5		.8
	COL PCT	.5	1.6	.8	1.2	1.5	1.2	.9	.6	.4		
16	COUNT	7	22	22	32	127	420	660	365	90	3	1748
	ROW PCT	.4	1.3	1.3	1.8	7.3	24.0	37.8	20.9	5.1	.2	1.8
	COL PCT	3.8	3.5	3.1	2.1	2.7	2.6	1.9	1.3	.9	2.1	
17	COUNT	12	32	23	60	211	632	1230	680	169	7	3056
	ROW PCT	.4	1.0	.8	2.0	6.9	20.7	40.2	22.3	5.5	.2	3.1
	COL PCT	6.5	5.0	3.2	3.9	4.4	3.9	3.5	2.5	1.7	4.9	
18	COUNT	17	32	37	88	266	907	1632	995	278	5	4257
	ROW PCT	.4	.8	.9	2.1	6.2	21.3	38.3	23.4	6.5	.1	4.4
	COL PCT	9.2	5.0	5.2	5.7	5.6	5.6	4.6	3.6	2.7	3.5	
19	COUNT	14	47	42	88	295	969	2000	1382	391	5	5233
	ROW PCT	.3	.9	.8	1.7	5.6	18.5	38.2	26.4	7.5	.1	5.4
	COL PCT	7.6	7.4	5.9	5.7	6.2	6.0	5.6	5.0	3.8	3.5	
COLUMN TOTAL	COUNT	184	637	712	1546	4743	16197	35487	27750	10160	144	97560
	ROW PCT	.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACES

VALUE = TOTAL

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
20		10	48	51	103	304	1065	2190	1529	476	5	5781
		.2	.8	.9	1.8	5.3	18.4	37.9	26.4	8.2	.1	5.9
		5.4	7.5	7.2	6.7	6.4	6.6	6.2	5.5	4.7	3.5	
21		12	41	39	99	313	1126	2293	1574	502	4	6003
		.2	.7	.6	1.6	5.2	18.8	38.2	26.2	8.4	.1	6.2
		6.5	6.4	5.5	6.4	6.6	7.0	6.5	5.7	4.9	2.8	
22		11	38	50	101	278	1072	2261	1647	520	9	5987
		.2	.6	.8	1.7	4.6	17.9	37.8	27.5	8.7	.2	6.1
		6.0	6.0	7.0	6.5	5.9	6.6	6.4	5.9	5.1	6.3	
23		9	22	45	92	282	1086	2298	1690	583	5	6112
		.1	.4	.7	1.5	4.6	17.8	37.6	27.7	9.5	.1	6.3
		4.9	3.5	6.3	6.0	5.9	6.7	6.5	6.1	5.7	3.5	
24		11	34	43	80	282	1037	2221	1767	631	9	6115
		.2	.6	.7	1.3	4.6	17.0	36.3	28.9	10.3	.1	6.3
		6.0	5.3	6.0	5.2	5.9	6.4	6.3	6.4	6.2	6.3	
25		38	163	172	397	1228	4316	10274	8595	3311	30	28524
25 - 29		.1	.6	.6	1.4	4.3	15.1	36.0	30.1	11.6	.1	29.2
		20.7	25.6	24.2	25.7	25.9	26.6	29.0	31.0	32.6	20.8	
26		22	92	99	248	711	2330	5712	5174	2241	15	16644
30 - 34		.1	.6	.6	1.5	4.3	14.0	34.3	31.1	13.5	.1	17.1
		12.0	14.4	13.9	16.0	15.0	14.4	16.1	18.6	22.1	10.4	
27		8	29	40	86	225	669	1646	1563	711	14	4991
35 - 39		.2	.6	.8	1.7	4.5	13.4	33.0	31.3	14.2	.3	5.1
		4.3	4.6	5.6	5.6	4.7	4.1	4.6	5.6	7.0	9.7	
28		2	5	9	8	48	86	211	200	71		640
40 - 44		.3	.8	1.4	1.3	7.5	13.4	33.0	31.3	11.1		.7
		1.1	.8	1.3	.5	1.0	.5	.6	.7	.7		
COLUMN TOTAL		184	637	712	1546	4743	16197	35487	27750	10160	144	97560
		.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACES
VALUE = TOTAL
PAGE 3 OF 3

AGE	WT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
29	COUNT		1			1	4	5	3	4		18
45 AND OVER	ROW PCT		5.6			5.6	22.2	27.8	16.7	22.2		.0
	COL PCT		.2			.0	.0	.0	.0	.0		
30	COUNT	7	17	25	35	76	199	401	353	132	32	1277
NOT STATED	ROW PCT	.5	1.3	2.0	2.7	6.0	15.6	31.4	27.6	10.3	2.5	1.3
	COL PCT	3.8	2.7	3.5	2.3	1.6	1.2	1.1	1.3	1.3	22.2	
COLUMN TOTAL		184	637	712	1546	4743	16197	35487	27750	10160	144	97560
		.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 3

CROSSTABULATION OF AGE BY WT

AGE OF MOTHER BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
12						1						1
						100.0						.0
						.0						
13							2	7	2	2		13
							15.4	53.8	15.4	15.4		.0
							.0	.0	.0	.0		
14				1	3	3	7	18	19	8		59
				1.7	5.1	5.1	11.9	30.5	32.2	13.6		.1
				.3	.4	.1	.1	.1	.1	.1		
15			1	1	7	20	49	88	77	19		262
			.4	.4	2.7	7.6	18.7	33.6	29.4	7.3		.4
			.4	.3	.9	.8	.5	.4	.4	.2		
16		2	5	5	9	45	162	264	182	58	1	733
		.3	.7	.7	1.2	6.1	22.1	36.0	24.8	7.9	.1	1.1
		3.3	1.8	1.5	1.1	1.8	1.8	1.1	.9	.7	1.3	
17		4	13	12	32	78	260	618	420	117	2	1556
		.3	.8	.8	2.1	5.0	16.7	39.7	27.0	7.5	.1	2.4
		6.6	4.7	3.6	3.9	3.1	2.9	2.7	2.0	1.4	2.5	
18		6	17	16	37	111	416	913	652	211	2	2381
		.3	.7	.7	1.6	4.7	17.5	38.3	27.4	8.9	.1	3.6
		9.8	6.1	4.8	4.5	4.4	4.6	3.9	3.1	2.5	2.5	
19		3	21	15	38	134	502	1141	923	313		3090
		.1	.7	.5	1.2	4.3	16.2	36.9	29.9	10.1		4.7
		4.9	7.6	4.5	4.6	5.3	5.5	4.9	4.4	3.7		
20		3	20	19	42	157	517	1254	1030	388	4	3434
		.1	.6	.6	1.2	4.6	15.1	36.5	30.0	11.3	.1	5.2
		4.9	7.2	5.7	5.1	6.2	5.7	5.4	4.9	4.6	5.0	
(CONTINUED)	COLUMN TOTAL	61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

TABLE 3

CROSSTABULATION OF AGE BY WT

AGE OF MOTHER

BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE

VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
	21	2	14	16	48	151	556	1385	1075	392	2	3641
		.1	.4	.4	1.3	4.1	15.3	38.0	29.5	10.8	.1	5.5
		3.3	5.1	4.8	5.8	6.0	6.1	5.9	5.1	4.6	2.5	
	22	5	15	18	47	143	554	1350	1201	416	4	3753
		.1	.4	.5	1.3	3.8	14.8	36.0	32.0	11.1	.1	5.7
		8.2	5.4	5.4	5.7	5.7	6.1	5.8	5.7	4.9	5.0	
	23	1	10	11	43	138	613	1504	1218	465	2	4005
		.0	.2	.3	1.1	3.4	15.3	37.6	30.4	11.6	.0	6.1
		1.6	3.6	3.3	5.2	5.5	6.8	6.5	5.8	5.5	2.5	
	24	2	16	18	38	148	597	1435	1336	527	5	4122
		.0	.4	.4	.9	3.6	14.5	34.8	32.4	12.8	.1	6.3
		3.3	5.8	5.4	4.6	5.9	6.6	6.2	6.4	6.2	6.3	
	25	15	70	93	237	721	2709	7408	6903	2844	23	21023
25 - 29		.1	.3	.4	1.1	3.4	12.9	35.2	32.8	13.5	.1	31.9
		24.6	25.3	28.1	28.9	28.7	29.8	31.8	32.8	33.6	28.8	
	26	8	48	66	155	447	1512	4217	4265	1946	8	12672
30 - 34		.1	.4	.5	1.2	3.5	11.9	33.3	33.7	15.4	.1	19.2
		13.1	17.3	19.9	18.9	17.8	16.7	18.1	20.3	23.0	10.0	
	27	4	15	17	56	139	423	1217	1264	588	12	3735
35 - 39		.1	.4	.5	1.5	3.7	11.3	32.6	33.8	15.7	.3	5.7
		6.6	5.4	5.1	6.8	5.5	4.7	5.2	6.0	6.9	15.0	
	28	1	5	8	5	26	53	151	160	54		463
40 - 44		.2	1.1	1.7	1.1	5.6	11.4	32.6	34.6	11.7		.7
		1.6	1.8	2.4	.6	1.0	.6	.6	.8	.6		
	29		1				2	4	2	1		10
45 AND OVER			10.0				20.0	40.0	20.0	10.0		.0
			.4				.0	.0	.0	.0		
	COLUMN	61	277	331	821	2513	9081	23278	21026	8469	80	65937
(CONTINUED)	TOTAL	.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
30		5	6	15	24	51	147	304	297	120	15	984
NOT STATED		.5	.6	1.5	2.4	5.2	14.9	30.9	30.2	12.2	1.5	1.5
		8.2	2.2	4.5	2.9	2.0	1.6	1.3	1.4	1.4	18.8	
COLUMN TOTAL		61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

TABLE 3

CROSSTABULATION OF AGE BY WT
CONTROLLING FOR.. AGE OF MOTHER
RACE VALUE.. 2 NONWHITE
BIRTH WEIGHT IN GRAMS

AGE	COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
11								1				1
								100.0				.0
								.0				
12				1	1	1	2	4	2			11
				9.1	9.1	9.1	18.2	36.4	18.2			.0
				.3	.1	.0	.0	.0	.0			
13		1	1			5	13	26	4		1	51
		2.0	2.0			9.8	25.5	51.0	7.8		2.0	.2
		.8	.3			.2	.2	.2	.1		1.6	
14		2	3	7	6	16	62	90	30	3		219
		.9	1.4	3.2	2.7	7.3	28.3	41.1	13.7	1.4		.7
		1.6	.8	1.8	.8	.7	.9	.7	.4	.2		
15		1	9	5	12	50	144	219	99	18		557
		.2	1.6	.9	2.2	9.0	25.9	39.3	17.8	3.2		1.8
		.8	2.5	1.3	1.7	2.2	2.0	1.8	1.5	1.1		
16		5	17	17	23	82	258	396	183	32	2	1015
		.5	1.7	1.7	2.3	8.1	25.4	39.0	18.0	3.2	.2	3.2
		4.1	4.7	4.5	3.2	3.7	3.6	3.2	2.7	1.9	3.1	
17		8	19	11	28	133	372	612	260	52	5	1500
		.5	1.3	.7	1.9	8.9	24.8	40.8	17.3	3.5	.3	4.7
		6.5	5.3	2.9	3.9	6.0	5.2	5.0	3.9	3.1	7.8	
18		11	15	21	51	155	491	719	343	67	3	1876
		.6	.8	1.1	2.7	8.3	26.2	38.3	18.3	3.6	.2	5.9
		8.9	4.2	5.5	7.0	7.0	6.9	5.9	5.1	4.0	4.7	
19		11	26	27	50	161	467	859	459	78	5	2143
		.5	1.2	1.3	2.3	7.5	21.8	40.1	21.4	3.6	.2	6.8
		8.9	7.2	7.1	6.9	7.2	6.6	7.0	6.8	4.6	7.8	
COLUMN TOTAL		123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

AGE	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
20		7	28	32	61	147	548	936	499	88	1	2347
		.3	1.2	1.4	2.6	6.3	23.3	39.9	21.3	3.7	.0	7.4
		5.7	7.8	8.4	8.4	6.6	7.7	7.7	7.4	5.2	1.6	
21		10	27	23	51	162	570	908	499	110	2	2362
		.4	1.1	1.0	2.2	6.9	24.1	38.4	21.1	4.7	.1	7.5
		8.1	7.5	6.0	7.0	7.3	8.0	7.4	7.4	6.5	3.1	
22		6	23	32	54	135	518	911	446	104	5	2234
		.3	1.0	1.4	2.4	6.0	23.2	40.8	20.0	4.7	.2	7.1
		4.9	6.4	8.4	7.4	6.1	7.3	7.5	6.6	6.2	7.8	
23		8	12	34	49	144	473	794	472	118	3	2107
		.4	.6	1.6	2.3	6.8	22.4	37.7	22.4	5.6	.1	6.7
		6.5	3.3	8.9	6.8	6.5	6.6	6.5	7.0	7.0	4.7	
24		9	18	25	42	134	440	786	431	104	4	1993
		.5	.9	1.3	2.1	6.7	22.1	39.4	21.6	5.2	.2	6.3
		7.3	5.0	6.6	5.8	6.0	6.2	6.4	6.4	6.2	6.3	
25		23	93	79	160	507	1607	2866	1692	467	7	7501
25 - 29		.3	1.2	1.1	2.1	6.8	21.4	38.2	22.6	6.2	.1	23.7
		18.7	25.8	20.7	22.1	22.7	22.6	23.5	25.2	27.6	10.9	
26		14	44	33	93	264	818	1495	909	295	7	3972
30 - 34		.4	1.1	.8	2.3	6.6	20.6	37.6	22.9	7.4	.2	12.6
		11.4	12.2	8.7	12.8	11.8	11.5	12.2	13.5	17.4	10.9	
27		4	14	23	30	86	246	429	299	123	2	1256
35 - 39		.3	1.1	1.8	2.4	6.8	19.6	34.2	23.8	9.8	.2	4.0
		3.3	3.9	6.0	4.1	3.9	3.5	3.5	4.4	7.3	3.1	
28		1		1	3	22	33	60	40	17		177
40 - 44		.6		.6	1.7	12.4	18.6	33.9	22.6	9.6		.6
		.8		.3	.4	1.0	.5	.5	.6	1.0		
COLUMN TOTAL		123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

(CONTINUED)

TABLE 3

CROSSTABULATION OF AGE AGE OF MOTHER BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

AGE	WT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
29	COUNT					1	2	1	1	3		8
45 AND OVER	ROW PCT					12.5	25.0	12.5	12.5	37.5		.0
	COL PCT					.0	.0	.0	.0	.2		
30	COUNT	2	11	10	11	25	52	97	56	12	17	293
NOT STATED	ROW PCT	.7	3.8	3.4	3.8	8.5	17.7	33.1	19.1	4.1	5.8	.9
	COL PCT	1.6	3.1	2.6	1.5	1.1	.7	.8	.8	.7	26.6	
	COLUMN TOTAL	123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF
EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER
CONTROLLING FOR..
RACES VALUE = TOTAL

EDUC	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.	COUNT	1321	720	530	273	168	84	44	22	31	8	3201
	ROW PCT	41.3	22.5	16.6	8.5	5.2	2.6	1.4	.7	1.0	.2	3.3
	COL PCT	3.6	2.4	3.1	3.6	5.4	6.2	8.2	8.8	13.2	2.9	
2 H.S. 1-3 YEARS	COUNT	7593	5248	3292	1744	819	412	154	76	82	50	19470
	ROW PCT	39.0	27.0	16.9	9.0	4.2	2.1	.8	.4	.4	.3	20.0
	COL PCT	20.7	17.3	19.4	22.9	26.2	30.2	28.7	30.3	35.0	18.4	
3 H.S. 4 YEARS	COUNT	14457	13183	7294	3177	1239	517	195	91	76	105	40334
	ROW PCT	35.8	32.7	18.1	7.9	3.1	1.3	.5	.2	.2	.3	41.3
	COL PCT	39.4	43.3	42.9	41.7	39.6	37.9	36.4	36.3	32.5	38.6	
4 COL.1-3 YEARS	COUNT	6908	5940	3213	1379	544	228	102	40	30	43	18427
	ROW PCT	37.5	32.2	17.4	7.5	3.0	1.2	.6	.2	.2	.2	18.9
	COL PCT	18.8	19.5	18.9	18.1	17.4	16.7	19.0	15.9	12.8	15.8	
5 COL. 4+ YEARS	COUNT	6364	5270	2636	1038	355	118	38	21	14	35	15889
	ROW PCT	40.1	33.2	16.6	6.5	2.2	.7	.2	.1	.1	.2	16.3
	COL PCT	17.3	17.3	15.5	13.6	11.3	8.6	7.1	8.4	6.0	12.9	
6 NOT STATED	COUNT	84	57	39	11	6	6	3	1	1	31	239
	ROW PCT	35.1	23.8	16.3	4.6	2.5	2.5	1.3	.4	.4	13.0	.2
	COL PCT	.2	.2	.2	.1	.2	.4	.6	.4	.4	11.4	
COLUMN TOTAL		36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

EDUC	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.	704	540	378	181	101	49	30	11	12	7	2013
	35.0	26.8	18.8	9.0	5.0	2.4	1.5	.5	.6	.3	3.1
	2.7	2.5	3.4	4.0	5.8	6.8	11.4	8.5	13.5	4.0	
2 H.S. 1-3 YEARS	4461	3260	1903	879	377	162	54	31	25	24	11176
	39.9	29.2	17.0	7.9	3.4	1.4	.5	.3	.2	.2	16.9
	17.2	15.3	17.2	19.5	21.7	22.6	20.5	24.0	28.1	13.9	
3 H.S. 4 YEARS	10075	8627	4254	1684	608	274	97	42	24	71	25756
	39.1	33.5	16.5	6.5	2.4	1.1	.4	.2	.1	.3	39.1
	38.8	40.5	38.5	37.3	35.0	38.2	36.9	32.6	27.0	41.0	
4 COL.1-3 YEARS	5208	4341	2274	903	366	142	52	27	17	23	13353
	39.0	32.5	17.0	6.8	2.7	1.1	.4	.2	.1	.2	20.3
	20.1	20.4	20.6	20.0	21.1	19.8	19.8	20.9	19.1	13.3	
5 COL. 4+ YEARS	5438	4512	2230	859	281	89	28	17	11	32	13497
	40.3	33.4	16.5	6.4	2.1	.7	.2	.1	.1	.2	20.5
	21.0	21.2	20.2	19.0	16.2	12.4	10.6	13.2	12.4	18.5	
6 NOT STATED	57	35	23	4	2	2	2	1		16	142
	40.1	24.6	16.2	2.8	1.4	1.4	1.4	.7		11.3	.2
	.2	.2	.2	.1	.1	.3	.8	.8		9.2	
COLUMN TOTAL	25943	21315	11062	4510	1735	718	263	129	89	173	65937
	39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 4

CROSSTABULATION OF

EDUC EDUCATION OF MOTHER BY BO BIRTH ORDER

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

EDUC	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
1 NONE OR ELEM.		617	180	152	92	67	35	14	11	19	1	1188
		51.9	15.2	12.8	7.7	5.6	2.9	1.2	.9	1.6	.1	3.8
		5.7	2.0	2.6	3.0	4.8	5.4	5.1	9.0	13.1	1.0	
2 H.S. 1-3 YEARS		3132	1988	1389	865	442	250	100	45	57	26	8294
		37.8	24.0	16.7	10.4	5.3	3.0	1.2	.5	.7	.3	26.2
		29.0	21.8	23.4	27.8	31.7	38.6	36.6	36.9	39.3	26.3	
3 H.S. 4 YEARS		4382	4556	3040	1493	631	243	98	49	52	34	14578
		30.1	31.3	20.9	10.2	4.3	1.7	.7	.3	.4	.2	46.1
		40.6	50.0	51.2	48.0	45.2	37.6	35.9	40.2	35.9	34.3	
4 COL.1-3 YEARS		1700	1599	939	476	178	86	50	13	13	20	5074
		33.5	31.5	18.5	9.4	3.5	1.7	1.0	.3	.3	.4	16.0
		15.8	17.6	15.8	15.3	12.8	13.3	18.3	10.7	9.0	20.2	
5 COL. 4+ YEARS		926	758	406	179	74	29	10	4	3	3	2392
		38.7	31.7	17.0	7.5	3.1	1.2	.4	.2	.1	.1	7.6
		8.6	8.3	6.8	5.8	5.3	4.5	3.7	3.3	2.1	3.0	
6 NOT STATED		27	22	16	7	4	4	1		1	15	97
		27.8	22.7	16.5	7.2	4.1	4.1	1.0		1.0	15.5	.3
		.3	.2	.3	.2	.3	.6	.4		.7	15.2	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		111	666	644	125	14	10	1570
		7.1	42.4	41.0	8.0	.9	.6	1.6
		3.5	3.4	1.6	.7	.1	4.2	
1 FIRST MONTH		254	1759	6152	3702	4548	49	16464
		1.5	10.7	37.4	22.5	27.6	.3	16.9
		7.9	9.0	15.3	20.1	28.6	20.5	
2 SECOND MONTH		820	5121	15216	8349	8190	59	37755
		2.2	13.6	40.3	22.1	21.7	.2	38.7
		25.6	26.3	37.7	45.3	51.5	24.7	
3 THIRD MONTH		648	4124	8658	3601	2255	35	19321
		3.4	21.3	44.8	18.6	11.7	.2	19.8
		20.2	21.2	21.5	19.5	14.2	14.6	
4 FOURTH MONTH		461	2832	4157	1249	484	16	9199
		5.0	30.8	45.2	13.6	5.3	.2	9.4
		14.4	14.5	10.3	6.8	3.0	6.7	
5 FIFTH MONTH		325	1998	2400	618	189	17	5547
		5.9	36.0	43.3	11.1	3.4	.3	5.7
		10.2	10.3	6.0	3.4	1.2	7.1	
6 SIXTH MONTH		253	1357	1422	334	84	8	3458
		7.3	39.2	41.1	9.7	2.4	.2	3.5
		7.9	7.0	3.5	1.8	.5	3.3	
7 SEVENTH MONTH		176	879	901	248	48	6	2258
		7.8	38.9	39.9	11.0	2.1	.3	2.3
		5.5	4.5	2.2	1.3	.3	2.5	
8 EIGHTH MONTH		91	480	496	93	20	6	1186
		7.7	40.5	41.8	7.8	1.7	.5	1.2
		2.8	2.5	1.2	.5	.1	2.5	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACES VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH		46	149	162	49	7	2	415
		11.1	35.9	39.0	11.8	1.7	.5	.4
		1.4	.8	.4	.3	.0	.8	
10 NOT STATED		16	105	126	59	50	31	387
		4.1	27.1	32.6	15.2	12.9	8.0	.4
		.5	.5	.3	.3	.3	13.0	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 5

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		62	260	211	51	6	1	591
		10.5	44.0	35.7	8.6	1.0	.2	.9
		3.1	2.3	.8	.4	.0	.7	
1 FIRST MONTH		175	1101	4532	2966	4050	38	12862
		1.4	8.6	35.2	23.1	31.5	.3	19.5
		8.7	9.9	17.6	22.2	30.0	26.8	
2 SECOND MONTH		564	3392	11152	6554	7064	42	28768
		2.0	11.8	38.8	22.8	24.6	.1	43.6
		28.0	30.4	43.3	49.1	52.3	29.6	
3 THIRD MONTH		436	2531	5381	2473	1825	22	12668
		3.4	20.0	42.5	19.5	14.4	.2	19.2
		21.7	22.6	20.9	18.5	13.5	15.5	
4 FOURTH MONTH		269	1550	2139	681	314	10	4963
		5.4	31.2	43.1	13.7	6.3	.2	7.5
		13.4	13.9	8.3	5.1	2.3	7.0	
5 FIFTH MONTH		187	973	1048	279	112	7	2606
		7.2	37.3	40.2	10.7	4.3	.3	4.0
		9.3	8.7	4.1	2.1	.8	4.9	
6 SIXTH MONTH		132	629	570	140	46	1	1518
		8.7	41.4	37.5	9.2	3.0	.1	2.3
		6.6	5.6	2.2	1.0	.3	.7	
7 SEVENTH MONTH		101	411	383	116	24	2	1037
		9.7	39.6	36.9	11.2	2.3	.2	1.6
		5.0	3.7	1.5	.9	.2	1.4	
8 EIGHTH MONTH		52	212	210	39	15	2	530
		9.8	40.0	39.6	7.4	2.8	.4	.8
		2.6	1.9	.8	.3	.1	1.4	
(CONTINUED) COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	26	67	64	17	5	1	180
	ROW PCT	14.4	37.2	35.6	9.4	2.8	.6	.3
	COL PCT	1.3	.6	.2	.1	.0	.7	
10 NOT STATED	COUNT	9	50	66	37	36	16	214
	ROW PCT	4.2	23.4	30.8	17.3	16.8	7.5	.3
	COL PCT	.4	.4	.3	.3	.3	11.3	
COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	1 H.S. 1-3 YEARS	2 H.S. 4 YEARS	3 COL.1-3 YEARS	4 COL. 4+ YEARS	5 NOT STATED	6 ROW TOTAL
0 NONE		49	406	433	74	8	9	979
		5.0	41.5	44.2	7.6	.8	.9	3.1
		4.1	4.9	3.0	1.5	.3	9.3	
1 FIRST MONTH		79	658	1620	736	498	11	3602
		2.2	18.3	45.0	20.4	13.8	.3	11.4
		6.6	7.9	11.1	14.5	20.8	11.3	
2 SECOND MONTH		256	1729	4064	1795	1126	17	8987
		2.8	19.2	45.2	20.0	12.5	.2	28.4
		21.5	20.8	27.9	35.4	47.1	17.5	
3 THIRD MONTH		212	1593	3277	1128	430	13	6653
		3.2	23.9	49.3	17.0	6.5	.2	21.0
		17.8	19.2	22.5	22.2	18.0	13.4	
4 FOURTH MONTH		192	1282	2018	568	170	6	4236
		4.5	30.3	47.6	13.4	4.0	.1	13.4
		16.2	15.5	13.8	11.2	7.1	6.2	
5 FIFTH MONTH		138	1025	1352	339	77	10	2941
		4.7	34.9	46.0	11.5	2.6	.3	9.3
		11.6	12.4	9.3	6.7	3.2	10.3	
6 SIXTH MONTH		121	728	852	194	38	7	1940
		6.2	37.5	43.9	10.0	2.0	.4	6.1
		10.2	8.8	5.8	3.8	1.6	7.2	
7 SEVENTH MONTH		75	468	518	132	24	4	1221
		6.1	38.3	42.4	10.8	2.0	.3	3.9
		6.3	5.6	3.6	2.6	1.0	4.1	
8 EIGHTH MONTH		39	268	286	54	5	4	656
		5.9	40.9	43.6	8.2	.8	.6	2.1
		3.3	3.2	2.0	1.1	.2	4.1	
COLUMN TOTAL		1188	8294	14578	5074	2392	97	31623
		3.8	26.2	46.1	16.0	7.6	.3	100.0

(CONTINUED)

TABLE 5

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINTH MONTH	20	82	98	32	2	1	235
	8.5	34.9	41.7	13.6	.9	.4	.7
	1.7	1.0	.7	.6	.1	1.0	
10 NOT STATED	7	55	60	22	14	15	173
	4.0	31.8	34.7	12.7	8.1	8.7	.5
	.6	.7	.4	.4	.6	15.5	
COLUMN TOTAL	1188	8294	14578	5074	2392	97	31623
	3.8	26.2	46.1	16.0	7.6	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE				6	14	38	82	108	133	136	151	1570
				.4	.9	2.4	5.2	6.9	8.5	8.7	9.6	1.6
				9.4	5.0	4.6	4.7	3.5	3.1	2.6	2.6	
1 FIRST MONTH				3	10	45	106	209	341	503	619	16464
				.0	.1	.3	.6	1.3	2.1	3.1	3.8	16.9
				4.7	3.6	5.5	6.1	6.8	8.0	9.6	10.7	
2 SECOND MONTH			2	7	54	141	346	663	975	1413	1750	37755
			.0	.0	.1	.4	.9	1.8	2.6	3.7	4.6	38.7
			16.7	10.9	19.4	17.2	19.8	21.7	22.9	27.0	30.3	
3 THIRD MONTH				8	47	145	328	645	898	1145	1289	19321
				.0	.2	.8	1.7	3.3	4.6	5.9	6.7	19.8
				12.5	16.9	17.7	18.8	21.1	21.1	21.9	22.3	
4 FOURTH MONTH			2	8	54	132	317	534	694	738	761	9199
			.0	.1	.6	1.4	3.4	5.8	7.5	8.0	8.3	9.4
			16.7	12.5	19.4	16.1	18.1	17.5	16.3	14.1	13.2	
5 FIFTH MONTH			3	9	37	130	238	357	484	561	492	5547
			.1	.2	.7	2.3	4.3	6.4	8.7	10.1	8.9	5.7
			25.0	14.1	13.3	15.9	13.6	11.7	11.4	10.7	8.5	
6 SIXTH MONTH		1	3	9	31	92	160	243	344	324	338	3458
		.0	.1	.3	.9	2.7	4.6	7.0	9.9	9.4	9.8	3.5
		100.0	25.0	14.1	11.2	11.2	9.2	8.0	8.1	6.2	5.8	
7 SEVENTH MONTH			2	4	21	54	90	178	215	222	209	2258
			.1	.2	.9	2.4	4.0	7.9	9.5	9.8	9.3	2.3
			16.7	6.3	7.6	6.6	5.1	5.8	5.1	4.2	3.6	
8 EIGHTH MONTH				6	6	24	60	83	124	126	105	1186
				.5	.5	2.0	5.1	7.0	10.5	10.6	8.9	1.2
				9.4	2.2	2.9	3.4	2.7	2.9	2.4	1.8	
(CONTINUED) COLUMN TOTAL		1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		124	129	101	97	269	107	37	7	1	30	1570
NONE		7.9	8.2	6.4	6.2	17.1	6.8	2.4	.4	.1	1.9	1.6
		2.1	2.2	1.7	1.6	.9	.6	.7	1.1	5.6	2.3	
1		724	825	968	996	5742	3899	1136	128	4	206	16464
FIRST MONTH		4.4	5.0	5.9	6.0	34.9	23.7	6.9	.8	.0	1.3	16.9
		12.1	13.8	15.8	16.3	20.1	23.4	22.8	20.0	22.2	16.1	
2		1991	2098	2243	2467	12748	7857	2306	237	3	454	37755
SECOND MONTH		5.3	5.6	5.9	6.5	33.8	20.8	6.1	.6	.0	1.2	38.7
		33.2	35.0	36.7	40.3	44.7	47.2	46.2	37.0	16.7	35.6	
3		1310	1301	1283	1260	5455	2910	886	122	3	286	19321
THIRD MONTH		6.8	6.7	6.6	6.5	28.2	15.1	4.6	.6	.0	1.5	19.8
		21.8	21.7	21.0	20.6	19.1	17.5	17.8	19.1	16.7	22.4	
4		742	682	602	566	1978	915	304	56	5	109	9199
FOURTH MONTH		8.1	7.4	6.5	6.2	21.5	9.9	3.3	.6	.1	1.2	9.4
		12.4	11.4	9.8	9.3	6.9	5.5	6.1	8.8	27.8	8.5	
5		472	394	393	300	1025	388	157	37	1	69	5547
FIFTH MONTH		8.5	7.1	7.1	5.4	18.5	7.0	2.8	.7	.0	1.2	5.7
		7.9	6.6	6.4	4.9	3.6	2.3	3.1	5.8	5.6	5.4	
6		304	248	217	189	582	250	64	24	1	34	3458
SIXTH MONTH		8.8	7.2	6.3	5.5	16.8	7.2	1.9	.7	.0	1.0	3.5
		5.1	4.1	3.6	3.1	2.0	1.5	1.3	3.8	5.6	2.7	
7		191	167	168	118	368	164	47	19		21	2258
SEVENTH MONTH		8.5	7.4	7.4	5.2	16.3	7.3	2.1	.8		.9	2.3
		3.2	2.8	2.7	1.9	1.3	1.0	.9	3.0		1.6	
8		95	84	77	75	195	75	26	6		19	1186
EIGHTH MONTH		8.0	7.1	6.5	6.3	16.4	6.3	2.2	.5		1.6	1.2
		1.6	1.4	1.3	1.2	.7	.5	.5	.9		1.5	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINTH MONTH				2	4	9	10	24	29	41	46	415
				.5	1.0	2.2	2.4	5.8	7.0	9.9	11.1	.4
				3.1	1.4	1.1	.6	.8	.7	.8	.8	
10 NOT STATED				2		9	11	12	20	24	21	387
				.5		2.3	2.8	3.1	5.2	6.2	5.4	.4
				3.1		1.1	.6	.4	.5	.5	.4	
(CONTINUED)	COLUMN TOTAL	1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	AGE	21	22	23	24	25	26	27	28	29	30	ROW TOTAL
	COUNT	30	41	37	26	67	33	11			5	415
9 NINTH MONTH	ROW PCT	7.2	9.9	8.9	6.3	16.1	8.0	2.7			1.2	.4
	COL PCT	.5	.7	.6	.4	.2	.2	.2			.4	
	COUNT	20	18	23	21	95	46	17	4		44	387
10 NOT STATED	ROW PCT	5.2	4.7	5.9	5.4	24.5	11.9	4.4	1.0		11.4	.4
	COL PCT	.3	.3	.4	.3	.3	.3	.3	.6		3.4	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0 NONE			2	4	16	40	32	43	55	50	49	591
			.3	.7	2.7	6.8	5.4	7.3	9.3	8.5	8.3	.9
			15.4	6.8	6.1	5.5	2.1	1.8	1.8	1.5	1.3	
1 FIRST MONTH			1	2	18	42	118	212	331	400	499	12862
			.0	.0	.1	.3	.9	1.6	2.6	3.1	3.9	19.5
			7.7	3.4	6.9	5.7	7.6	8.9	10.7	11.6	13.7	
2 SECOND MONTH			2	7	55	182	388	637	950	1178	1378	28768
			.0	.0	.2	.6	1.3	2.2	3.3	4.1	4.8	43.6
			15.4	11.9	21.0	24.8	24.9	26.8	30.7	34.3	37.8	
3 THIRD MONTH			2	17	45	146	366	540	727	810	827	12668
			.0	.1	.4	1.2	2.9	4.3	5.7	6.4	6.5	19.2
			15.4	28.8	17.2	19.9	23.5	22.7	23.5	23.6	22.7	
4 FOURTH MONTH		1	2	8	42	130	255	375	412	423	398	4963
		.0	.0	.2	.8	2.6	5.1	7.6	8.3	8.5	8.0	7.5
		100.0	15.4	13.6	16.0	17.7	16.4	15.7	13.3	12.3	10.9	
5 FIFTH MONTH			1	6	41	83	157	232	284	247	232	2606
			.0	.2	1.6	3.2	6.0	8.9	10.9	9.5	8.9	4.0
			7.7	10.2	15.6	11.3	10.1	9.7	9.2	7.2	6.4	
6 SIXTH MONTH			1	8	19	49	112	154	141	153	125	1518
			.1	.5	1.3	3.2	7.4	10.1	9.3	10.1	8.2	2.3
			7.7	13.6	7.3	6.7	7.2	6.5	4.6	4.5	3.4	
7 SEVENTH MONTH				7	12	27	79	108	108	91	76	1037
				.7	1.2	2.6	7.6	10.4	10.4	8.8	7.3	1.6
				11.9	4.6	3.7	5.1	4.5	3.5	2.6	2.1	
8 EIGHTH MONTH			2		12	25	33	54	49	51	34	530
			.4		2.3	4.7	6.2	10.2	9.2	9.6	6.4	.8
			15.4		4.6	3.4	2.1	2.3	1.6	1.5	.9	
COLUMN TOTAL		1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED				
0		45	39	36	100	46	15	5		14	591
NONE		7.6	6.6	6.1	16.9	7.8	2.5	.8		2.4	.9
		1.2	1.0	.9	.5	.4	.4	1.1		1.4	
1		565	688	752	4739	3257	954	103	3	178	12862
FIRST MONTH		4.4	5.3	5.8	36.8	25.3	7.4	.8	.0	1.4	19.5
		15.1	17.2	18.2	22.5	25.7	25.5	22.2	30.0	18.1	
2		1492	1671	1891	10158	6363	1848	190	2	376	28768
SECOND MONTH		5.2	5.8	6.6	35.3	22.1	6.4	.7	.0	1.3	43.6
		39.8	41.7	45.9	48.3	50.2	49.5	41.0	20.0	38.2	
3		831	839	813	3763	2019	606	86	1	230	12668
THIRD MONTH		6.6	6.6	6.4	29.7	15.9	4.8	.7	.0	1.8	19.2
		22.1	20.9	19.7	17.9	15.9	16.2	18.6	10.0	23.4	
4		377	341	300	1094	526	169	33	3	74	4963
FOURTH MONTH		7.6	6.9	6.0	22.0	10.6	3.4	.7	.1	1.5	7.5
		10.0	8.5	7.3	5.2	4.2	4.5	7.1	30.0	7.5	
5		178	188	134	502	187	68	18	1	47	2606
FIFTH MONTH		6.8	7.2	5.1	19.3	7.2	2.6	.7	.0	1.8	4.0
		4.7	4.7	3.3	2.4	1.5	1.8	3.9	10.0	4.8	
6		116	102	91	286	109	26	10		16	1518
SIXTH MONTH		7.6	6.7	6.0	18.8	7.2	1.7	.7		1.1	2.3
		3.1	2.5	2.2	1.4	.9	.7	2.2		1.6	
7		80	76	54	194	84	18	13		10	1037
SEVENTH MONTH		7.7	7.3	5.2	18.7	8.1	1.7	1.3		1.0	1.6
		2.1	1.9	1.3	.9	.7	.5	2.8		1.0	
8		44	37	30	98	36	13	1		11	530
EIGHTH MONTH		8.3	7.0	5.7	18.5	6.8	2.5	.2		2.1	.8
		1.2	.9	.7	.5	.3	.3	.2		1.1	
COLUMN TOTAL		3753	4005	4122	21023	12672	3735	463	10	984	65937
		5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9 NINTH MONTH				2	4	10	16	21	23	13	180
				1.1	2.2	5.6	8.9	11.7	12.8	7.2	.3
				.8	.5	.6	.7	.7	.7	.4	
10 NOT STATED					5	6	10	12	8	10	214
					2.3	2.8	4.7	5.6	3.7	4.7	.3
					.7	.4	.4	.4	.2	.3	
COLUMN TOTAL	1	13	59	262	733	1556	2381	3090	3434	3641	65937
	.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH	18	10	10	28	15	7			3	180
	10.0	5.6	5.6	15.6	8.3	3.9			1.7	.3
	.5	.2	.2	.1	.1	.2			.3	
10 NOT STATED	7	14	11	61	30	11	4		25	214
	3.3	6.5	5.1	28.5	14.0	5.1	1.9		11.7	.3
	.2	.3	.3	.3	.2	.3	.9		2.5	
COLUMN TOTAL	3753	4005	4122	21023	12672	3735	463	10	984	65937
	5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

MPCB	AGE 25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED
9 NINTH MONTH	28	15	7			3
	15.6	8.3	3.9			1.7
	.1	.1	.2			.3
10 NOT STATED	61	30	11	4		25
	28.5	14.0	5.1	1.9		11.7
	.3	.2	.3	.9		2.5
COLUMN TOTAL	21023	12672	3735	463	10	984
	31.9	19.2	5.7	.7	.0	1.5

TABLE 6

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 NONE				4	10	22	42	76	90	81	101	979
				.4	1.0	2.2	4.3	7.8	9.2	8.3	10.3	3.1
				7.8	4.6	3.9	4.1	5.1	4.8	3.8	4.3	
1 FIRST MONTH				2	8	27	64	91	129	172	219	3602
				.1	.2	.7	1.8	2.5	3.6	4.8	6.1	11.4
				3.9	3.7	4.8	6.3	6.1	6.9	8.0	9.3	
2 SECOND MONTH			2	5	47	86	164	275	338	463	572	8987
			.0	.1	.5	1.0	1.8	3.1	3.8	5.2	6.4	28.4
			18.2	9.8	21.5	15.4	16.2	18.3	18.0	21.6	24.4	
3 THIRD MONTH				6	30	100	182	279	358	418	479	6653
				.1	.5	1.5	2.7	4.2	5.4	6.3	7.2	21.0
				11.8	13.7	18.0	17.9	18.6	19.1	19.5	20.4	
4 FOURTH MONTH			1	6	46	90	187	279	319	326	338	4236
			.0	.1	1.1	2.1	4.4	6.6	7.5	7.7	8.0	13.4
			9.1	11.8	21.0	16.2	18.4	18.6	17.0	15.2	14.4	
5 FIFTH MONTH			3	8	31	89	155	200	252	277	245	2941
			.1	.3	1.1	3.0	5.3	6.8	8.6	9.4	8.3	9.3
			27.3	15.7	14.2	16.0	15.3	13.3	13.4	12.9	10.4	
6 SIXTH MONTH		1	3	8	23	73	111	131	190	183	185	1940
		.1	.2	.4	1.2	3.8	5.7	6.8	9.8	9.4	9.5	6.1
		100.0	27.3	15.7	10.5	13.1	10.9	8.7	10.1	8.5	7.9	
7 SEVENTH MONTH			2	4	14	42	63	99	107	114	118	1221
			.2	.3	1.1	3.4	5.2	8.1	8.8	9.3	9.7	3.9
			18.2	7.8	6.4	7.5	6.2	6.6	5.7	5.3	5.0	
8 EIGHTH MONTH				4	6	12	35	50	70	77	54	656
				.6	.9	1.8	5.3	7.6	10.7	11.7	8.2	2.1
				7.8	2.7	2.2	3.4	3.3	3.7	3.6	2.3	
COLUMN TOTAL		1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		75	84	62	61	169	61	22	2	1	16	979
NONE		7.7	8.6	6.3	6.2	17.3	6.2	2.2	.2	.1	1.6	3.1
		3.2	3.8	2.9	3.1	2.3	1.5	1.8	1.1	12.5	5.5	
1		225	260	280	244	1003	642	182	25	1	28	3602
FIRST MONTH		6.2	7.2	7.8	6.8	27.8	17.8	5.1	.7	.0	.8	11.4
		9.5	11.6	13.3	12.2	13.4	16.2	14.5	14.1	12.5	9.6	
2		613	606	572	576	2590	1494	458	47	1	78	8987
SECOND MONTH		6.8	6.7	6.4	6.4	28.8	16.6	5.1	.5	.0	.9	28.4
		26.0	27.1	27.1	28.9	34.5	37.6	36.5	26.6	12.5	26.6	
3		483	470	444	447	1692	891	280	36	2	56	6653
THIRD MONTH		7.3	7.1	6.7	6.7	25.4	13.4	4.2	.5	.0	.8	21.0
		20.4	21.0	21.1	22.4	22.6	22.4	22.3	20.3	25.0	19.1	
4		344	305	261	266	884	389	135	23	2	35	4236
FOURTH MONTH		8.1	7.2	6.2	6.3	20.9	9.2	3.2	.5	.0	.8	13.4
		14.6	13.7	12.4	13.3	11.8	9.8	10.7	13.0	25.0	11.9	
5		240	216	205	166	523	201	89	19		22	2941
FIFTH MONTH		8.2	7.3	7.0	5.6	17.8	6.8	3.0	.6		.7	9.3
		10.2	9.7	9.7	8.3	7.0	5.1	7.1	10.7		7.5	
6		179	132	115	98	296	141	38	14	1	18	1940
SIXTH MONTH		9.2	6.8	5.9	5.1	15.3	7.3	2.0	.7	.1	.9	6.1
		7.6	5.9	5.5	4.9	3.9	3.5	3.0	7.9	12.5	6.1	
7		115	87	92	64	174	80	29	6		11	1221
SEVENTH MONTH		9.4	7.1	7.5	5.2	14.3	6.6	2.4	.5		.9	3.9
		4.9	3.9	4.4	3.2	2.3	2.0	2.3	3.4		3.8	
8		61	40	40	45	97	39	13	5		8	656
EIGHTH MONTH		9.3	6.1	6.1	6.9	14.8	5.9	2.0	.8		1.2	2.1
		2.6	1.8	1.9	2.3	1.3	1.0	1.0	2.8		2.7	
COLUMN TOTAL		2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINTH MONTH	COUNT			2	4	7	6	14	13	20	23	235
	ROW PCT			.9	1.7	3.0	2.6	6.0	5.5	8.5	9.8	.7
	COL PCT			3.9	1.8	1.3	.6	.9	.7	.9	1.0	
10 NOT STATED	COUNT			2		9	6	6	10	12	13	173
	ROW PCT			1.2		5.2	3.5	3.5	5.8	6.9	7.5	.5
	COL PCT			3.9		1.6	.6	.4	.5	.6	.6	
COLUMN TOTAL		1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

(CONTINUED)

TABLE 6

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	AGE 21	22	23	24	25	26	27	28	29	30	ROW TOTAL
9 NINTH MONTH	17	23	27	16	39	18	4			2	235
	7.2	9.8	11.5	6.8	16.6	7.7	1.7			.9	.7
	.7	1.0	1.3	.8	.5	.5	.3			.7	
10 NOT STATED	10	11	9	10	34	16	6			19	173
	5.8	6.4	5.2	5.8	19.7	9.2	3.5			11.0	.5
	.4	.5	.4	.5	.5	.4	.5			6.5	
COLUMN TOTAL	2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
	7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		456	1114		1570
		29.0	71.0		1.6
		.6	4.3		
1 FIRST MONTH		14372	2092		16464
		87.3	12.7		16.9
		20.0	8.2		
2 SECOND MONTH		31789	5966		37755
		84.2	15.8		38.7
		44.2	23.3		
3 THIRD MONTH		14151	5170		19321
		73.2	26.8		19.8
		19.7	20.2		
4 FOURTH MONTH		5300	3899		9199
		57.6	42.4		9.4
		7.4	15.2		
5 FIFTH MONTH		2690	2857		5547
		48.5	51.5		5.7
		3.7	11.2		
6 SIXTH MONTH		1424	2034		3458
		41.2	58.8		3.5
		2.0	7.9		
7 SEVENTH MONTH		921	1336	1	2258
		40.8	59.2	.0	2.3
		1.3	5.2	10.0	
8 EIGHTH MONTH		468	718		1186
		39.5	60.5		1.2
		.7	2.8		
COLUMN TOTAL		71930	25620	10	97560
		73.7	26.3	.0	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	153	261	1	415
ROW PCT	36.9	62.9	.2	.4
COL PCT	.2	1.0	10.0	
10 NOT STATED	206	173	8	387
ROW PCT	53.2	44.7	2.1	.4
COL PCT	.3	.7	80.0	
COLUMN TOTAL	71930	25620	10	97560
	73.7	26.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 7

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		292	299		591
		49.4	50.6		.9
		.5	3.9		
1 FIRST MONTH		12234	628		12862
		95.1	4.9		19.5
		21.0	8.2		
2 SECOND MONTH		26835	1933		28768
		93.3	6.7		43.6
		46.1	25.2		
3 THIRD MONTH		11082	1586		12668
		87.5	12.5		19.2
		19.0	20.6		
4 FOURTH MONTH		3813	1150		4963
		76.8	23.2		7.5
		6.5	15.0		
5 FIFTH MONTH		1829	777		2606
		70.2	29.8		4.0
		3.1	10.1		
6 SIXTH MONTH		958	560		1518
		63.1	36.9		2.3
		1.6	7.3		
7 SEVENTH MONTH		633	403	1	1037
		61.0	38.9	.1	1.6
		1.1	5.2	20.0	
8 EIGHTH MONTH		317	213		530
		59.8	40.2		.8
		.5	2.8		
(CONTINUED)	COLUMN TOTAL	58247	7685	5	65937
		88.3	11.7	.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	98	82		180
	54.4	45.6		.3
	.2	1.1		
10 NOT STATED	156	54	4	214
	72.9	25.2	1.9	.3
	.3	.7	80.0	
COLUMN TOTAL	58247	7685	5	65937
	88.3	11.7	.0	100.0

Cell key: COUNT / ROW PCT / COL PCT

TABLE 7

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
0 NONE		164	815		979
		16.8	83.2		3.1
		1.2	4.5		
1 FIRST MONTH		2138	1464		3602
		59.4	40.6		11.4
		15.6	8.2		
2 SECOND MONTH		4954	4033		8987
		55.1	44.9		28.4
		36.2	22.5		
3 THIRD MONTH		3069	3584		6653
		46.1	53.9		21.0
		22.4	20.0		
4 FOURTH MONTH		1487	2749		4236
		35.1	64.9		13.4
		10.9	15.3		
5 FIFTH MONTH		861	2080		2941
		29.3	70.7		9.3
		6.3	11.6		
6 SIXTH MONTH		466	1474		1940
		24.0	76.0		6.1
		3.4	8.2		
7 SEVENTH MONTH		288	933		1221
		23.6	76.4		3.9
		2.1	5.2		
8 EIGHTH MONTH		151	505		656
		23.0	77.0		2.1
		1.1	2.8		
(CONTINUED)	COLUMN TOTAL	13683	17935	5	31623
		43.3	56.7	.0	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	STATUS	1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	55	179	1	235
	ROW PCT	23.4	76.2	.4	.7
	COL PCT	.4	1.0	20.0	
10 NOT STATED	COUNT	50	119	4	173
	ROW PCT	28.9	68.8	2.3	.5
	COL PCT	.4	.7	80.0	
COLUMN TOTAL		13683	17935	5	31623
		43.3	56.7	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACES VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		450	386	308	187	116	66	21	14	15	7	1570
		28.7	24.6	19.6	11.9	7.4	4.2	1.3	.9	1.0	.4	1.6
		1.2	1.3	1.8	2.5	3.7	4.8	3.9	5.6	6.4	2.6	
1 FIRST MONTH		6349	5429	2773	1138	456	154	63	36	23	43	16464
		38.6	33.0	16.8	6.9	2.8	.9	.4	.2	.1	.3	16.9
		17.3	17.8	16.3	14.9	14.6	11.3	11.8	14.3	9.8	15.8	
2 SECOND MONTH		14673	12226	6461	2628	1026	390	151	58	61	81	37755
		38.9	32.4	17.1	7.0	2.7	1.0	.4	.2	.2	.2	38.7
		40.0	40.2	38.0	34.5	32.8	28.6	28.2	23.1	26.1	29.8	
3 THIRD MONTH		7189	6027	3365	1619	595	282	104	50	49	41	19321
		37.2	31.2	17.4	8.4	3.1	1.5	.5	.3	.3	.2	19.8
		19.6	19.8	19.8	21.2	19.0	20.7	19.4	19.9	20.9	15.1	
4 FOURTH MONTH		3444	2680	1608	799	353	167	68	30	32	18	9199
		37.4	29.1	17.5	8.7	3.8	1.8	.7	.3	.3	.2	9.4
		9.4	8.8	9.5	10.5	11.3	12.2	12.7	12.0	13.7	6.6	
5 FIFTH MONTH		2074	1490	1033	504	224	120	48	20	18	16	5547
		37.4	26.9	18.6	9.1	4.0	2.2	.9	.4	.3	.3	5.7
		5.6	4.9	6.1	6.6	7.2	8.8	9.0	8.0	7.7	5.9	
6 SIXTH MONTH		1204	978	630	346	156	72	35	18	12	7	3458
		34.8	28.3	18.2	10.0	4.5	2.1	1.0	.5	.3	.2	3.5
		3.3	3.2	3.7	4.5	5.0	5.3	6.5	7.2	5.1	2.6	
7 SEVENTH MONTH		743	663	436	207	106	58	23	7	10	5	2258
		32.9	29.4	19.3	9.2	4.7	2.6	1.0	.3	.4	.2	2.3
		2.0	2.2	2.6	2.7	3.4	4.2	4.3	2.8	4.3	1.8	
8 EIGHTH MONTH		370	316	245	115	59	41	15	12	11	2	1186
		31.2	26.6	20.7	9.7	5.0	3.5	1.3	1.0	.9	.2	1.2
		1.0	1.0	1.4	1.5	1.9	3.0	2.8	4.8	4.7	.7	
(CONTINUED) COLUMN TOTAL		36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACES VALUE = TOTAL

MPCB	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINTH MONTH	COUNT	116	108	89	47	25	10	7	4	3	6	415
	ROW PCT	28.0	26.0	21.4	11.3	6.0	2.4	1.7	1.0	.7	1.4	.4
	COL PCT	.3	.4	.5	.6	.8	.7	1.3	1.6	1.3	2.2	
10 NOT STATED	COUNT	115	115	56	32	15	5	1	2		46	387
	ROW PCT	29.7	29.7	14.5	8.3	3.9	1.3	.3	.5		11.9	.4
	COL PCT	.3	.4	.3	.4	.5	.4	.2	.8		16.9	
COLUMN TOTAL		36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1 1ST	2 2ND	3 3RD	4 4TH	5 5TH	6 6TH	7 7TH	8 8TH	9 9TH AND OVER	10 NOT STATED	ROW TOTAL
0 NONE		218	140	96	60	39	20	6	5	3	4	591
		36.9	23.7	16.2	10.2	6.6	3.4	1.0	.8	.5	.7	.9
		.8	.7	.9	1.3	2.2	2.8	2.3	3.9	3.4	2.3	
1 FIRST MONTH		5118	4335	2063	822	302	111	42	24	13	32	12862
		39.8	33.7	16.0	6.4	2.3	.9	.3	.2	.1	.2	19.5
		19.7	20.3	18.6	18.2	17.4	15.5	16.0	18.6	14.6	18.5	
2 SECOND MONTH		11529	9515	4798	1807	679	241	81	32	25	61	28768
		40.1	33.1	16.7	6.3	2.4	.8	.3	.1	.1	.2	43.6
		44.4	44.6	43.4	40.1	39.1	33.6	30.8	24.8	28.1	35.3	
3 THIRD MONTH		4912	4112	2128	905	334	151	49	28	18	31	12668
		38.8	32.5	16.8	7.1	2.6	1.2	.4	.2	.1	.2	19.2
		18.9	19.3	19.2	20.1	19.3	21.0	18.6	21.7	20.2	17.9	
4 FOURTH MONTH		1927	1491	871	377	160	73	33	12	10	9	4963
		38.8	30.0	17.5	7.6	3.2	1.5	.7	.2	.2	.2	7.5
		7.4	7.0	7.9	8.4	9.2	10.2	12.5	9.3	11.2	5.2	
5 FIFTH MONTH		1016	704	478	227	90	46	22	12	5	6	2606
		39.0	27.0	18.3	8.7	3.5	1.8	.8	.5	.2	.2	4.0
		3.9	3.3	4.3	5.0	5.2	6.4	8.4	9.3	5.6	3.5	
6 SIXTH MONTH		550	449	268	148	56	25	10	5	5	2	1518
		36.2	29.6	17.7	9.7	3.7	1.6	.7	.3	.3	.1	2.3
		2.1	2.1	2.4	3.3	3.2	3.5	3.8	3.9	5.6	1.2	
7 SEVENTH MONTH		367	313	189	79	40	27	10	5	4	3	1037
		35.4	30.2	18.2	7.6	3.9	2.6	1.0	.5	.4	.3	1.6
		1.4	1.5	1.7	1.8	2.3	3.8	3.8	3.9	4.5	1.7	
8 EIGHTH MONTH		185	135	109	50	16	20	5	5	4	1	530
		34.9	25.5	20.6	9.4	3.0	3.8	.9	.9	.8	.2	.8
		.7	.6	1.0	1.1	.9	2.8	1.9	3.9	4.5	.6	
(CONTINUED) COLUMN TOTAL		25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	BO	1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	ROW TOTAL
	COUNT	1	2	3	4	5	6	7	8	9	10	
9 NINTH MONTH		55	49	35	21	10	2	4		2	2	180
	ROW PCT	30.6	27.2	19.4	11.7	5.6	1.1	2.2		1.1	1.1	.3
	COL PCT	.2	.2	.3	.5	.6	.3	1.5		2.2	1.2	
10 NOT STATED		66	72	27	14	9	2	1	1		22	214
		30.8	33.6	12.6	6.5	4.2	.9	.5	.5		10.3	.3
		.3	.3	.2	.3	.5	.3	.4	.8		12.7	
COLUMN TOTAL		25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 8

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		232	246	212	127	77	46	15	9	12	3	979
		23.7	25.1	21.7	13.0	7.9	4.7	1.5	.9	1.2	.3	3.1
		2.2	2.7	3.6	4.1	5.5	7.1	5.5	7.4	8.3	3.0	
1 FIRST MONTH		1231	1094	710	316	154	43	21	12	10	11	3602
		34.2	30.4	19.7	8.8	4.3	1.2	.6	.3	.3	.3	11.4
		11.4	12.0	11.9	10.2	11.0	6.6	7.7	9.8	6.9	11.1	
2 SECOND MONTH		3144	2711	1663	821	347	149	70	26	36	20	8987
		35.0	30.2	18.5	9.1	3.9	1.7	.8	.3	.4	.2	28.4
		29.2	29.8	28.0	26.4	24.9	23.0	25.6	21.3	24.8	20.2	
3 THIRD MONTH		2277	1915	1237	714	261	131	55	22	31	10	6653
		34.2	28.8	18.6	10.7	3.9	2.0	.8	.3	.5	.2	21.0
		21.1	21.0	20.8	22.9	18.7	20.2	20.1	18.0	21.4	10.1	
4 FOURTH MONTH		1517	1189	737	422	193	94	35	18	22	9	4236
		35.8	28.1	17.4	10.0	4.6	2.2	.8	.4	.5	.2	13.4
		14.1	13.1	12.4	13.6	13.8	14.5	12.8	14.8	15.2	9.1	
5 FIFTH MONTH		1058	786	555	277	134	74	26	8	13	10	2941
		36.0	26.7	18.9	9.4	4.6	2.5	.9	.3	.4	.3	9.3
		9.8	8.6	9.3	8.9	9.6	11.4	9.5	6.6	9.0	10.1	
6 SIXTH MONTH		654	529	362	198	100	47	25	13	7	5	1940
		33.7	27.3	18.7	10.2	5.2	2.4	1.3	.7	.4	.3	6.1
		6.1	5.8	6.1	6.4	7.2	7.3	9.2	10.7	4.8	5.1	
7 SEVENTH MONTH		376	350	247	128	66	31	13	2	6	2	1221
		30.8	28.7	20.2	10.5	5.4	2.5	1.1	.2	.5	.2	3.9
		3.5	3.8	4.2	4.1	4.7	4.8	4.8	1.6	4.1	2.0	
8 EIGHTH MONTH		185	181	136	65	43	21	10	7	7	1	656
		28.2	27.6	20.7	9.9	6.6	3.2	1.5	1.1	1.1	.2	2.1
		1.7	2.0	2.3	2.1	3.1	3.2	3.7	5.7	4.8	1.0	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

(CONTINUED)

TABLE 8

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY BO BIRTH ORDER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

MPCB	BO	1I 1ST	2I 2ND	3I 3RD	4I 4TH	5I 5TH	6I 6TH	7I 7TH	8I 8TH	9I 9TH AND OVER	10I NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT	61	59	54	26	15	8	3	4	1	4	235
	ROW PCT	26.0	25.1	23.0	11.1	6.4	3.4	1.3	1.7	.4	1.7	.7
	COL PCT	.6	.6	.9	.8	1.1	1.2	1.1	3.3	.7	4.0	
10 NOT STATED	COUNT	49	43	29	18	6	3		1		24	173
	ROW PCT	28.3	24.9	16.8	10.4	3.5	1.7		.6		13.9	.5
	COL PCT	.5	.5	.5	.6	.4	.5		.8		24.2	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0 NONE		28	81	64	83	176	392	486	195	59	6	1570
		1.8	5.2	4.1	5.3	11.2	25.0	31.0	12.4	3.8	.4	1.6
		15.2	12.7	9.0	5.4	3.7	2.4	1.4	.7	.6	4.2	
1 FIRST MONTH		38	120	126	257	666	2340	5866	5044	1984	23	16464
		.2	.7	.8	1.6	4.0	14.2	35.6	30.6	12.1	.1	16.9
		20.7	18.8	17.7	16.6	14.0	14.4	16.5	18.2	19.5	16.0	
2 SECOND MONTH		63	215	220	500	1530	5569	13562	11619	4443	34	37755
		.2	.6	.6	1.3	4.1	14.8	35.9	30.8	11.8	.1	38.7
		34.2	33.8	30.9	32.3	32.3	34.4	38.2	41.9	43.7	23.6	
3 THIRD MONTH		24	105	123	315	964	3248	7144	5361	2023	14	19321
		.1	.5	.6	1.6	5.0	16.8	37.0	27.7	10.5	.1	19.8
		13.0	16.5	17.3	20.4	20.3	20.1	20.1	19.3	19.9	9.7	
4 FOURTH MONTH		19	47	70	138	549	1821	3422	2387	738	8	9199
		.2	.5	.8	1.5	6.0	19.8	37.2	25.9	8.0	.1	9.4
		10.3	7.4	9.8	8.9	11.6	11.2	9.6	8.6	7.3	5.6	
5 FIFTH MONTH		6	39	59	107	324	1217	2054	1340	395	6	5547
		.1	.7	1.1	1.9	5.8	21.9	37.0	24.2	7.1	.1	5.7
		3.3	6.1	8.3	6.9	6.8	7.5	5.8	4.8	3.9	4.2	
6 SIXTH MONTH			12	30	80	261	690	1316	809	257	3	3458
			.3	.9	2.3	7.5	20.0	38.1	23.4	7.4	.1	3.5
			1.9	4.2	5.2	5.5	4.3	3.7	2.9	2.5	2.1	
7 SEVENTH MONTH			4	13	37	141	495	908	531	128	1	2258
			.2	.6	1.6	6.2	21.9	40.2	23.5	5.7	.0	2.3
			.6	1.8	2.4	3.0	3.1	2.6	1.9	1.3	.7	
8 EIGHTH MONTH		2	2	3	13	79	276	453	286	70	2	1186
		.2	.2	.3	1.1	6.7	23.3	38.2	24.1	5.9	.2	1.2
		1.1	.3	.4	.8	1.7	1.7	1.3	1.0	.7	1.4	
COLUMN TOTAL		184	637	712	1546	4743	16197	35487	27750	10160	144	97560
		.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..

RACES VALUE = TOTAL

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH	COUNT	2	2	1	4	24	86	163	94	35	4	415
	ROW PCT	.5	.5	.2	1.0	5.8	20.7	39.3	22.7	8.4	1.0	.4
	COL PCT	1.1	.3	.1	.3	.5	.5	.5	.3	.3	2.8	
10 NOT STATED	COUNT	2	10	3	12	29	63	113	84	28	43	387
	ROW PCT	.5	2.6	.8	3.1	7.5	16.3	29.2	21.7	7.2	11.1	.4
	COL PCT	1.1	1.6	.4	.8	.6	.4	.3	.3	.3	29.9	
COLUMN TOTAL	COUNT	184	637	712	1546	4743	16197	35487	27750	10160	144	97560
	PCT	.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 9

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		6	21	15	22	55	127	196	108	40	1	591
NONE		1.0	3.6	2.5	3.7	9.3	21.5	33.2	18.3	6.8	.2	.9
		9.8	7.6	4.5	2.7	2.2	1.4	.8	.5	.5	1.3	
1		17	70	80	175	450	1624	4467	4185	1776	18	12862
FIRST MONTH		.1	.5	.6	1.4	3.5	12.6	34.7	32.5	13.8	.1	19.5
		27.9	25.3	24.2	21.3	17.9	17.9	19.2	19.9	21.0	22.5	
2		23	104	130	324	986	3702	10020	9560	3897	22	28768
SECOND MONTH		.1	.4	.5	1.1	3.4	12.9	34.8	33.2	13.5	.1	43.6
		37.7	37.5	39.3	39.5	39.2	40.8	43.0	45.5	46.0	27.5	
3		10	41	63	156	509	1734	4561	3960	1625	9	12668
THIRD MONTH		.1	.3	.5	1.2	4.0	13.7	36.0	31.3	12.8	.1	19.2
		16.4	14.8	19.0	19.0	20.3	19.1	19.6	18.8	19.2	11.3	
4		4	17	18	52	219	819	1824	1478	529	3	4963
FOURTH MONTH		.1	.3	.4	1.0	4.4	16.5	36.8	29.8	10.7	.1	7.5
		6.6	6.1	5.4	6.3	8.7	9.0	7.8	7.0	6.2	3.8	
5			11	14	34	114	477	908	774	272	2	2606
FIFTH MONTH			.4	.5	1.3	4.4	18.3	34.8	29.7	10.4	.1	4.0
			4.0	4.2	4.1	4.5	5.3	3.9	3.7	3.2	2.5	
6			7	2	30	79	235	582	422	159	2	1518
SIXTH MONTH			.5	.1	2.0	5.2	15.5	38.3	27.8	10.5	.1	2.3
			2.5	.6	3.7	3.1	2.6	2.5	2.0	1.9	2.5	
7			4	5	18	57	180	401	286	86		1037
SEVENTH MONTH			.4	.5	1.7	5.5	17.4	38.7	27.6	8.3		1.6
			1.4	1.5	2.2	2.3	2.0	1.7	1.4	1.0		
8				2	4	23	109	201	145	44	2	530
EIGHTH MONTH				.4	.8	4.3	20.6	37.9	27.4	8.3	.4	.8
				.6	.5	.9	1.2	.9	.7	.5	2.5	
COLUMN TOTAL		61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	WT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINTH MONTH	COUNT				2	7	36	60	52	21	2	180
	ROW PCT				1.1	3.9	20.0	33.3	28.9	11.7	1.1	.3
	COL PCT				.2	.3	.4	.3	.2	.2	2.5	
10 NOT STATED	COUNT	1	2	2	4	14	38	58	56	20	19	214
	ROW PCT	.5	.9	.9	1.9	6.5	17.8	27.1	26.2	9.3	8.9	.3
	COL PCT	1.6	.7	.6	.5	.6	.4	.2	.3	.2	23.8	
COLUMN TOTAL		61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 1 OF 2

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
0 NONE		22	60	49	61	121	265	290	87	19	5	979
		2.2	6.1	5.0	6.2	12.4	27.1	29.6	8.9	1.9	.5	3.1
		17.9	16.7	12.9	8.4	5.4	3.7	2.4	1.3	1.1	7.8	
1 FIRST MONTH		21	50	46	82	216	716	1399	859	208	5	3602
		.6	1.4	1.3	2.3	6.0	19.9	38.8	23.8	5.8	.1	11.4
		17.1	13.9	12.1	11.3	9.7	10.1	11.5	12.8	12.3	7.8	
2 SECOND MONTH		40	111	90	176	544	1867	3542	2059	546	12	8987
		.4	1.2	1.0	2.0	6.1	20.8	39.4	22.9	6.1	.1	28.4
		32.5	30.8	23.6	24.3	24.4	26.2	29.0	30.6	32.3	18.8	
3 THIRD MONTH		14	64	60	159	455	1514	2583	1401	398	5	6653
		.2	1.0	.9	2.4	6.8	22.8	38.8	21.1	6.0	.1	21.0
		11.4	17.8	15.7	21.9	20.4	21.3	21.2	20.8	23.5	7.8	
4 FOURTH MONTH		15	30	52	86	330	1002	1598	909	209	5	4236
		.4	.7	1.2	2.0	7.8	23.7	37.7	21.5	4.9	.1	13.4
		12.2	8.3	13.6	11.9	14.8	14.1	13.1	13.5	12.4	7.8	
5 FIFTH MONTH		6	28	45	73	210	740	1146	566	123	4	2941
		.2	1.0	1.5	2.5	7.1	25.2	39.0	19.2	4.2	.1	9.3
		4.9	7.8	11.8	10.1	9.4	10.4	9.4	8.4	7.3	6.3	
6 SIXTH MONTH			5	28	50	182	455	734	387	98	1	1940
			.3	1.4	2.6	9.4	23.5	37.8	19.9	5.1	.1	6.1
			1.4	7.3	6.9	8.2	6.4	6.0	5.8	5.8	1.6	
7 SEVENTH MONTH				8	19	84	315	507	245	42	1	1221
				.7	1.6	6.9	25.8	41.5	20.1	3.4	.1	3.9
				2.1	2.6	3.8	4.4	4.2	3.6	2.5	1.6	
8 EIGHTH MONTH		2	2	1	9	56	167	252	141	26		656
		.3	.3	.2	1.4	8.5	25.5	38.4	21.5	4.0		2.1
		1.6	.6	.3	1.2	2.5	2.3	2.1	2.1	1.5		
COLUMN TOTAL		123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

(CONTINUED)

TABLE 9

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	WT / COUNT / ROW PCT / COL PCT	UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINTH MONTH	COUNT	2	2	1	2	17	50	103	42	14	2	235
	ROW PCT	.9	.9	.4	.9	7.2	21.3	43.8	17.9	6.0	.9	.7
	COL PCT	1.6	.6	.3	.3	.8	.7	.8	.6	.8	3.1	
10 NOT STATED	COUNT	1	8	1	8	15	25	55	28	8	24	173
	ROW PCT	.6	4.6	.6	4.6	8.7	14.5	31.8	16.2	4.6	13.9	.5
	COL PCT	.8	2.2	.3	1.1	.7	.4	.5	.4	.5	37.5	
COLUMN TOTAL		123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	EDUC 2 H.S. 1-3 YEARS	EDUC 3 H.S. 4 YEARS	EDUC 4 COL.1-3 YEARS	EDUC 5 COL. 4+ YEARS	EDUC 6 NOT STATED	ROW TOTAL
0		111	666	644	125	14	10	1570
NONE		7.1	42.4	41.0	8.0	.9	.6	1.6
		3.5	3.4	1.6	.7	.1	4.2	
1		41	227	188	40	7	6	509
ONE		8.1	44.6	36.9	7.9	1.4	1.2	.5
		1.3	1.2	.5	.2	.0	2.5	
2		66	331	307	54	14	1	773
TWO		8.5	42.8	39.7	7.0	1.8	.1	.8
		2.1	1.7	.8	.3	.1	.4	
3		77	381	401	73	23	1	956
THREE		8.1	39.9	41.9	7.6	2.4	.1	1.0
		2.4	2.0	1.0	.4	.1	.4	
4		116	514	549	144	37	6	1366
FOUR		8.5	37.6	40.2	10.5	2.7	.4	1.4
		3.6	2.6	1.4	.8	.2	2.5	
5		132	677	776	213	78	3	1879
FIVE		7.0	36.0	41.3	11.3	4.2	.2	1.9
		4.1	3.5	1.9	1.2	.5	1.3	
6		140	852	965	288	115	9	2369
SIX		5.9	36.0	40.7	12.2	4.9	.4	2.4
		4.4	4.4	2.4	1.6	.7	3.8	
7		152	849	1161	356	180	6	2704
SEVEN		5.6	31.4	42.9	13.2	6.7	.2	2.8
		4.7	4.4	2.9	1.9	1.1	2.5	
8		189	1143	1661	566	290	9	3858
EIGHT		4.9	29.6	43.1	14.7	7.5	.2	4.0
		5.9	5.9	4.1	3.1	1.8	3.8	
(CONTINUED)	COLUMN TOTAL	3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE		144	983	1702	577	433	7	3846
		3.7	25.6	44.3	15.0	11.3	.2	3.9
		4.5	5.0	4.2	3.1	2.7	2.9	
10 TEN		338	2132	4051	1585	1079	19	9204
		3.7	23.2	44.0	17.2	11.7	.2	9.4
		10.6	11.0	10.0	8.6	6.8	7.9	
11 ELEVEN		226	1301	2525	1035	841	12	5940
		3.8	21.9	42.5	17.4	14.2	.2	6.1
		7.1	6.7	6.3	5.6	5.3	5.0	
12 TWELVE		469	3013	7657	3762	3408	47	18356
		2.6	16.4	41.7	20.5	18.6	.3	18.8
		14.7	15.5	19.0	20.4	21.4	19.7	
13 THIRTEEN		217	1400	3748	1854	1739	17	8975
		2.4	15.6	41.8	20.7	19.4	.2	9.2
		6.8	7.2	9.3	10.1	10.9	7.1	
14 FOURTEEN		233	1424	3751	2093	1977	11	9489
		2.5	15.0	39.5	22.1	20.8	.1	9.7
		7.3	7.3	9.3	11.4	12.4	4.6	
15 FIFTEEN		254	1673	5002	2802	3027	22	12780
		2.0	13.1	39.1	21.9	23.7	.2	13.1
		7.9	8.6	12.4	15.2	19.1	9.2	
16 SIXTEEN OR MORE		279	1833	5094	2800	2580	12	12598
		2.2	14.5	40.4	22.2	20.5	.1	12.9
		8.7	9.4	12.6	15.2	16.2	5.0	
17 NOT STATED		17	71	152	60	47	41	388
		4.4	18.3	39.2	15.5	12.1	10.6	.4
		.5	.4	.4	.3	.3	17.2	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE		62	260	211	51	6	1	591
		10.5	44.0	35.7	8.6	1.0	.2	.9
		3.1	2.3	.8	.4	.0	.7	
1 ONE		16	79	65	8	2		170
		9.4	46.5	38.2	4.7	1.2		.3
		.8	.7	.3	.1	.0		
2 TWO		31	109	90	14	8		252
		12.3	43.3	35.7	5.6	3.2		.4
		1.5	1.0	.3	.1	.1		
3 THREE		38	136	130	22	11	1	338
		11.2	40.2	38.5	6.5	3.3	.3	.5
		1.9	1.2	.5	.2	.1	.7	
4 FOUR		63	198	185	59	18	3	526
		12.0	37.6	35.2	11.2	3.4	.6	.8
		3.1	1.8	.7	.4	.1	2.1	
5 FIVE		71	265	267	101	46		750
		9.5	35.3	35.6	13.5	6.1		1.1
		3.5	2.4	1.0	.8	.3		
6 SIX		76	386	424	146	87	3	1122
		6.8	34.4	37.8	13.0	7.8	.3	1.7
		3.8	3.5	1.6	1.1	.6	2.1	
7 SEVEN		83	397	522	200	146	3	1351
		6.1	29.4	38.6	14.8	10.8	.2	2.0
		4.1	3.6	2.0	1.5	1.1	2.1	
8 EIGHT		107	602	841	341	215	8	2114
		5.1	28.5	39.8	16.1	10.2	.4	3.2
		5.3	5.4	3.3	2.6	1.6	5.6	
(CONTINUED)	COLUMN TOTAL	2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

TABLE 10

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE		88	547	979	368	346	4	2332
		3.8	23.5	42.0	15.8	14.8	.2	3.5
		4.4	4.9	3.8	2.8	2.6	2.8	
10 TEN		203	1194	2364	1051	878	10	5700
		3.6	20.9	41.5	18.4	15.4	.2	8.6
		10.1	10.7	9.2	7.9	6.5	7.0	
11 ELEVEN		130	724	1504	732	712	6	3808
		3.4	19.0	39.5	19.2	18.7	.2	5.8
		6.5	6.5	5.8	5.5	5.3	4.2	
12 TWELVE		317	1884	5262	2843	2916	36	13258
		2.4	14.2	39.7	21.4	22.0	.3	20.1
		15.7	16.9	20.4	21.3	21.6	25.4	
13 THIRTEEN		161	954	2618	1403	1513	12	6661
		2.4	14.3	39.3	21.1	22.7	.2	10.1
		8.0	8.5	10.2	10.5	11.2	8.5	
14 FOURTEEN		181	1013	2798	1652	1726	11	7381
		2.5	13.7	37.9	22.4	23.4	.1	11.2
		9.0	9.1	10.9	12.4	12.8	7.7	
15 FIFTEEN		181	1105	3561	2140	2600	12	9599
		1.9	11.5	37.1	22.3	27.1	.1	14.6
		9.0	9.9	13.8	16.0	19.3	8.5	
16 SIXTEEN OR MORE		194	1282	3849	2186	2231	11	9753
		2.0	13.1	39.5	22.4	22.9	.1	14.8
		9.6	11.5	14.9	16.4	16.5	7.7	
17 NOT STATED		11	41	86	36	36	21	231
		4.8	17.7	37.2	15.6	15.6	9.1	.4
		.5	.4	.3	.3	.3	14.8	
COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

TABLE 10

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		49	406	433	74	8	9	979
NONE		5.0	41.5	44.2	7.6	.8	.9	3.1
		4.1	4.9	3.0	1.5	.3	9.3	
1		25	148	123	32	5	6	339
ONE		7.4	43.7	36.3	9.4	1.5	1.8	1.1
		2.1	1.8	.8	.6	.2	6.2	
2		35	222	217	40	6	1	521
TWO		6.7	42.6	41.7	7.7	1.2	.2	1.6
		2.9	2.7	1.5	.8	.3	1.0	
3		39	245	271	51	12		618
THREE		6.3	39.6	43.9	8.3	1.9		2.0
		3.3	3.0	1.9	1.0	.5		
4		53	316	364	85	19	3	840
FOUR		6.3	37.6	43.3	10.1	2.3	.4	2.7
		4.5	3.8	2.5	1.7	.8	3.1	
5		61	412	509	112	32	3	1129
FIVE		5.4	36.5	45.1	9.9	2.8	.3	3.6
		5.1	5.0	3.5	2.2	1.3	3.1	
6		64	466	541	142	28	6	1247
SIX		5.1	37.4	43.4	11.4	2.2	.5	3.9
		5.4	5.6	3.7	2.8	1.2	6.2	
7		69	452	639	156	34	3	1353
SEVEN		5.1	33.4	47.2	11.5	2.5	.2	4.3
		5.8	5.4	4.4	3.1	1.4	3.1	
8		82	541	820	225	75	1	1744
EIGHT		4.7	31.0	47.0	12.9	4.3	.1	5.5
		6.9	6.5	5.6	4.4	3.1	1.0	
COLUMN TOTAL		1188	8294	14578	5074	2392	97	31623
		3.8	26.2	46.1	16.0	7.6	.3	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		56	436	723	209	87	3	1514
NINE		3.7	28.8	47.8	13.8	5.7	.2	4.8
		4.7	5.3	5.0	4.1	3.6	3.1	
10		135	938	1687	534	201	9	3504
TEN		3.9	26.8	48.1	15.2	5.7	.3	11.1
		11.4	11.3	11.6	10.5	8.4	9.3	
11		96	577	1021	303	129	6	2132
ELEVEN		4.5	27.1	47.9	14.2	6.1	.3	6.7
		8.1	7.0	7.0	6.0	5.4	6.2	
12		152	1129	2395	919	492	11	5098
TWELVE		3.0	22.1	47.0	18.0	9.7	.2	16.1
		12.8	13.6	16.4	18.1	20.6	11.3	
13		56	446	1130	451	226	5	2314
THIRTEEN		2.4	19.3	48.8	19.5	9.8	.2	7.3
		4.7	5.4	7.8	8.9	9.4	5.2	
14		52	411	953	441	251		2108
FOURTEEN		2.5	19.5	45.2	20.9	11.9		6.7
		4.4	5.0	6.5	8.7	10.5		
15		73	568	1441	662	427	10	3181
FIFTEEN		2.3	17.9	45.3	20.8	13.4	.3	10.1
		6.1	6.8	9.9	13.0	17.9	10.3	
16		85	551	1245	614	349	1	2845
SIXTEEN OR MORE		3.0	19.4	43.8	21.6	12.3	.0	9.0
		7.2	6.6	8.5	12.1	14.6	1.0	
17		6	30	66	24	11	20	157
NOT STATED		3.8	19.1	42.0	15.3	7.0	12.7	.5
		.5	.4	.5	.5	.5	20.6	
COLUMN TOTAL		1188	8294	14578	5074	2392	97	31623
		3.8	26.2	46.1	16.0	7.6	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0				6	14	38	82	108	133	136	151	1570
NONE				.4	.9	2.4	5.2	6.9	8.5	8.7	9.6	1.6
				9.4	5.0	4.6	4.7	3.5	3.1	2.6	2.6	
1				2	6	10	17	38	50	46	50	509
ONE				.4	1.2	2.0	3.3	7.5	9.8	9.0	9.8	.5
				3.1	2.2	1.2	1.0	1.2	1.2	.9	.9	
2				4	2	17	31	48	75	77	69	773
TWO				.5	.3	2.2	4.0	6.2	9.7	10.0	8.9	.8
				6.3	.7	2.1	1.8	1.6	1.8	1.5	1.2	
3					5	24	46	55	79	95	100	956
THREE					.5	2.5	4.8	5.8	8.3	9.9	10.5	1.0
					1.8	2.9	2.6	1.8	1.9	1.8	1.7	
4			2	3	10	27	57	67	117	140	122	1366
FOUR			.1	.2	.7	2.0	4.2	4.9	8.6	10.2	8.9	1.4
			16.7	4.7	3.6	3.3	3.3	2.2	2.7	2.7	2.1	
5				3	11	42	69	120	148	149	176	1879
FIVE				.2	.6	2.2	3.7	6.4	7.9	7.9	9.4	1.9
				4.7	4.0	5.1	3.9	3.9	3.5	2.8	3.0	
6			2	3	19	50	79	139	185	204	209	2369
SIX			.1	.1	.8	2.1	3.3	5.9	7.8	8.6	8.8	2.4
			16.7	4.7	6.8	6.1	4.5	4.5	4.3	3.9	3.6	
7			2	7	16	41	88	147	211	200	180	2704
SEVEN			.1	.3	.6	1.5	3.3	5.4	7.8	7.4	6.7	2.8
			16.7	10.9	5.8	5.0	5.0	4.8	5.0	3.8	3.1	
8			1	2	16	56	128	222	257	309	287	3858
EIGHT			.0	.1	.4	1.5	3.3	5.8	6.7	8.0	7.4	4.0
			8.3	3.1	5.8	6.8	7.3	7.3	6.0	5.9	5.0	
COLUMN TOTAL		1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		124	129	101	97	269	107	37	7	1	30	1570
NONE		7.9	8.2	6.4	6.2	17.1	6.8	2.4	.4	.1	1.9	1.6
		2.1	2.2	1.7	1.6	.9	.6	.7	1.1	5.6	2.3	
1		52	39	34	22	86	39	10	3		5	509
ONE		10.2	7.7	6.7	4.3	16.9	7.7	2.0	.6		1.0	.5
		.9	.7	.6	.4	.3	.2	.2	.5		.4	
2		65	61	51	46	142	57	15	3		10	773
TWO		8.4	7.9	6.6	6.0	18.4	7.4	1.9	.4		1.3	.8
		1.1	1.0	.8	.8	.5	.3	.3	.5		.8	
3		78	87	74	50	151	70	21	6		15	956
THREE		8.2	9.1	7.7	5.2	15.8	7.3	2.2	.6		1.6	1.0
		1.3	1.5	1.2	.8	.5	.4	.4	.9		1.2	
4		107	99	90	74	267	116	24	13		31	1366
FOUR		7.8	7.2	6.6	5.4	19.5	8.5	1.8	1.0		2.3	1.4
		1.8	1.7	1.5	1.2	.9	.7	.5	2.0		2.4	
5		149	133	150	125	350	174	50	10	1	19	1879
FIVE		7.9	7.1	8.0	6.7	18.6	9.3	2.7	.5	.1	1.0	1.9
		2.5	2.2	2.5	2.0	1.2	1.0	1.0	1.6	5.6	1.5	
6		190	159	153	149	485	229	60	12	1	41	2369
SIX		8.0	6.7	6.5	6.3	20.5	9.7	2.5	.5	.0	1.7	2.4
		3.2	2.7	2.5	2.4	1.7	1.4	1.2	1.9	5.6	3.2	
7		212	175	177	147	628	302	91	19	1	60	2704
SEVEN		7.8	6.5	6.5	5.4	23.2	11.2	3.4	.7	.0	2.2	2.8
		3.5	2.9	2.9	2.4	2.2	1.8	1.8	3.0	5.6	4.7	
8		302	236	259	232	889	445	125	27	1	64	3858
EIGHT		7.8	6.1	6.7	6.0	23.0	11.5	3.2	.7	.0	1.7	4.0
		5.0	3.9	4.2	3.8	3.1	2.7	2.5	4.2	5.6	5.0	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NINE	9			1	14	51	84	171	223	249	270	3846
	ROW PCT			.0	.4	1.3	2.2	4.4	5.8	6.5	7.0	3.9
	COL PCT			1.6	5.0	6.2	4.8	5.6	5.2	4.8	4.7	
TEN	10	1		7	39	85	212	386	515	586	653	9204
	ROW PCT	.0		.1	.4	.9	2.3	4.2	5.6	6.4	7.1	9.4
	COL PCT	100.0		10.9	14.0	10.4	12.1	12.6	12.1	11.2	11.3	
ELEVEN	11		4	9	21	60	138	225	319	375	369	5940
	ROW PCT		.1	.2	.4	1.0	2.3	3.8	5.4	6.3	6.2	6.1
	COL PCT		33.3	14.1	7.6	7.3	7.9	7.4	7.5	7.2	6.4	
TWELVE	12			6	41	122	259	434	639	858	968	18356
	ROW PCT			.0	.2	.7	1.4	2.4	3.5	4.7	5.3	18.8
	COL PCT			9.4	14.7	14.9	14.8	14.2	15.0	16.4	16.7	
THIRTEEN	13			1	19	43	106	218	319	386	460	8975
	ROW PCT			.0	.2	.5	1.2	2.4	3.6	4.3	5.1	9.2
	COL PCT			1.6	6.8	5.3	6.1	7.1	7.5	7.4	8.0	
FOURTEEN	14			1	11	40	102	189	291	416	457	9489
	ROW PCT			.0	.1	.4	1.1	2.0	3.1	4.4	4.8	9.7
	COL PCT			1.6	4.0	4.9	5.8	6.2	6.8	7.9	7.9	
FIFTEEN	15		1	3	16	51	138	229	351	500	593	12780
	ROW PCT		.0	.0	.1	.4	1.1	1.8	2.7	3.9	4.6	13.1
	COL PCT		8.3	4.7	5.8	6.2	7.9	7.5	8.2	9.6	10.3	
SIXTEEN OR MORE	16			5	17	59	106	251	324	489	638	12598
	ROW PCT			.0	.1	.5	.8	2.0	2.6	3.9	5.1	12.9
	COL PCT			7.8	6.1	7.2	6.1	8.2	7.6	9.3	11.0	
NOT STATED	17			1	1	3	6	9	21	18	29	388
	ROW PCT			.3	.3	.8	1.5	2.3	5.4	4.6	7.5	.4
	COL PCT			1.6	.4	.4	.3	.3	.5	.3	.5	
(CONTINUED)	COLUMN TOTAL	1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		290	254	253	250	988	505	172	17		54	3846
NINE		7.5	6.6	6.6	6.5	25.7	13.1	4.5	.4		1.4	3.9
		4.8	4.2	4.1	4.1	3.5	3.0	3.4	2.7		4.2	
10		656	603	621	576	2379	1269	414	57	3	142	9204
TEN		7.1	6.6	6.7	6.3	25.8	13.8	4.5	.6	.0	1.5	9.4
		10.9	10.1	10.2	9.4	8.3	7.6	8.3	8.9	16.7	11.1	
11		379	380	361	378	1686	840	278	30	1	87	5940
ELEVEN		6.4	6.4	6.1	6.4	28.4	14.1	4.7	.5	.0	1.5	6.1
		6.3	6.3	5.9	6.2	5.9	5.0	5.6	4.7	5.6	6.8	
12		1050	1130	1097	1156	5722	3441	1015	131	1	286	18356
TWELVE		5.7	6.2	6.0	6.3	31.2	18.7	5.5	.7	.0	1.6	18.8
		17.5	18.9	17.9	18.9	20.1	20.7	20.3	20.5	5.6	22.4	
13		509	535	615	591	2892	1724	438	38	1	80	8975
THIRTEEN		5.7	6.0	6.9	6.6	32.2	19.2	4.9	.4	.0	.9	9.2
		8.5	8.9	10.1	9.7	10.1	10.4	8.8	5.9	5.6	6.3	
14		492	533	563	564	3093	2018	568	61	1	89	9489
FOURTEEN		5.2	5.6	5.9	5.9	32.6	21.3	6.0	.6	.0	.9	9.7
		8.2	8.9	9.2	9.2	10.8	12.1	11.4	9.5	5.6	7.0	
15		650	664	769	786	4343	2690	807	90	2	97	12780
FIFTEEN		5.1	5.2	6.0	6.2	34.0	21.0	6.3	.7	.0	.8	13.1
		10.8	11.1	12.6	12.9	15.2	16.2	16.2	14.1	11.1	7.6	
16		679	749	723	856	4055	2569	851	113	4	110	12598
SIXTEEN OR MORE		5.4	5.9	5.7	6.8	32.2	20.4	6.8	.9	.0	.9	12.9
		11.3	12.5	11.8	14.0	14.2	15.4	17.1	17.7	22.2	8.6	
17		19	21	21	16	99	49	15	3		57	388
NOT STATED		4.9	5.4	5.4	4.1	25.5	12.6	3.9	.8		14.7	.4
		.3	.4	.3	.3	.3	.3	.3	.5		4.5	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0			2	4	16	40	32	43	55	50	49	591
NONE			.3	.7	2.7	6.8	5.4	7.3	9.3	8.5	8.3	.9
			15.4	6.8	6.1	5.5	2.1	1.8	1.8	1.5	1.3	
1					3	5	11	20	17	16	12	170
ONE					1.8	2.9	6.5	11.8	10.0	9.4	7.1	.3
					1.1	.7	.7	.8	.6	.5	.3	
2				2	2	10	10	33	21	29	14	252
TWO				.8	.8	4.0	4.0	13.1	8.3	11.5	5.6	.4
				3.4	.8	1.4	.6	1.4	.7	.8	.4	
3				1	7	6	19	23	41	36	31	338
THREE				.3	2.1	1.8	5.6	6.8	12.1	10.7	9.2	.5
				1.7	2.7	.8	1.2	1.0	1.3	1.0	.9	
4				1	3	16	23	49	55	50	44	526
FOUR				.2	.6	3.0	4.4	9.3	10.5	9.5	8.4	.8
				1.7	1.1	2.2	1.5	2.1	1.8	1.5	1.2	
5				2	12	22	45	49	61	61	50	750
FIVE				.3	1.6	2.9	6.0	6.5	8.1	8.1	6.7	1.1
				3.4	4.6	3.0	2.9	2.1	2.0	1.8	1.4	
6			2	7	14	28	57	100	88	88	86	1122
SIX			.2	.6	1.2	2.5	5.1	8.9	7.8	7.8	7.7	1.7
			15.4	11.9	5.3	3.8	3.7	4.2	2.8	2.6	2.4	
7		1		4	9	21	66	105	92	87	108	1351
SEVEN		.1		.3	.7	1.6	4.9	7.8	6.8	6.4	8.0	2.0
		100.0		6.8	3.4	2.9	4.2	4.4	3.0	2.5	3.0	
8			1	4	12	50	115	140	162	151	160	2114
EIGHT			.0	.2	.6	2.4	5.4	6.6	7.7	7.1	7.6	3.2
			7.7	6.8	4.6	6.8	7.4	5.9	5.2	4.4	4.4	
COLUMN TOTAL		1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25	26	27	28	29	30	ROW TOTAL
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
0		45	39	36	100	46	15	5		14	591
NONE		7.6	6.6	6.1	16.9	7.8	2.5	.8		2.4	.9
		1.2	1.0	.9	.5	.4	.4	1.1		1.4	
1		14	13	3	31	15	5	1		4	170
ONE		8.2	7.6	1.8	18.2	8.8	2.9	.6		2.4	.3
		.4	.3	.1	.1	.1	.1	.2		.4	
2		21	12	18	44	18	10	2		6	252
TWO		8.3	4.8	7.1	17.5	7.1	4.0	.8		2.4	.4
		.6	.3	.4	.2	.1	.3	.4		.6	
3		32	22	20	55	23	10	1		11	338
THREE		9.5	6.5	5.9	16.3	6.8	3.0	.3		3.3	.5
		.9	.5	.5	.3	.2	.3	.2		1.1	
4		40	39	22	101	52	8	5		18	526
FOUR		7.6	7.4	4.2	19.2	9.9	1.5	1.0		3.4	.8
		1.1	1.0	.5	.5	.4	.2	1.1		1.8	
5		52	63	50	160	76	27	5		15	750
FIVE		6.9	8.4	6.7	21.3	10.1	3.6	.7		2.0	1.1
		1.4	1.6	1.2	.8	.6	.7	1.1		1.5	
6		66	76	70	254	125	30	4		27	1122
SIX		5.9	6.8	6.2	22.6	11.1	2.7	.4		2.4	1.7
		1.8	1.9	1.7	1.2	1.0	.8	.9		2.7	
7		88	77	72	342	176	52	11	1	39	1351
SEVEN		6.5	5.7	5.3	25.3	13.0	3.8	.8	.1	2.9	2.0
		2.3	1.9	1.7	1.6	1.4	1.4	2.4	10.0	4.0	
8		136	145	105	519	276	73	18		47	2114
EIGHT		6.4	6.9	5.0	24.6	13.1	3.5	.9		2.2	3.2
		3.6	3.6	2.5	2.5	2.2	2.0	3.9		4.8	
	COLUMN	3753	4005	4122	21023	12672	3735	463	10	984	65937
(CONTINUED)	TOTAL	5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 1 WHITE
PAGE 3 OF 4

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9				1	19	32	85	118	153	149	175	2332
NINE				.0	.8	1.4	3.6	5.1	6.6	6.4	7.5	3.5
				1.7	7.3	4.4	5.5	5.0	5.0	4.3	4.8	
10			1	5	22	83	188	288	325	380	377	5700
TEN			.0	.1	.4	1.5	3.3	5.1	5.7	6.7	6.6	8.6
			7.7	8.5	8.4	11.3	12.1	12.1	10.5	11.1	10.4	
11			4	4	20	51	105	167	216	219	213	3808
ELEVEN			.1	.1	.5	1.3	2.8	4.4	5.7	5.8	5.6	5.8
			30.8	6.8	7.6	7.0	6.7	7.0	7.0	6.4	5.9	
12			1	10	41	116	259	374	562	626	693	13258
TWELVE			.0	.1	.3	.9	2.0	2.8	4.2	4.7	5.2	20.1
			7.7	16.9	15.6	15.8	16.6	15.7	18.2	18.2	19.0	
13			1	4	18	54	126	211	270	293	337	6661
THIRTEEN			.0	.1	.3	.8	1.9	3.2	4.1	4.4	5.1	10.1
			7.7	6.8	6.9	7.4	8.1	8.9	8.7	8.5	9.3	
14				3	18	57	123	196	289	320	348	7381
FOURTEEN				.0	.2	.8	1.7	2.7	3.9	4.3	4.7	11.2
				5.1	6.9	7.8	7.9	8.2	9.4	9.3	9.6	
15			1	3	24	74	135	224	319	406	432	9599
FIFTEEN			.0	.0	.3	.8	1.4	2.3	3.3	4.2	4.5	14.6
			7.7	5.1	9.2	10.1	8.7	9.4	10.3	11.8	11.9	
16				4	22	66	154	228	357	454	503	9753
SIXTEEN OR MORE				.0	.2	.7	1.6	2.3	3.7	4.7	5.2	14.8
				6.8	8.4	9.0	9.9	9.6	11.6	13.2	13.8	
17						2	3	13	7	19	9	231
NOT STATED						.9	1.3	5.6	3.0	8.2	3.9	.4
						.3	.2	.5	.2	.6	.2	
COLUMN TOTAL		1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		130	151	155	645	345	119	10		45	2332
NINE		5.6	6.5	6.6	27.7	14.8	5.1	.4		1.9	3.5
		3.5	3.8	3.8	3.1	2.7	3.2	2.2		4.6	
10		341	404	350	1625	874	286	35	2	114	5700
TEN		6.0	7.1	6.1	28.5	15.3	5.0	.6	.0	2.0	8.6
		9.1	10.1	8.5	7.7	6.9	7.7	7.6	20.0	11.6	
11		231	228	243	1191	608	212	24	1	71	3808
ELEVEN		6.1	6.0	6.4	31.3	16.0	5.6	.6	.0	1.9	5.8
		6.2	5.7	5.9	5.7	4.8	5.7	5.2	10.0	7.2	
12		768	771	821	4376	2726	780	99		235	13258
TWELVE		5.8	5.8	6.2	33.0	20.6	5.9	.7		1.8	20.1
		20.5	19.3	19.9	20.8	21.5	20.9	21.4		23.9	
13		375	444	444	2250	1394	342	31	1	66	6661
THIRTEEN		5.6	6.7	6.7	33.8	20.9	5.1	.5	.0	1.0	10.1
		10.0	11.1	10.8	10.7	11.0	9.2	6.7	10.0	6.7	
14		394	414	440	2530	1654	464	51		80	7381
FOURTEEN		5.3	5.6	6.0	34.3	22.4	6.3	.7		1.1	11.2
		10.5	10.3	10.7	12.0	13.1	12.4	11.0		8.1	
15		443	537	593	3475	2154	627	71	2	79	9599
FIFTEEN		4.6	5.6	6.2	36.2	22.4	6.5	.7	.0	.8	14.6
		11.8	13.4	14.4	16.5	17.0	16.8	15.3	20.0	8.0	
16		563	556	670	3264	2076	665	87	3	81	9753
SIXTEEN OR MORE		5.8	5.7	6.9	33.5	21.3	6.8	.9	.0	.8	14.8
		15.0	13.9	16.3	15.5	16.4	17.8	18.8	30.0	8.2	
17		14	14	10	61	34	10	3		32	231
NOT STATED		6.1	6.1	4.3	26.4	14.7	4.3	1.3		13.9	.4
		.4	.3	.2	.3	.3	.3	.6		3.3	
COLUMN TOTAL		3753	4005	4122	21023	12672	3735	463	10	984	65937
		5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

TABLE 11

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACE
VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0				4	10	22	42	76	90	81	101	979
NONE				.4	1.0	2.2	4.3	7.8	9.2	8.3	10.3	3.1
				7.8	4.6	3.9	4.1	5.1	4.8	3.8	4.3	
1				2	6	7	12	27	30	29	34	339
ONE				.6	1.8	2.1	3.5	8.0	8.8	8.6	10.0	1.1
				3.9	2.7	1.3	1.2	1.8	1.6	1.4	1.4	
2				4		15	21	38	42	56	40	521
TWO				.8		2.9	4.0	7.3	8.1	10.7	7.7	1.6
				7.8		2.7	2.1	2.5	2.2	2.6	1.7	
3					4	17	40	36	56	54	64	618
THREE					.6	2.8	6.5	5.8	9.1	8.7	10.4	2.0
					1.8	3.1	3.9	2.4	3.0	2.5	2.7	
4			2	3	9	24	41	44	68	85	72	840
FOUR			.2	.4	1.1	2.9	4.9	5.2	8.1	10.1	8.6	2.7
			18.2	5.9	4.1	4.3	4.0	2.9	3.6	4.0	3.1	
5				3	9	30	47	75	99	88	115	1129
FIVE				.3	.8	2.7	4.2	6.6	8.8	7.8	10.2	3.6
				5.9	4.1	5.4	4.6	5.0	5.3	4.1	4.9	
6			2	1	12	36	51	82	85	116	121	1247
SIX			.2	.1	1.0	2.9	4.1	6.6	6.8	9.3	9.7	3.9
			18.2	2.0	5.5	6.5	5.0	5.5	4.5	5.4	5.2	
7			1	7	12	32	67	81	106	108	93	1353
SEVEN			.1	.5	.9	2.4	5.0	6.0	7.8	8.0	6.9	4.3
			9.1	13.7	5.5	5.7	6.6	5.4	5.7	5.0	4.0	
8			1	1	12	44	78	107	117	147	136	1744
EIGHT			.1	.1	.7	2.5	4.5	6.1	6.7	8.4	7.8	5.5
			9.1	2.0	5.5	7.9	7.7	7.1	6.2	6.9	5.8	
COLUMN TOTAL		1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT		AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0	COUNT	75	84	62	61	169	61	22	2	1	16	979
NONE	ROW PCT	7.7	8.6	6.3	6.2	17.3	6.2	2.2	.2	.1	1.6	3.1
	COL PCT	3.2	3.8	2.9	3.1	2.3	1.5	1.8	1.1	12.5	5.5	
1	COUNT	40	25	21	19	55	24	5	2		1	339
ONE	ROW PCT	11.8	7.4	6.2	5.6	16.2	7.1	1.5	.6		.3	1.1
	COL PCT	1.7	1.1	1.0	1.0	.7	.6	.4	1.1		.3	
2	COUNT	51	40	39	28	98	39	5	1		4	521
TWO	ROW PCT	9.8	7.7	7.5	5.4	18.8	7.5	1.0	.2		.8	1.6
	COL PCT	2.2	1.8	1.9	1.4	1.3	1.0	.4	.6		1.4	
3	COUNT	47	55	52	30	96	47	11	5		4	618
THREE	ROW PCT	7.6	8.9	8.4	4.9	15.5	7.6	1.8	.8		.6	2.0
	COL PCT	2.0	2.5	2.5	1.5	1.3	1.2	.9	2.8		1.4	
4	COUNT	63	59	51	52	166	64	16	8		13	840
FOUR	ROW PCT	7.5	7.0	6.1	6.2	19.8	7.6	1.9	1.0		1.5	2.7
	COL PCT	2.7	2.6	2.4	2.6	2.2	1.6	1.3	4.5		4.4	
5	COUNT	99	81	87	75	190	98	23	5	1	4	1129
FIVE	ROW PCT	8.8	7.2	7.7	6.6	16.8	8.7	2.0	.4	.1	.4	3.6
	COL PCT	4.2	3.6	4.1	3.8	2.5	2.5	1.8	2.8	12.5	1.4	
6	COUNT	104	93	77	79	231	104	30	8	1	14	1247
SIX	ROW PCT	8.3	7.5	6.2	6.3	18.5	8.3	2.4	.6	.1	1.1	3.9
	COL PCT	4.4	4.2	3.7	4.0	3.1	2.6	2.4	4.5	12.5	4.8	
7	COUNT	104	87	100	75	286	126	39	8		21	1353
SEVEN	ROW PCT	7.7	6.4	7.4	5.5	21.1	9.3	2.9	.6		1.6	4.3
	COL PCT	4.4	3.9	4.7	3.8	3.8	3.2	3.1	4.5		7.2	
8	COUNT	142	100	114	127	370	169	52	9	1	17	1744
EIGHT	ROW PCT	8.1	5.7	6.5	7.3	21.2	9.7	3.0	.5	.1	1.0	5.5
	COL PCT	6.0	4.5	5.4	6.4	4.9	4.3	4.1	5.1	12.5	5.8	
COLUMN	COUNT	2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
(CONTINUED)	TOTAL	7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

TABLE 11

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9 NINE				1	13	32	52	86	105	96	121	1514
				.1	.9	2.1	3.4	5.7	6.9	6.3	8.0	4.8
				2.0	5.9	5.7	5.1	5.7	5.6	4.5	5.2	
10 TEN		1		6	34	63	129	198	227	261	273	3504
		.0		.2	1.0	1.8	3.7	5.7	6.5	7.4	7.8	11.1
		100.0		11.8	15.5	11.3	12.7	13.2	12.1	12.2	11.6	
11 ELEVEN			4	5	17	40	87	120	152	159	150	2132
			.2	.2	.8	1.9	4.1	5.6	7.1	7.5	7.0	6.7
			36.4	9.8	7.8	7.2	8.6	8.0	8.1	7.4	6.4	
12 TWELVE				5	31	81	143	175	265	296	342	5098
				.1	.6	1.6	2.8	3.4	5.2	5.8	6.7	16.1
				9.8	14.2	14.5	14.1	11.7	14.1	13.8	14.6	
13 THIRTEEN					15	25	52	92	108	116	167	2314
					.6	1.1	2.2	4.0	4.7	5.0	7.2	7.3
					6.8	4.5	5.1	6.1	5.8	5.4	7.1	
14 FOURTEEN				1	8	22	45	66	95	127	137	2108
				.0	.4	1.0	2.1	3.1	4.5	6.0	6.5	6.7
				2.0	3.7	3.9	4.4	4.4	5.1	5.9	5.8	
15 FIFTEEN			1	2	13	27	64	94	127	181	187	3181
			.0	.1	.4	.8	2.0	3.0	4.0	5.7	5.9	10.1
			9.1	3.9	5.9	4.8	6.3	6.3	6.8	8.4	8.0	
16 SIXTEEN OR MORE				5	13	37	40	97	96	132	184	2845
				.2	.5	1.3	1.4	3.4	3.4	4.6	6.5	9.0
				9.8	5.9	6.6	3.9	6.5	5.1	6.2	7.8	
17 NOT STATED				1	1	3	4	6	8	11	10	157
				.6	.6	1.9	2.5	3.8	5.1	7.0	6.4	.5
				2.0	.5	.5	.4	.4	.4	.5	.4	
COLUMN TOTAL		1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

(CONTINUED)

TABLE 11

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		115	124	102	95	343	160	53	7		9	1514
NINE		7.6	8.2	6.7	6.3	22.7	10.6	3.5	.5		.6	4.8
		4.9	5.6	4.8	4.8	4.6	4.0	4.2	4.0		3.1	
10		279	262	217	226	754	395	128	22	1	28	3504
TEN		8.0	7.5	6.2	6.4	21.5	11.3	3.7	.6	.0	.8	11.1
		11.8	11.7	10.3	11.3	10.1	9.9	10.2	12.4	12.5	9.6	
11		166	149	133	135	495	232	66	6		16	2132
ELEVEN		7.8	7.0	6.2	6.3	23.2	10.9	3.1	.3		.8	6.7
		7.0	6.7	6.3	6.8	6.6	5.8	5.3	3.4		5.5	
12		357	362	326	335	1346	715	235	32	1	51	5098
TWELVE		7.0	7.1	6.4	6.6	26.4	14.0	4.6	.6	.0	1.0	16.1
		15.1	16.2	15.5	16.8	17.9	18.0	18.7	18.1	12.5	17.4	
13		172	160	171	147	642	330	96	7		14	2314
THIRTEEN		7.4	6.9	7.4	6.4	27.7	14.3	4.1	.3		.6	7.3
		7.3	7.2	8.1	7.4	8.6	8.3	7.6	4.0		4.8	
14		144	139	149	124	563	364	104	10	1	9	2108
FOURTEEN		6.8	6.6	7.1	5.9	26.7	17.3	4.9	.5	.0	.4	6.7
		6.1	6.2	7.1	6.2	7.5	9.2	8.3	5.6	12.5	3.1	
15		218	221	232	193	868	536	180	19		18	3181
FIFTEEN		6.9	6.9	7.3	6.1	27.3	16.9	5.7	.6		.6	10.1
		9.2	9.9	11.0	9.7	11.6	13.5	14.3	10.7		6.1	
16		176	186	167	186	791	493	186	26	1	29	2845
SIXTEEN OR MORE		6.2	6.5	5.9	6.5	27.8	17.3	6.5	.9	.0	1.0	9.0
		7.5	8.3	7.9	9.3	10.5	12.4	14.8	14.7	12.5	9.9	
17		10	7	7	6	38	15	5			25	157
NOT STATED		6.4	4.5	4.5	3.8	24.2	9.6	3.2			15.9	.5
		.4	.3	.3	.3	.5	.4	.4			8.5	
COLUMN TOTAL		2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
0 NONE		456	1114		1570
		29.0	71.0		1.6
		.6	4.3		
1 ONE		174	335		509
		34.2	65.8		.5
		.2	1.3		
2 TWO		264	509		773
		34.2	65.8		.8
		.4	2.0		
3 THREE		358	598		956
		37.4	62.6		1.0
		.5	2.3		
4 FOUR		579	787		1366
		42.4	57.6		1.4
		.8	3.1		
5 FIVE		823	1056		1879
		43.8	56.2		1.9
		1.1	4.1		
6 SIX		1154	1215		2369
		48.7	51.3		2.4
		1.6	4.7		
7 SEVEN		1469	1234	1	2704
		54.3	45.6	.0	2.8
		2.0	4.8	10.0	
8 EIGHT		2296	1562		3858
		59.5	40.5		4.0
		3.2	6.1		
(CONTINUED)	COLUMN TOTAL	71930	25620	10	97560
		73.7	26.3	.0	100.0

TABLE 12

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9		2580	1266		3846
NINE		67.1	32.9		3.9
		3.6	4.9		
10		6364	2840		9204
TEN		69.1	30.9		9.4
		8.8	11.1		
11		4236	1704		5940
ELEVEN		71.3	28.7		6.1
		5.9	6.7		
12		14493	3863		18356
TWELVE		79.0	21.0		18.8
		20.1	15.1		
13		7192	1783		8975
THIRTEEN		80.1	19.9		9.2
		10.0	7.0		
14		7981	1508		9489
FOURTEEN		84.1	15.9		9.7
		11.1	5.9		
15		10755	2025		12780
FIFTEEN		84.2	15.8		13.1
		15.0	7.9		
16		10537	2061		12598
SIXTEEN OR MORE		83.6	16.4		12.9
		14.6	8.0		
17		219	160	9	388
NOT STATED		56.4	41.2	2.3	.4
		.3	.6	90.0	
COLUMN TOTAL		71930	25620	10	97560
		73.7	26.3	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
0 NONE		292	299		591
		49.4	50.6		.9
		.5	3.9		
1 ONE		104	66		170
		61.2	38.8		.3
		.2	.9		
2 TWO		144	108		252
		57.1	42.9		.4
		.2	1.4		
3 THREE		207	131		338
		61.2	38.8		.5
		.4	1.7		
4 FOUR		354	172		526
		67.3	32.7		.8
		.6	2.2		
5 FIVE		501	249		750
		66.8	33.2		1.1
		.9	3.2		
6 SIX		780	342		1122
		69.5	30.5		1.7
		1.3	4.5		
7 SEVEN		1037	313	1	1351
		76.8	23.2	.1	2.0
		1.8	4.1	20.0	
8 EIGHT		1667	447		2114
		78.9	21.1		3.2
		2.9	5.8		
(CONTINUED)	COLUMN TOTAL	58247	7685	5	65937
		88.3	11.7	.0	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS 1 MARRIED	2 NOT MARRIED	3 NOT STATED	ROW TOTAL
9		1972	360		2332
NINE		84.6	15.4		3.5
		3.4	4.7		
10		4880	820		5700
TEN		85.6	14.4		8.6
		8.4	10.7		
11		3369	439		3808
ELEVEN		88.5	11.5		5.8
		5.8	5.7		
12		11977	1281		13258
TWELVE		90.3	9.7		20.1
		20.6	16.7		
13		6057	604		6661
THIRTEEN		90.9	9.1		10.1
		10.4	7.9		
14		6801	580		7381
FOURTEEN		92.1	7.9		11.2
		11.7	7.5		
15		8987	612		9599
FIFTEEN		93.6	6.4		14.6
		15.4	8.0		
16		8948	805		9753
SIXTEEN OR MORE		91.7	8.3		14.8
		15.4	10.5		
17		170	57	4	231
NOT STATED		73.6	24.7	1.7	.4
		.3	.7	80.0	
COLUMN TOTAL		58247	7685	5	65937
		88.3	11.7	.0	100.0

TABLE 12

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	ROW TOTAL
0 NONE		164	815		979
		16.8	83.2		3.1
		1.2	4.5		
1 ONE		70	269		339
		20.6	79.4		1.1
		.5	1.5		
2 TWO		120	401		521
		23.0	77.0		1.6
		.9	2.2		
3 THREE		151	467		618
		24.4	75.6		2.0
		1.1	2.6		
4 FOUR		225	615		840
		26.8	73.2		2.7
		1.6	3.4		
5 FIVE		322	807		1129
		28.5	71.5		3.6
		2.4	4.5		
6 SIX		374	873		1247
		30.0	70.0		3.9
		2.7	4.9		
7 SEVEN		432	921		1353
		31.9	68.1		4.3
		3.2	5.1		
8 EIGHT		629	1115		1744
		36.1	63.9		5.5
		4.6	6.2		
(CONTINUED)	COLUMN TOTAL	13683	17935	5	31623
		43.3	56.7	.0	100.0

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY STATUS MARITAL STATUS OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 2 OF 2

PCVISIT	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	ROW TOTAL
9 NINE	608	906		1514
ROW PCT	40.2	59.8		4.8
COL PCT	4.4	5.1		
10 TEN	1484	2020		3504
ROW PCT	42.4	57.6		11.1
COL PCT	10.8	11.3		
11 ELEVEN	867	1265		2132
ROW PCT	40.7	59.3		6.7
COL PCT	6.3	7.1		
12 TWELVE	2516	2582		5098
ROW PCT	49.4	50.6		16.1
COL PCT	18.4	14.4		
13 THIRTEEN	1135	1179		2314
ROW PCT	49.0	51.0		7.3
COL PCT	8.3	6.6		
14 FOURTEEN	1180	928		2108
ROW PCT	56.0	44.0		6.7
COL PCT	8.6	5.2		
15 FIFTEEN	1768	1413		3181
ROW PCT	55.6	44.4		10.1
COL PCT	12.9	7.9		
16 SIXTEEN OR MORE	1589	1256		2845
ROW PCT	55.9	44.1		9.0
COL PCT	11.6	7.0		
17 NOT STATED	49	103	5	157
ROW PCT	31.2	65.6	3.2	.5
COL PCT	.4	.6	100.0	
COLUMN TOTAL	13683	17935	5	31623
	43.3	56.7	.0	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0 NONE		450	386	308	187	116	66	21	14	15	7	1570
		28.7	24.6	19.6	11.9	7.4	4.2	1.3	.9	1.0	.4	1.6
		1.2	1.3	1.8	2.5	3.7	4.8	3.9	5.6	6.4	2.6	
1 ONE		133	146	102	60	39	16	7	4	1	1	509
		26.1	28.7	20.0	11.8	7.7	3.1	1.4	.8	.2	.2	.5
		.4	.5	.6	.8	1.2	1.2	1.3	1.6	.4	.4	
2 TWO		202	197	156	108	56	27	16	4	5	2	773
		26.1	25.5	20.2	14.0	7.2	3.5	2.1	.5	.6	.3	.8
		.6	.6	.9	1.4	1.8	2.0	3.0	1.6	2.1	.7	
3 THREE		263	259	201	120	52	40	9	3	8	1	956
		27.5	27.1	21.0	12.6	5.4	4.2	.9	.3	.8	.1	1.0
		.7	.9	1.2	1.6	1.7	2.9	1.7	1.2	3.4	.4	
4 FOUR		422	377	289	139	69	31	13	9	11	6	1366
		30.9	27.6	21.2	10.2	5.1	2.3	1.0	.7	.8	.4	1.4
		1.1	1.2	1.7	1.8	2.2	2.3	2.4	3.6	4.7	2.2	
5 FIVE		555	545	383	203	96	50	19	12	11	5	1879
		29.5	29.0	20.4	10.8	5.1	2.7	1.0	.6	.6	.3	1.9
		1.5	1.8	2.3	2.7	3.1	3.7	3.5	4.8	4.7	1.8	
6 SIX		802	657	461	237	112	49	21	10	10	10	2369
		33.9	27.7	19.5	10.0	4.7	2.1	.9	.4	.4	.4	2.4
		2.2	2.2	2.7	3.1	3.6	3.6	3.9	4.0	4.3	3.7	
7 SEVEN		927	789	537	254	114	39	17	5	15	7	2704
		34.3	29.2	19.9	9.4	4.2	1.4	.6	.2	.6	.3	2.8
		2.5	2.6	3.2	3.3	3.6	2.9	3.2	2.0	6.4	2.6	
8 EIGHT		1419	1140	694	304	149	80	36	13	11	12	3858
		36.8	29.5	18.0	7.9	3.9	2.1	.9	.3	.3	.3	4.0
		3.9	3.7	4.1	4.0	4.8	5.9	6.7	5.2	4.7	4.4	
(CONTINUED)	COLUMN TOTAL	36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

TABLE 13

CROSSTABULATION OF
PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER
CONTROLLING FOR..
RACES VALUE = TOTAL
PAGE 2 OF 2

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9		1400	1209	699	306	127	63	16	5	12	9	3846
NINE		36.4	31.4	18.2	8.0	3.3	1.6	.4	.1	.3	.2	3.9
		3.8	4.0	4.1	4.0	4.1	4.6	3.0	2.0	5.1	3.3	
10		3447	2869	1613	736	286	132	52	28	18	23	9204
TEN		37.5	31.2	17.5	8.0	3.1	1.4	.6	.3	.2	.2	9.4
		9.4	9.4	9.5	9.7	9.1	9.7	9.7	11.2	7.7	8.5	
11		2297	1881	1005	454	182	63	29	10	10	9	5940
ELEVEN		38.7	31.7	16.9	7.6	3.1	1.1	.5	.2	.2	.2	6.1
		6.3	6.2	5.9	6.0	5.8	4.6	5.4	4.0	4.3	3.3	
12		7064	5844	3164	1367	526	206	78	37	28	42	18356
TWELVE		38.5	31.8	17.2	7.4	2.9	1.1	.4	.2	.2	.2	18.8
		19.2	19.2	18.6	17.9	16.8	15.1	14.6	14.7	12.0	15.4	
13		3575	2869	1496	623	231	105	34	17	10	15	8975
THIRTEEN		39.8	32.0	16.7	6.9	2.6	1.2	.4	.2	.1	.2	9.2
		9.7	9.4	8.8	8.2	7.4	7.7	6.3	6.8	4.3	5.5	
14		3692	3159	1572	649	237	93	37	15	16	19	9489
FOURTEEN		38.9	33.3	16.6	6.8	2.5	1.0	.4	.2	.2	.2	9.7
		10.1	10.4	9.2	8.5	7.6	6.8	6.9	6.0	6.8	7.0	
15		5109	4139	2113	830	328	141	50	29	12	29	12780
FIFTEEN		40.0	32.4	16.5	6.5	2.6	1.1	.4	.2	.1	.2	13.1
		13.9	13.6	12.4	10.9	10.5	10.3	9.3	11.6	5.1	10.7	
16		4848	3842	2151	1017	399	157	79	35	41	29	12598
SIXTEEN OR MORE		38.5	30.5	17.1	8.1	3.2	1.2	.6	.3	.3	.2	12.9
		13.2	12.6	12.6	13.3	12.7	11.5	14.7	13.9	17.5	10.7	
17		122	110	60	28	12	7	2	1		46	388
NOT STATED		31.4	28.4	15.5	7.2	3.1	1.8	.5	.3		11.9	.4
		.3	.4	.4	.4	.4	.5	.4	.4		16.9	
COLUMN TOTAL		36727	30418	17004	7622	3131	1365	536	251	234	272	97560
		37.6	31.2	17.4	7.8	3.2	1.4	.5	.3	.2	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		218	140	96	60	39	20	6	5	3	4	591
NONE		36.9	23.7	16.2	10.2	6.6	3.4	1.0	.8	.5	.7	.9
		.8	.7	.9	1.3	2.2	2.8	2.3	3.9	3.4	2.3	
1		43	49	40	17	12	4	3	1		1	170
ONE		25.3	28.8	23.5	10.0	7.1	2.4	1.8	.6		.6	.3
		.2	.2	.4	.4	.7	.6	1.1	.8		.6	
2		90	58	38	31	14	13	5	1	2		252
TWO		35.7	23.0	15.1	12.3	5.6	5.2	2.0	.4	.8		.4
		.3	.3	.3	.7	.8	1.8	1.9	.8	2.2		
3		103	100	56	45	21	8	1	1	3		338
THREE		30.5	29.6	16.6	13.3	6.2	2.4	.3	.3	.9		.5
		.4	.5	.5	1.0	1.2	1.1	.4	.8	3.4		
4		176	153	111	40	22	10	7	5	2		526
FOUR		33.5	29.1	21.1	7.6	4.2	1.9	1.3	1.0	.4		.8
		.7	.7	1.0	.9	1.3	1.4	2.7	3.9	2.2		
5		239	217	153	81	30	16	7	1	4	2	750
FIVE		31.9	28.9	20.4	10.8	4.0	2.1	.9	.1	.5	.3	1.1
		.9	1.0	1.4	1.8	1.7	2.2	2.7	.8	4.5	1.2	
6		397	326	216	99	50	14	3	4	4	9	1122
SIX		35.4	29.1	19.3	8.8	4.5	1.2	.3	.4	.4	.8	1.7
		1.5	1.5	2.0	2.2	2.9	1.9	1.1	3.1	4.5	5.2	
7		471	419	278	105	43	20	3	3	5	4	1351
SEVEN		34.9	31.0	20.6	7.8	3.2	1.5	.2	.2	.4	.3	2.0
		1.8	2.0	2.5	2.3	2.5	2.8	1.1	2.3	5.6	2.3	
8		823	646	356	157	65	38	10	6	3	10	2114
EIGHT		38.9	30.6	16.8	7.4	3.1	1.8	.5	.3	.1	.5	3.2
		3.2	3.0	3.2	3.5	3.7	5.3	3.8	4.7	3.4	5.8	
(CONTINUED)	COLUMN TOTAL	25943	21315	11062	4510	1735	718	263	129	89	173	65937
		39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	BO	1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9 NINE	COUNT	860	784	433	150	60	30	7	2	2	4	2332
	ROW PCT	36.9	33.6	18.6	6.4	2.6	1.3	.3	.1	.1	.2	3.5
	COL PCT	3.3	3.7	3.9	3.3	3.5	4.2	2.7	1.6	2.2	2.3	
10 TEN	COUNT	2181	1873	970	407	130	78	27	12	9	13	5700
	ROW PCT	38.3	32.9	17.0	7.1	2.3	1.4	.5	.2	.2	.2	8.6
	COL PCT	8.4	8.8	8.8	9.0	7.5	10.9	10.3	9.3	10.1	7.5	
11 ELEVEN	COUNT	1501	1259	630	257	99	35	13	7	1	6	3808
	ROW PCT	39.4	33.1	16.5	6.7	2.6	.9	.3	.2	.0	.2	5.8
	COL PCT	5.8	5.9	5.7	5.7	5.7	4.9	4.9	5.4	1.1	3.5	
12 TWELVE	COUNT	5255	4366	2199	873	340	113	49	22	13	28	13258
	ROW PCT	39.6	32.9	16.6	6.6	2.6	.9	.4	.2	.1	.2	20.1
	COL PCT	20.3	20.5	19.9	19.4	19.6	15.7	18.6	17.1	14.6	16.2	
13 THIRTEEN	COUNT	2736	2150	1079	427	143	73	27	11	4	11	6661
	ROW PCT	41.1	32.3	16.2	6.4	2.1	1.1	.4	.2	.1	.2	10.1
	COL PCT	10.5	10.1	9.8	9.5	8.2	10.2	10.3	8.5	4.5	6.4	
14 FOURTEEN	COUNT	2905	2521	1222	456	163	58	19	9	11	17	7381
	ROW PCT	39.4	34.2	16.6	6.2	2.2	.8	.3	.1	.1	.2	11.2
	COL PCT	11.2	11.8	11.0	10.1	9.4	8.1	7.2	7.0	12.4	9.8	
15 FIFTEEN	COUNT	3972	3157	1536	563	220	84	25	15	5	22	9599
	ROW PCT	41.4	32.9	16.0	5.9	2.3	.9	.3	.2	.1	.2	14.6
	COL PCT	15.3	14.8	13.9	12.5	12.7	11.7	9.5	11.6	5.6	12.7	
16 SIXTEEN OR MORE	COUNT	3893	3029	1616	727	277	101	50	23	18	19	9753
	ROW PCT	39.9	31.1	16.6	7.5	2.8	1.0	.5	.2	.2	.2	14.8
	COL PCT	15.0	14.2	14.6	16.1	16.0	14.1	19.0	17.8	20.2	11.0	
17 NOT STATED	COUNT	80	68	33	15	7	3	1	1		23	231
	ROW PCT	34.6	29.4	14.3	6.5	3.0	1.3	.4	.4		10.0	.4
	COL PCT	.3	.3	.3	.3	.4	.4	.4	.8		13.3	
COLUMN TOTAL	COUNT	25943	21315	11062	4510	1735	718	263	129	89	173	65937
	PCT	39.3	32.3	16.8	6.8	2.6	1.1	.4	.2	.1	.3	100.0

TABLE 13

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
0		232	246	212	127	77	46	15	9	12	3	979
NONE		23.7	25.1	21.7	13.0	7.9	4.7	1.5	.9	1.2	.3	3.1
		2.2	2.7	3.6	4.1	5.5	7.1	5.5	7.4	8.3	3.0	
1		90	97	62	43	27	12	4	3	1		339
ONE		26.5	28.6	18.3	12.7	8.0	3.5	1.2	.9	.3		1.1
		.8	1.1	1.0	1.4	1.9	1.9	1.5	2.5	.7		
2		112	139	118	77	42	14	11	3	3	2	521
TWO		21.5	26.7	22.6	14.8	8.1	2.7	2.1	.6	.6	.4	1.6
		1.0	1.5	2.0	2.5	3.0	2.2	4.0	2.5	2.1	2.0	
3		160	159	145	75	31	32	8	2	5	1	618
THREE		25.9	25.7	23.5	12.1	5.0	5.2	1.3	.3	.8	.2	2.0
		1.5	1.7	2.4	2.4	2.2	4.9	2.9	1.6	3.4	1.0	
4		246	224	178	99	47	21	6	4	9	6	840
FOUR		29.3	26.7	21.2	11.8	5.6	2.5	.7	.5	1.1	.7	2.7
		2.3	2.5	3.0	3.2	3.4	3.2	2.2	3.3	6.2	6.1	
5		316	328	230	122	66	34	12	11	7	3	1129
FIVE		28.0	29.1	20.4	10.8	5.8	3.0	1.1	1.0	.6	.3	3.6
		2.9	3.6	3.9	3.9	4.7	5.3	4.4	9.0	4.8	3.0	
6		405	331	245	138	62	35	18	6	6	1	1247
SIX		32.5	26.5	19.6	11.1	5.0	2.8	1.4	.5	.5	.1	3.9
		3.8	3.6	4.1	4.4	4.4	5.4	6.6	4.9	4.1	1.0	
7		456	370	259	149	71	19	14	2	10	3	1353
SEVEN		33.7	27.3	19.1	11.0	5.2	1.4	1.0	.1	.7	.2	4.3
		4.2	4.1	4.4	4.8	5.1	2.9	5.1	1.6	6.9	3.0	
8		596	494	338	147	84	42	26	7	8	2	1744
EIGHT		34.2	28.3	19.4	8.4	4.8	2.4	1.5	.4	.5	.1	5.5
		5.5	5.4	5.7	4.7	6.0	6.5	9.5	5.7	5.5	2.0	
COLUMN TOTAL		10784	9103	5942	3112	1396	647	273	122	145	99	31623
		34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

(CONTINUED)

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY BO BIRTH ORDER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	ROW TOTAL
9	540	425	266	156	67	33	9	3	10	5	1514
NINE	35.7	28.1	17.6	10.3	4.4	2.2	.6	.2	.7	.3	4.8
	5.0	4.7	4.5	5.0	4.8	5.1	3.3	2.5	6.9	5.1	
10	1266	996	643	329	156	54	25	16	9	10	3504
TEN	36.1	28.4	18.4	9.4	4.5	1.5	.7	.5	.3	.3	11.1
	11.7	10.9	10.8	10.6	11.2	8.3	9.2	13.1	6.2	10.1	
11	796	622	375	197	83	28	16	3	9	3	2132
ELEVEN	37.3	29.2	17.6	9.2	3.9	1.3	.8	.1	.4	.1	6.7
	7.4	6.8	6.3	6.3	5.9	4.3	5.9	2.5	6.2	3.0	
12	1809	1478	965	494	186	93	29	15	15	14	5098
TWELVE	35.5	29.0	18.9	9.7	3.6	1.8	.6	.3	.3	.3	16.1
	16.8	16.2	16.2	15.9	13.3	14.4	10.6	12.3	10.3	14.1	
13	839	719	417	196	88	32	7	6	6	4	2314
THIRTEEN	36.3	31.1	18.0	8.5	3.8	1.4	.3	.3	.3	.2	7.3
	7.8	7.9	7.0	6.3	6.3	4.9	2.6	4.9	4.1	4.0	
14	787	638	350	193	74	35	18	6	5	2	2108
FOURTEEN	37.3	30.3	16.6	9.2	3.5	1.7	.9	.3	.2	.1	6.7
	7.3	7.0	5.9	6.2	5.3	5.4	6.6	4.9	3.4	2.0	
15	1137	982	577	267	108	57	25	14	7	7	3181
FIFTEEN	35.7	30.9	18.1	8.4	3.4	1.8	.8	.4	.2	.2	10.1
	10.5	10.8	9.7	8.6	7.7	8.8	9.2	11.5	4.8	7.1	
16	955	813	535	290	122	56	29	12	23	10	2845
SIXTEEN OR MORE	33.6	28.6	18.8	10.2	4.3	2.0	1.0	.4	.8	.4	9.0
	8.9	8.9	9.0	9.3	8.7	8.7	10.6	9.8	15.9	10.1	
17	42	42	27	13	5	4	1			23	157
NOT STATED	26.8	26.8	17.2	8.3	3.2	2.5	.6			14.6	.5
	.4	.5	.5	.4	.4	.6	.4			23.2	
COLUMN TOTAL	10784	9103	5942	3112	1396	647	273	122	145	99	31623
	34.1	28.8	18.8	9.8	4.4	2.0	.9	.4	.5	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACES

VALUE = TOTAL

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
0		28	81	64	83	176	392	486	195	59	6	1570
NONE		1.8	5.2	4.1	5.3	11.2	25.0	31.0	12.4	3.8	.4	1.6
		15.2	12.7	9.0	5.4	3.7	2.4	1.4	.7	.6	4.2	
1		13	26	33	34	60	107	142	65	28	1	509
ONE		2.6	5.1	6.5	6.7	11.8	21.0	27.9	12.8	5.5	.2	.5
		7.1	4.1	4.6	2.2	1.3	.7	.4	.2	.3	.7	
2		15	34	27	34	72	183	248	121	35	4	773
TWO		1.9	4.4	3.5	4.4	9.3	23.7	32.1	15.7	4.5	.5	.8
		8.2	5.3	3.8	2.2	1.5	1.1	.7	.4	.3	2.8	
3		22	44	28	41	100	228	301	167	24	1	956
THREE		2.3	4.6	2.9	4.3	10.5	23.8	31.5	17.5	2.5	.1	1.0
		12.0	6.9	3.9	2.7	2.1	1.4	.8	.6	.2	.7	
4		16	65	44	69	132	312	453	217	51	7	1366
FOUR		1.2	4.8	3.2	5.1	9.7	22.8	33.2	15.9	3.7	.5	1.4
		8.7	10.2	6.2	4.5	2.8	1.9	1.3	.8	.5	4.9	
5		18	61	55	60	156	461	633	349	86		1879
FIVE		1.0	3.2	2.9	3.2	8.3	24.5	33.7	18.6	4.6		1.9
		9.8	9.6	7.7	3.9	3.3	2.8	1.8	1.3	.8		
6		11	65	55	78	193	533	859	463	109	3	2369
SIX		.5	2.7	2.3	3.3	8.1	22.5	36.3	19.5	4.6	.1	2.4
		6.0	10.2	7.7	5.0	4.1	3.3	2.4	1.7	1.1	2.1	
7		7	35	41	103	212	623	957	581	143	2	2704
SEVEN		.3	1.3	1.5	3.8	7.8	23.0	35.4	21.5	5.3	.1	2.8
		3.8	5.5	5.8	6.7	4.5	3.8	2.7	2.1	1.4	1.4	
8		10	41	57	110	299	806	1414	863	255	3	3858
EIGHT		.3	1.1	1.5	2.9	7.8	20.9	36.7	22.4	6.6	.1	4.0
		5.4	6.4	8.0	7.1	6.3	5.0	4.0	3.1	2.5	2.1	
(CONTINUED)	COLUMN TOTAL	184	637	712	1546	4743	16197	35487	27750	10160	144	97560
		.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

TABLE 14

C R O S S T A B U L A T I O N O F

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
RACES VALUE = TOTAL

PCVISIT	WT / COUNT / ROW PCT / COL PCT	0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
9 NINE	COUNT	3	18	24	78	257	729	1490	951	292	4	3846
	ROW PCT	.1	.5	.6	2.0	6.7	19.0	38.7	24.7	7.6	.1	3.9
	COL PCT	1.6	2.8	3.4	5.0	5.4	4.5	4.2	3.4	2.9	2.8	
10 TEN	COUNT	15	40	92	153	541	1762	3512	2363	712	14	9204
	ROW PCT	.2	.4	1.0	1.7	5.9	19.1	38.2	25.7	7.7	.2	9.4
	COL PCT	8.2	6.3	12.9	9.9	11.4	10.9	9.9	8.5	7.0	9.7	
11 ELEVEN	COUNT	3	8	18	66	253	1071	2278	1677	561	5	5940
	ROW PCT	.1	.1	.3	1.1	4.3	18.0	38.4	28.2	9.4	.1	6.1
	COL PCT	1.6	1.3	2.5	4.3	5.3	6.6	6.4	6.0	5.5	3.5	
12 TWELVE	COUNT	4	24	49	182	682	2862	6844	5662	2031	16	18356
	ROW PCT	.0	.1	.3	1.0	3.7	15.6	37.3	30.8	11.1	.1	18.8
	COL PCT	2.2	3.8	6.9	11.8	14.4	17.7	19.3	20.4	20.0	11.1	
13 THIRTEEN	COUNT	2	23	23	85	333	1267	3379	2765	1094	4	8975
	ROW PCT	.0	.3	.3	.9	3.7	14.1	37.6	30.8	12.2	.0	9.2
	COL PCT	1.1	3.6	3.2	5.5	7.0	7.8	9.5	10.0	10.8	2.8	
14 FOURTEEN	COUNT	1	10	15	61	281	1254	3471	3163	1226	7	9489
	ROW PCT	.0	.1	.2	.6	3.0	13.2	36.6	33.3	12.9	.1	9.7
	COL PCT	.5	1.6	2.1	3.9	5.9	7.7	9.8	11.4	12.1	4.9	
15 FIFTEEN	COUNT	6	27	40	118	412	1760	4618	4080	1709	10	12780
	ROW PCT	.0	.2	.3	.9	3.2	13.8	36.1	31.9	13.4	.1	13.1
	COL PCT	3.3	4.2	5.6	7.6	8.7	10.9	13.0	14.7	16.8	6.9	
16 SIXTEEN OR MORE	COUNT	7	23	44	179	556	1778	4298	3984	1719	10	12598
	ROW PCT	.1	.2	.3	1.4	4.4	14.1	34.1	31.6	13.6	.1	12.9
	COL PCT	3.8	3.6	6.2	11.6	11.7	11.0	12.1	14.4	16.9	6.9	
17 NOT STATED	COUNT	3	12	3	12	28	69	104	84	26	47	388
	ROW PCT	.8	3.1	.8	3.1	7.2	17.8	26.8	21.6	6.7	12.1	.4
	COL PCT	1.6	1.9	.4	.8	.6	.4	.3	.3	.3	32.6	
COLUMN TOTAL		184	637	712	1546	4743	16197	35487	27750	10160	144	97560
		.2	.7	.7	1.6	4.9	16.6	36.4	28.4	10.4	.1	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT 0 UNDER 500 GMS	1 500 TO 999 GMS	2 1000 TO 1499 GMS	3 1500 TO 1999 GMS	4 2000 TO 2499 GMS	5 2500 TO 2999 GMS	6 3000 TO 3499 GMS	7 3500 TO 3999 GMS	8 4000 GMS AND OVER	9 NOT STATED	ROW TOTAL
0 NONE		6	21	15	22	55	127	196	108	40	1	591
		1.0	3.6	2.5	3.7	9.3	21.5	33.2	18.3	6.8	.2	.9
		9.8	7.6	4.5	2.7	2.2	1.4	.8	.5	.5	1.3	
1 ONE			10	9	7	13	37	46	31	16	1	170
			5.9	5.3	4.1	7.6	21.8	27.1	18.2	9.4	.6	.3
			3.6	2.7	.9	.5	.4	.2	.1	.2	1.3	
2 TWO		4	12	4	10	18	51	84	49	18	2	252
		1.6	4.8	1.6	4.0	7.1	20.2	33.3	19.4	7.1	.8	.4
		6.6	4.3	1.2	1.2	.7	.6	.4	.2	.2	2.5	
3 THREE		10	12	6	18	25	60	118	76	13		338
		3.0	3.6	1.8	5.3	7.4	17.8	34.9	22.5	3.8		.5
		16.4	4.3	1.8	2.2	1.0	.7	.5	.4	.2		
4 FOUR		7	33	20	22	35	101	168	104	34	2	526
		1.3	6.3	3.8	4.2	6.7	19.2	31.9	19.8	6.5	.4	.8
		11.5	11.9	6.0	2.7	1.4	1.1	.7	.5	.4	2.5	
5 FIVE		4	22	23	24	66	166	227	167	51		750
		.5	2.9	3.1	3.2	8.8	22.1	30.3	22.3	6.8		1.1
		6.6	7.9	6.9	2.9	2.6	1.8	1.0	.8	.6		
6 SIX		3	39	21	40	76	216	408	247	71	1	1122
		.3	3.5	1.9	3.6	6.8	19.3	36.4	22.0	6.3	.1	1.7
		4.9	14.1	6.3	4.9	3.0	2.4	1.8	1.2	.8	1.3	
7 SEVEN		4	15	25	51	103	259	461	341	91	1	1351
		.3	1.1	1.9	3.8	7.6	19.2	34.1	25.2	6.7	.1	2.0
		6.6	5.4	7.6	6.2	4.1	2.9	2.0	1.6	1.1	1.3	
8 EIGHT		2	17	28	62	158	379	763	526	178	1	2114
		.1	.8	1.3	2.9	7.5	17.9	36.1	24.9	8.4	.0	3.2
		3.3	6.1	8.5	7.6	6.3	4.2	3.3	2.5	2.1	1.3	
(CONTINUED)	COLUMN TOTAL	61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9		3	6	12	42	150	397	857	632	232	1	2332
NINE		.1	.3	.5	1.8	6.4	17.0	36.7	27.1	9.9	.0	3.5
		4.9	2.2	3.6	5.1	6.0	4.4	3.7	3.0	2.7	1.3	
10		6	20	49	84	294	937	2102	1638	561	9	5700
TEN		.1	.4	.9	1.5	5.2	16.4	36.9	28.7	9.8	.2	8.6
		9.8	7.2	14.8	10.2	11.7	10.3	9.0	7.8	6.6	11.3	
11			5	8	38	119	586	1405	1188	454	5	3808
ELEVEN			.1	.2	1.0	3.1	15.4	36.9	31.2	11.9	.1	5.8
			1.8	2.4	4.6	4.7	6.5	6.0	5.7	5.4	6.3	
12		3	12	37	114	388	1700	4758	4493	1740	13	13258
TWELVE		.0	.1	.3	.9	2.9	12.8	35.9	33.9	13.1	.1	20.1
		4.9	4.3	11.2	13.9	15.4	18.7	20.4	21.4	20.5	16.3	
13			13	17	50	208	809	2426	2209	927	2	6661
THIRTEEN			.2	.3	.8	3.1	12.1	36.4	33.2	13.9	.0	10.1
			4.7	5.1	6.1	8.3	8.9	10.4	10.5	10.9	2.5	
14		1	4	6	36	175	835	2628	2622	1070	4	7381
FOURTEEN		.0	.1	.1	.5	2.4	11.3	35.6	35.5	14.5	.1	11.2
		1.6	1.4	1.8	4.4	7.0	9.2	11.3	12.5	12.6	5.0	
15		4	16	25	66	234	1153	3325	3291	1479	6	9599
FIFTEEN		.0	.2	.3	.7	2.4	12.0	34.6	34.3	15.4	.1	14.6
		6.6	5.8	7.6	8.0	9.3	12.7	14.3	15.7	17.5	7.5	
16		2	17	24	128	381	1226	3248	3245	1473	9	9753
SIXTEEN OR MORE		.0	.2	.2	1.3	3.9	12.6	33.3	33.3	15.1	.1	14.8
		3.3	6.1	7.3	15.6	15.2	13.5	14.0	15.4	17.4	11.3	
17		2	3	2	7	15	42	58	59	21	22	231
NOT STATED		.9	1.3	.9	3.0	6.5	18.2	25.1	25.5	9.1	9.5	.4
		3.3	1.1	.6	.9	.6	.5	.2	.3	.2	27.5	
COLUMN TOTAL		61	277	331	821	2513	9081	23278	21026	8469	80	65937
		.1	.4	.5	1.2	3.8	13.8	35.3	31.9	12.8	.1	100.0

TABLE 14

CROSSTABULATION OF

PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

PCVISIT	WT COUNT ROW PCT COL PCT	UNDER 500 GMS 0	500 TO 999 GMS 1	1000 TO 1499 GMS 2	1500 TO 1999 GMS 3	2000 TO 2499 GMS 4	2500 TO 2999 GMS 5	3000 TO 3499 GMS 6	3500 TO 3999 GMS 7	4000 GMS AND OVER 8	NOT STATED 9	ROW TOTAL
0		22	60	49	61	121	265	290	87	19	5	979
NONE		2.2	6.1	5.0	6.2	12.4	27.1	29.6	8.9	1.9	.5	3.1
		17.9	16.7	12.9	8.4	5.4	3.7	2.4	1.3	1.1	7.8	
1		13	16	24	27	47	70	96	34	12		339
ONE		3.8	4.7	7.1	8.0	13.9	20.6	28.3	10.0	3.5		1.1
		10.6	4.4	6.3	3.7	2.1	1.0	.8	.5	.7		
2		11	22	23	24	54	132	164	72	17	2	521
TWO		2.1	4.2	4.4	4.6	10.4	25.3	31.5	13.8	3.3	.4	1.6
		8.9	6.1	6.0	3.3	2.4	1.9	1.3	1.1	1.0	3.1	
3		12	32	22	23	75	168	183	91	11	1	618
THREE		1.9	5.2	3.6	3.7	12.1	27.2	29.6	14.7	1.8	.2	2.0
		9.8	8.9	5.8	3.2	3.4	2.4	1.5	1.4	.7	1.6	
4		9	32	24	47	97	211	285	113	17	5	840
FOUR		1.1	3.8	2.9	5.6	11.5	25.1	33.9	13.5	2.0	.6	2.7
		7.3	8.9	6.3	6.5	4.3	3.0	2.3	1.7	1.0	7.8	
5		14	39	32	36	90	295	406	182	35		1129
FIVE		1.2	3.5	2.8	3.2	8.0	26.1	36.0	16.1	3.1		3.6
		11.4	10.8	8.4	5.0	4.0	4.1	3.3	2.7	2.1		
6		8	26	34	38	117	317	451	216	38	2	1247
SIX		.6	2.1	2.7	3.0	9.4	25.4	36.2	17.3	3.0	.2	3.9
		6.5	7.2	8.9	5.2	5.2	4.5	3.7	3.2	2.2	3.1	
7		3	20	16	52	109	364	496	240	52	1	1353
SEVEN		.2	1.5	1.2	3.8	8.1	26.9	36.7	17.7	3.8	.1	4.3
		2.4	5.6	4.2	7.2	4.9	5.1	4.1	3.6	3.1	1.6	
8		8	24	29	48	141	427	651	337	77	2	1744
EIGHT		.5	1.4	1.7	2.8	8.1	24.5	37.3	19.3	4.4	.1	5.5
		6.5	6.7	7.6	6.6	6.3	6.0	5.3	5.0	4.6	3.1	
COLUMN TOTAL		123 .4	360 1.1	381 1.2	725 2.3	2230 7.1	7116 22.5	12209 38.6	6724 21.3	1691 5.3	64 .2	31623 100.0

(CONTINUED)

TABLE 14

CROSSTABULATION OF PCVISIT NUMBER OF PRENATAL VISITS BY WT BIRTH WEIGHT IN GRAMS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

PCVISIT	COUNT / ROW PCT / COL PCT	WT UNDER 500 GMS (0)	500 TO 999 GMS (1)	1000 TO 1499 GMS (2)	1500 TO 1999 GMS (3)	2000 TO 2499 GMS (4)	2500 TO 2999 GMS (5)	3000 TO 3499 GMS (6)	3500 TO 3999 GMS (7)	4000 GMS AND OVER (8)	NOT STATED (9)	ROW TOTAL
9 NINE			12	12	36	107	332	633	319	60	3	1514
			.8	.8	2.4	7.1	21.9	41.8	21.1	4.0	.2	4.8
			3.3	3.1	5.0	4.8	4.7	5.2	4.7	3.5	4.7	
10 TEN		9	20	43	69	247	825	1410	725	151	5	3504
		.3	.6	1.2	2.0	7.0	23.5	40.2	20.7	4.3	.1	11.1
		7.3	5.6	11.3	9.5	11.1	11.6	11.5	10.8	8.9	7.8	
11 ELEVEN		3	3	10	28	134	485	873	489	107		2132
		.1	.1	.5	1.3	6.3	22.7	40.9	22.9	5.0		6.7
		2.4	.8	2.6	3.9	6.0	6.8	7.2	7.3	6.3		
12 TWELVE		1	12	12	68	294	1162	2086	1169	291	3	5098
		.0	.2	.2	1.3	5.8	22.8	40.9	22.9	5.7	.1	16.1
		.8	3.3	3.1	9.4	13.2	16.3	17.1	17.4	17.2	4.7	
13 THIRTEEN		2	10	6	35	125	458	953	556	167	2	2314
		.1	.4	.3	1.5	5.4	19.8	41.2	24.0	7.2	.1	7.3
		1.6	2.8	1.6	4.8	5.6	6.4	7.8	8.3	9.9	3.1	
14 FOURTEEN			6	9	25	106	419	843	541	156	3	2108
			.3	.4	1.2	5.0	19.9	40.0	25.7	7.4	.1	6.7
			1.7	2.4	3.4	4.8	5.9	6.9	8.0	9.2	4.7	
15 FIFTEEN		2	11	15	52	178	607	1293	789	230	4	3181
		.1	.3	.5	1.6	5.6	19.1	40.6	24.8	7.2	.1	10.1
		1.6	3.1	3.9	7.2	8.0	8.5	10.6	11.7	13.6	6.3	
16 SIXTEEN OR MORE		5	6	20	51	175	552	1050	739	246	1	2845
		.2	.2	.7	1.8	6.2	19.4	36.9	26.0	8.6	.0	9.0
		4.1	1.7	5.2	7.0	7.8	7.8	8.6	11.0	14.5	1.6	
17 NOT STATED		1	9	1	5	13	27	46	25	5	25	157
		.6	5.7	.6	3.2	8.3	17.2	29.3	15.9	3.2	15.9	.5
		.8	2.5	.3	.7	.6	.4	.4	.4	.3	39.1	
COLUMN TOTAL		123	360	381	725	2230	7116	12209	6724	1691	64	31623
		.4	1.1	1.2	2.3	7.1	22.5	38.6	21.3	5.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	ROW TOTAL
0 NONE		1570										1570
		100.0										1.6
		100.0										
1 FIRST MONTH			21	23	31	43	76	113	169	222	302	16464
			.1	.1	.2	.3	.5	.7	1.0	1.3	1.8	16.9
			4.1	3.0	3.2	3.1	4.0	4.8	6.3	5.8	7.9	
2 SECOND MONTH			35	57	67	111	221	323	459	767	919	37755
			.1	.2	.2	.3	.6	.9	1.2	2.0	2.4	38.7
			6.9	7.4	7.0	8.1	11.8	13.6	17.0	19.9	23.9	
3 THIRD MONTH			27	59	90	154	209	367	482	741	958	19321
			.1	.3	.5	.8	1.1	1.9	2.5	3.8	5.0	19.8
			5.3	7.6	9.4	11.3	11.1	15.5	17.8	19.2	24.9	
4 FOURTH MONTH			34	63	110	158	254	386	424	716	702	9199
			.4	.7	1.2	1.7	2.8	4.2	4.6	7.8	7.6	9.4
			6.7	8.2	11.5	11.6	13.5	16.3	15.7	18.6	18.3	
5 FIFTH MONTH			54	84	113	199	285	373	462	604	509	5547
			1.0	1.5	2.0	3.6	5.1	6.7	8.3	10.9	9.2	5.7
			10.6	10.9	11.8	14.6	15.2	15.7	17.1	15.7	13.2	
6 SIXTH MONTH			65	77	160	189	303	349	359	470	292	3458
			1.9	2.2	4.6	5.5	8.8	10.1	10.4	13.6	8.4	3.5
			12.8	10.0	16.7	13.8	16.1	14.7	13.3	12.2	7.6	
7 SEVENTH MONTH			63	132	161	236	307	291	266	252	122	2258
			2.8	5.8	7.1	10.5	13.6	12.9	11.8	11.2	5.4	2.3
			12.4	17.1	16.8	17.3	16.3	12.3	9.8	6.5	3.2	
8 EIGHTH MONTH			82	168	158	218	178	136	59	68	24	1186
			6.9	14.2	13.3	18.4	15.0	11.5	5.0	5.7	2.0	1.2
			16.1	21.7	16.5	16.0	9.5	5.7	2.2	1.8	.6	
(CONTINUED)	COLUMN TOTAL	1570	509	773	956	1366	1879	2369	2704	3858	3846	97560
		1.6	.5	.8	1.0	1.4	1.9	2.4	2.8	4.0	3.9	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN 10	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	ROW TOTAL
0 NONE										1570
										1.6
1 FIRST MONTH		800	640	3484	1747	1722	3545	3472	54	16464
		4.9	3.9	21.2	10.6	10.5	21.5	21.1	.3	16.9
		8.7	10.8	19.0	19.5	18.1	27.7	27.6	13.9	
2 SECOND MONTH		2860	2130	8059	4306	4823	6547	5996	75	37755
		7.6	5.6	21.3	11.4	12.8	17.3	15.9	.2	38.7
		31.1	35.9	43.9	48.0	50.8	51.2	47.6	19.3	
3 THIRD MONTH		2337	1476	4332	1802	2260	1882	2108	37	19321
		12.1	7.6	22.4	9.3	11.7	9.7	10.9	.2	19.8
		25.4	24.8	23.6	20.1	23.8	14.7	16.7	9.5	
4 FOURTH MONTH		1555	897	1487	797	462	515	617	22	9199
		16.9	9.8	16.2	8.7	5.0	5.6	6.7	.2	9.4
		16.9	15.1	8.1	8.9	4.9	4.0	4.9	5.7	
5 FIFTH MONTH		936	476	659	213	145	176	246	13	5547
		16.9	8.6	11.9	3.8	2.6	3.2	4.4	.2	5.7
		10.2	8.0	3.6	2.4	1.5	1.4	2.0	3.4	
6 SIXTH MONTH		447	256	210	65	49	61	98	8	3458
		12.9	7.4	6.1	1.9	1.4	1.8	2.8	.2	3.5
		4.9	4.3	1.1	.7	.5	.5	.8	2.1	
7 SEVENTH MONTH		213	40	74	28	15	29	29		2258
		9.4	1.8	3.3	1.2	.7	1.3	1.3		2.3
		2.3	.7	.4	.3	.2	.2	.2		
8 EIGHTH MONTH		34	15	16	3	4	5	16	2	1186
		2.9	1.3	1.3	.3	.3	.4	1.3	.2	1.2
		.4	.3	.1	.0	.0	.0	.1	.5	
COLUMN TOTAL		9204	5940	18356	8975	9489	12780	12598	388	97560
		9.4	6.1	18.8	9.2	9.7	13.1	12.9	.4	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACES VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH			112	102	54	45	31	17	13	3	6	415
			27.0	24.6	13.0	10.8	7.5	4.1	3.1	.7	1.4	.4
			22.0	13.2	5.6	3.3	1.6	.7	.5	.1	.2	
10 NOT STATED			16	8	12	13	15	14	11	15	12	387
			4.1	2.1	3.1	3.4	3.9	3.6	2.8	3.9	3.1	.4
			3.1	1.0	1.3	1.0	.8	.6	.4	.4	.3	
(CONTINUED)	COLUMN TOTAL	1570	509	773	956	1366	1879	2369	2704	3858	3846	97560
		1.6	.5	.8	1.0	1.4	1.9	2.4	2.8	4.0	3.9	100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACES
VALUE = TOTAL

MPCB	COUNT / ROW PCT / COL PCT	TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9 NINTH MONTH	COUNT	9	2	3	2	1	1	2	12	415
	ROW PCT	2.2	.5	.7	.5	.2	.2	.5	2.9	.4
	COL PCT	.1	.0	.0	.0	.0	.0	.0	3.1	
10 NOT STATED	COUNT	13	8	32	12	8	19	14	165	387
	ROW PCT	3.4	2.1	8.3	3.1	2.1	4.9	3.6	42.6	.4
	COL PCT	.1	.1	.2	.1	.1	.1	.1	42.5	
COLUMN TOTAL		9204	5940	18356	8975	9489	12780	12598	388	97560
		9.4	6.1	18.8	9.2	9.7	13.1	12.9	.4	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE		591										591
		100.0										.9
		100.0										
1 FIRST MONTH			9	9	10	20	35	69	95	127	210	12862
			.1	.1	.1	.2	.3	.5	.7	1.0	1.6	19.5
			5.3	3.6	3.0	3.8	4.7	6.1	7.0	6.0	9.0	
2 SECOND MONTH			14	16	29	45	98	157	280	485	634	28768
			.0	.1	.1	.2	.3	.5	1.0	1.7	2.2	43.6
			8.2	6.3	8.6	8.6	13.1	14.0	20.7	22.9	27.2	
3 THIRD MONTH			6	13	31	55	88	195	260	436	617	12668
			.0	.1	.2	.4	.7	1.5	2.1	3.4	4.9	19.2
			3.5	5.2	9.2	10.5	11.7	17.4	19.2	20.6	26.5	
4 FOURTH MONTH			12	22	29	51	85	163	205	366	383	4963
			.2	.4	.6	1.0	1.7	3.3	4.1	7.4	7.7	7.5
			7.1	8.7	8.6	9.7	11.3	14.5	15.2	17.3	16.4	
5 FIFTH MONTH			19	25	36	67	98	159	208	305	261	2606
			.7	1.0	1.4	2.6	3.8	6.1	8.0	11.7	10.0	4.0
			11.2	9.9	10.7	12.7	13.1	14.2	15.4	14.4	11.2	
6 SIXTH MONTH			14	24	43	58	101	158	139	235	140	1518
			.9	1.6	2.8	3.8	6.7	10.4	9.2	15.5	9.2	2.3
			8.2	9.5	12.7	11.0	13.5	14.1	10.3	11.1	6.0	
7 SEVENTH MONTH			26	40	54	100	137	135	127	124	65	1037
			2.5	3.9	5.2	9.6	13.2	13.0	12.2	12.0	6.3	1.6
			15.3	15.9	16.0	19.0	18.3	12.0	9.4	5.9	2.8	
8 EIGHTH MONTH			22	56	75	104	87	72	25	26	14	530
			4.2	10.6	14.2	19.6	16.4	13.6	4.7	4.9	2.6	.8
			12.9	22.2	22.2	19.8	11.6	6.4	1.9	1.2	.6	
COLUMN TOTAL		591	170	252	338	526	750	1122	1351	2114	2332	65937
		.9	.3	.4	.5	.8	1.1	1.7	2.0	3.2	3.5	100.0

(CONTINUED)

CROSSTABULATION OF
MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR..
RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
0 NONE										591
										.9
1 FIRST MONTH		547	469	2800	1409	1406	2727	2880	40	12862
		4.3	3.6	21.8	11.0	10.9	21.2	22.4	.3	19.5
		9.6	12.3	21.1	21.2	19.0	28.4	29.5	17.3	
2 SECOND MONTH		2052	1538	6259	3312	3841	5145	4810	53	28768
		7.1	5.3	21.8	11.5	13.4	17.9	16.7	.2	43.6
		36.0	40.4	47.2	49.7	52.0	53.6	49.3	22.9	
3 THIRD MONTH		1466	985	2788	1244	1703	1271	1490	20	12668
		11.6	7.8	22.0	9.8	13.4	10.0	11.8	.2	19.2
		25.7	25.9	21.0	18.7	23.1	13.2	15.3	8.7	
4 FOURTH MONTH		839	447	854	520	309	305	366	7	4963
		16.9	9.0	17.2	10.5	6.2	6.1	7.4	.1	7.5
		14.7	11.7	6.4	7.8	4.2	3.2	3.8	3.0	
5 FIFTH MONTH		438	208	366	122	79	88	122	5	2606
		16.8	8.0	14.0	4.7	3.0	3.4	4.7	.2	4.0
		7.7	5.5	2.8	1.8	1.1	.9	1.3	2.2	
6 SIXTH MONTH		219	125	116	34	28	32	48	4	1518
		14.4	8.2	7.6	2.2	1.8	2.1	3.2	.3	2.3
		3.8	3.3	.9	.5	.4	.3	.5	1.7	
7 SEVENTH MONTH		114	21	45	11	7	15	16		1037
		11.0	2.0	4.3	1.1	.7	1.4	1.5		1.6
		2.0	.6	.3	.2	.1	.2	.2		
8 EIGHTH MONTH		17	8	8		3	3	9	1	530
		3.2	1.5	1.5		.6	.6	1.7	.2	.8
		.3	.2	.1		.0	.0	.1	.4	
COLUMN TOTAL		5700	3808	13258	6661	7381	9599	9753	231	65937
		8.6	5.8	20.1	10.1	11.2	14.6	14.8	.4	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	PCVISIT	NONE (0)	ONE (1)	TWO (2)	THREE (3)	FOUR (4)	FIVE (5)	SIX (6)	SEVEN (7)	EIGHT (8)	NINE (9)	ROW TOTAL
9 NINTH MONTH	COUNT		43	44	24	21	12	8	8	1	3	180
	ROW PCT		23.9	24.4	13.3	11.7	6.7	4.4	4.4	.6	1.7	.3
	COL PCT		25.3	17.5	7.1	4.0	1.6	.7	.6	.0	.1	
10 NOT STATED	COUNT		5	3	7	5	9	6	4	9	5	214
	ROW PCT		2.3	1.4	3.3	2.3	4.2	2.8	1.9	4.2	2.3	.3
	COL PCT		2.9	1.2	2.1	1.0	1.2	.5	.3	.4	.2	
COLUMN TOTAL		591	170	252	338	526	750	1122	1351	2114	2332	65937
		.9	.3	.4	.5	.8	1.1	1.7	2.0	3.2	3.5	100.0

(CONTINUED)

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN (10)	ELEVEN (11)	TWELVE (12)	THIRTEEN (13)	FOURTEEN (14)	FIFTEEN (15)	SIXTEEN OR MORE (16)	NOT STATED (17)	ROW TOTAL
9		3	1	3	1			2	6	180
NINTH MONTH		1.7	.6	1.7	.6			1.1	3.3	.3
		.1	.0	.0	.0			.0	2.6	
10		5	6	19	8	5	13	10	95	214
NOT STATED		2.3	2.8	8.9	3.7	2.3	6.1	4.7	44.4	.3
		.1	.2	.1	.1	.1	.1	.1	41.1	
COLUMN TOTAL		5700	3808	13258	6661	7381	9599	9753	231	65937
		8.6	5.8	20.1	10.1	11.2	14.6	14.8	.4	100.0

TABLE 15

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE
VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT 0 NONE	1 ONE	2 TWO	3 THREE	4 FOUR	5 FIVE	6 SIX	7 SEVEN	8 EIGHT	9 NINE	ROW TOTAL
0 NONE		979										979
		100.0										3.1
		100.0										
1 FIRST MONTH			12	14	21	23	41	44	74	95	92	3602
			.3	.4	.6	.6	1.1	1.2	2.1	2.6	2.6	11.4
			3.5	2.7	3.4	2.7	3.6	3.5	5.5	5.4	6.1	
2 SECOND MONTH			21	41	38	66	123	166	179	282	285	8987
			.2	.5	.4	.7	1.4	1.8	2.0	3.1	3.2	28.4
			6.2	7.9	6.1	7.9	10.9	13.3	13.2	16.2	18.8	
3 THIRD MONTH			21	46	59	99	121	172	222	305	341	6653
			.3	.7	.9	1.5	1.8	2.6	3.3	4.6	5.1	21.0
			6.2	8.8	9.5	11.8	10.7	13.8	16.4	17.5	22.5	
4 FOURTH MONTH			22	41	81	107	169	223	219	350	319	4236
			.5	1.0	1.9	2.5	4.0	5.3	5.2	8.3	7.5	13.4
			6.5	7.9	13.1	12.7	15.0	17.9	16.2	20.1	21.1	
5 FIFTH MONTH			35	59	77	132	187	214	254	299	248	2941
			1.2	2.0	2.6	4.5	6.4	7.3	8.6	10.2	8.4	9.3
			10.3	11.3	12.5	15.7	16.6	17.2	18.8	17.1	16.4	
6 SIXTH MONTH			51	53	117	131	202	191	220	235	152	1940
			2.6	2.7	6.0	6.8	10.4	9.8	11.3	12.1	7.8	6.1
			15.0	10.2	18.9	15.6	17.9	15.3	16.3	13.5	10.0	
7 SEVENTH MONTH			37	92	107	136	170	156	139	128	57	1221
			3.0	7.5	8.8	11.1	13.9	12.8	11.4	10.5	4.7	3.9
			10.9	17.7	17.3	16.2	15.1	12.5	10.3	7.3	3.8	
8 EIGHTH MONTH			60	112	83	114	91	64	34	42	10	656
			9.1	17.1	12.7	17.4	13.9	9.8	5.2	6.4	1.5	2.1
			17.7	21.5	13.4	13.6	8.1	5.1	2.5	2.4	.7	
COLUMN TOTAL		979	339	521	618	840	1129	1247	1353	1744	1514	31623
		3.1	1.1	1.6	2.0	2.7	3.6	3.9	4.3	5.5	4.8	100.0

(CONTINUED)

CROSSTABULATION OF

MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS

CONTROLLING FOR..

RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
0 NONE										979
										3.1
1 FIRST MONTH		253	171	684	338	316	818	592	14	3602
		7.0	4.7	19.0	9.4	8.8	22.7	16.4	.4	11.4
		7.2	8.0	13.4	14.6	15.0	25.7	20.8	8.9	
2 SECOND MONTH		808	592	1800	994	982	1402	1186	22	8987
		9.0	6.6	20.0	11.1	10.9	15.6	13.2	.2	28.4
		23.1	27.8	35.3	43.0	46.6	44.1	41.7	14.0	
3 THIRD MONTH		871	491	1544	558	557	611	618	17	6653
		13.1	7.4	23.2	8.4	8.4	9.2	9.3	.3	21.0
		24.9	23.0	30.3	24.1	26.4	19.2	21.7	10.8	
4 FOURTH MONTH		716	450	633	277	153	210	251	15	4236
		16.9	10.6	14.9	6.5	3.6	5.0	5.9	.4	13.4
		20.4	21.1	12.4	12.0	7.3	6.6	8.8	9.6	
5 FIFTH MONTH		498	268	293	91	66	88	124	8	2941
		16.9	9.1	10.0	3.1	2.2	3.0	4.2	.3	9.3
		14.2	12.6	5.7	3.9	3.1	2.8	4.4	5.1	
6 SIXTH MONTH		228	131	94	31	21	29	50	4	1940
		11.8	6.8	4.8	1.6	1.1	1.5	2.6	.2	6.1
		6.5	6.1	1.8	1.3	1.0	.9	1.8	2.5	
7 SEVENTH MONTH		99	19	29	17	8	14	13		1221
		8.1	1.6	2.4	1.4	.7	1.1	1.1		3.9
		2.8	.9	.6	.7	.4	.4	.5		
8 EIGHTH MONTH		17	7	8	3	1	2	7	1	656
		2.6	1.1	1.2	.5	.2	.3	1.1	.2	2.1
		.5	.3	.2	.1	.0	.1	.2	.6	
COLUMN TOTAL		3504	2132	5098	2314	2108	3181	2845	157	31623
		11.1	6.7	16.1	7.3	6.7	10.1	9.0	.5	100.0

(CONTINUED)

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	ROW TOTAL
		0	1	2	3	4	5	6	7	8	9	
9 NINTH MONTH			69	58	30	24	19	9	5	2	3	235
			29.4	24.7	12.8	10.2	8.1	3.8	2.1	.9	1.3	.7
			20.4	11.1	4.9	2.9	1.7	.7	.4	.1	.2	
10 NOT STATED			11	5	5	8	6	8	7	6	7	173
			6.4	2.9	2.9	4.6	3.5	4.6	4.0	3.5	4.0	.5
			3.2	1.0	.8	1.0	.5	.6	.5	.3	.5	
(CONTINUED)	COLUMN TOTAL	979 3.1	339 1.1	521 1.6	618 2.0	840 2.7	1129 3.6	1247 3.9	1353 4.3	1744 5.5	1514 4.8	31623 100.0

CROSSTABULATION OF MPCB MONTH PRENATAL CARE BEGAN BY PCVISIT NUMBER OF PRENATAL VISITS
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MPCB	COUNT / ROW PCT / COL PCT	PCVISIT TEN	ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	ROW TOTAL
		10	11	12	13	14	15	16	17	
9		6	1		1	1	1		6	235
NINTH MONTH		2.6	.4		.4	.4	.4		2.6	.7
		.2	.0		.0	.0	.0		3.8	
10		8	2	13	4	3	6	4	70	173
NOT STATED		4.6	1.2	7.5	2.3	1.7	3.5	2.3	40.5	.5
		.2	.1	.3	.2	.1	.2	.1	44.6	
COLUMN TOTAL		3504	2132	5098	2314	2108	3181	2845	157	31623
		11.1	6.7	16.1	7.3	6.7	10.1	9.0	.5	100.0

NUMBER OF MISSING OBSERVATIONS = 0

TABLE 16

CROSSTABULATION OF LBND PREVIOUS LIVE BORN NOW DEAD BY RACE

LBND	RACE: WHITE (1)	RACE: NONWHITE (2)	ROW TOTAL
0 NONE	64747	30661	95408
	67.9	32.1	97.8
	98.2	97.0	
1 ONE	992	799	1791
	55.4	44.6	1.8
	1.5	2.5	
2 TWO	91	97	188
	48.4	51.6	.2
	.1	.3	
3 THREE	15	7	22
	68.2	31.8	.0
	.0	.0	
4 FOUR	4	2	6
	66.7	33.3	.0
	.0	.0	
5 FIVE	1	1	2
	50.0	50.0	.0
	.0	.0	
7 SEVEN		1	1
		100.0	.0
		.0	
10 NOT STATED	87	55	142
	61.3	38.7	.1
	.1	.2	
COLUMN TOTAL	65937	31623	97560
	67.6	32.4	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF OTHD OTHER TERMINATIONS BY RACE

OTHD	COUNT / ROW PCT / COL PCT	RACE: WHITE (1)	RACE: NONWHITE (2)	ROW TOTAL
NONE	0	51934	24713	76647
		67.8	32.2	78.6
		78.8	78.1	
ONE	1	10102	4946	15048
		67.1	32.9	15.4
		15.3	15.6	
TWO	2	2759	1367	4126
		66.9	33.1	4.2
		4.2	4.3	
THREE	3	693	351	1044
		66.4	33.6	1.1
		1.1	1.1	
FOUR	4	230	116	346
		66.5	33.5	.4
		.3	.4	
FIVE	5	74	32	106
		69.8	30.2	.1
		.1	.1	
SIX	6	28	14	42
		66.7	33.3	.0
		.0	.0	
SEVEN	7	5	10	15
		33.3	66.7	.0
		.0	.0	
EIGHT	8	6	4	10
		60.0	40.0	.0
		.0	.0	
NINE OR MORE	9		1	1
			100.0	.0
			.0	
(CONTINUED)	COLUMN TOTAL	65934	31623	97557
		67.6	32.4	100.0

CROSSTABULATION OF OTHD OTHER TERMINATIONS BY RACE

OTHD	RACE	WHITE	NONWHITE	ROW TOTAL
	COUNT			
	ROW PCT			
	COL PCT			
		1	2	
10		103	69	172
NOT STATED		59.9	40.1	.2
		.2	.2	
COLUMN TOTAL		65934	31623	97557
		67.6	32.4	100.0

NUMBER OF MISSING OBSERVATIONS = 3

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACES VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0							6	5	4	6	4	99
ZERO							6.1	5.1	4.0	6.1	4.0	.1
							.3	.2	.1	.1	.1	
1				2	3	3	12	11	24	19	21	277
ONE				.7	1.1	1.1	4.3	4.0	8.7	6.9	7.6	.3
				3.1	1.1	.4	.7	.4	.6	.4	.4	
2							6	9	5	13	8	137
TWO							4.4	6.6	3.6	9.5	5.8	.1
							.3	.3	.1	.2	.1	
3						2	1	8	8	4	14	116
THREE						1.7	.9	6.9	6.9	3.4	12.1	.1
						.2	.1	.3	.2	.1	.2	
4						2	4	13	12	8	15	175
FOUR						1.1	2.3	7.4	6.9	4.6	8.6	.2
						.2	.2	.4	.3	.2	.3	
5						9	9	11	20	27	21	341
FIVE						2.6	2.6	3.2	5.9	7.9	6.2	.3
						1.1	.5	.4	.5	.5	.4	
6			1	4	5	16	25	40	43	29	592	
SIX			.2	.7	.8	2.7	4.2	6.8	7.3	4.9	.6	
			1.6	1.4	.6	.9	.8	.9	.8	.5		
7		2	1	6	17	29	58	76	100	120	1548	
SEVEN		.1	.1	.4	1.1	1.9	3.7	4.9	6.5	7.8	1.6	
		16.7	1.6	2.2	2.1	1.7	1.9	1.8	1.9	2.1		
8			7	26	67	165	259	349	414	465	7551	
EIGHT			.1	.3	.9	2.2	3.4	4.6	5.5	6.2	7.7	
			10.9	9.4	8.2	9.4	8.5	8.2	7.9	8.0		
COLUMN TOTAL		1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		14	4	7	5	25	14	4			1	99
ZERO		14.1	4.0	7.1	5.1	25.3	14.1	4.0			1.0	.1
		.2	.1	.1	.1	.1	.1	.1			.1	
1		13	18	16	15	58	38	10	3		11	277
ONE		4.7	6.5	5.8	5.4	20.9	13.7	3.6	1.1		4.0	.3
		.2	.3	.3	.2	.2	.2	.2	.5		.9	
2		12	10	9	6	28	25	4			2	137
TWO		8.8	7.3	6.6	4.4	20.4	18.2	2.9			1.5	.1
		.2	.2	.1	.1	.1	.2	.1			.2	
3		10	8	3	8	27	16	5			2	116
THREE		8.6	6.9	2.6	6.9	23.3	13.8	4.3			1.7	.1
		.2	.1	.0	.1	.1	.1	.1			.2	
4		7	13	5	11	35	32	13	2		3	175
FOUR		4.0	7.4	2.9	6.3	20.0	18.3	7.4	1.1		1.7	.2
		.1	.2	.1	.2	.1	.2	.3	.3		.2	
5		21	13	17	12	92	55	22	1		11	341
FIVE		6.2	3.8	5.0	3.5	27.0	16.1	6.5	.3		3.2	.3
		.3	.2	.3	.2	.3	.3	.4	.2		.9	
6		40	29	42	35	138	88	34	9		14	592
SIX		6.8	4.9	7.1	5.9	23.3	14.9	5.7	1.5		2.4	.6
		.7	.5	.7	.6	.5	.5	.7	1.4		1.1	
7		98	97	100	82	419	221	75	15	2	30	1548
SEVEN		6.3	6.3	6.5	5.3	27.1	14.3	4.8	1.0	.1	1.9	1.6
		1.6	1.6	1.6	1.3	1.5	1.3	1.5	2.3	11.1	2.3	
8		497	485	451	462	2121	1259	367	53	1	103	7551
EIGHT		6.6	6.4	6.0	6.1	28.1	16.7	4.9	.7	.0	1.4	7.7
		8.3	8.1	7.4	7.6	7.4	7.6	7.4	8.3	5.6	8.1	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

APGAR5		AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9	COUNT	1	8	44	193	550	1139	2014	2851	3545	3958	68091
NINE	ROW PCT	.0	.0	.1	.3	.8	1.7	3.0	4.2	5.2	5.8	69.8
	COL PCT	100.0	66.7	68.8	69.4	67.2	65.2	65.9	67.0	67.7	68.5	
10	COUNT		2	7	43	152	331	607	834	999	1052	17550
TEN	ROW PCT		.0	.0	.2	.9	1.9	3.5	4.8	5.7	6.0	18.0
	COL PCT		16.7	10.9	15.5	18.6	18.9	19.9	19.6	19.1	18.2	
11	COUNT			2	3	12	30	36	34	55	74	1083
NOT STATED	ROW PCT			.2	.3	1.1	2.8	3.3	3.1	5.1	6.8	1.1
	COL PCT			3.1	1.1	1.5	1.7	1.2	.8	1.1	1.3	
COLUMN TOTAL		1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		4119	4160	4257	4204	20178	11921	3576	445	12	916	68091
NINE		6.0	6.1	6.3	6.2	29.6	17.5	5.3	.7	.0	1.3	69.8
		68.6	69.5	69.6	68.7	70.7	71.6	71.6	69.5	66.7	71.7	
10		1103	1083	1128	1217	5112	2813	841	105	3	118	17550
TEN		6.3	6.2	6.4	6.9	29.1	16.0	4.8	.6	.0	.7	18.0
		18.4	18.1	18.5	19.9	17.9	16.9	16.9	16.4	16.7	9.2	
11		69	67	77	58	291	162	40	7		66	1083
NOT STATED		6.4	6.2	7.1	5.4	26.9	15.0	3.7	.6		6.1	1.1
		1.1	1.1	1.3	.9	1.0	1.0	.8	1.1		5.2	
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	12	13	14	15	16	17	18	19	20	21	ROW TOTAL
0						2	3	1	3	1	4	49
ZERO						4.1	6.1	2.0	6.1	2.0	8.2	.1
						.3	.2	.0	.1	.0	.1	
1						4	5	11	8	8	2	121
ONE						3.3	4.1	9.1	6.6	6.6	1.7	.2
						.5	.3	.5	.3	.2	.1	
2							3	2	3	3	3	52
TWO							5.8	3.8	5.8	5.8	5.8	.1
							.2	.1	.1	.1	.1	
3					1	1	4	3	2	5	6	53
THREE					1.9	1.9	7.5	5.7	3.8	9.4	11.3	.1
					.4	.1	.3	.1	.1	.1	.2	
4						1	4	5	5	4	3	87
FOUR						1.1	4.6	5.7	5.7	4.6	3.4	.1
						.1	.3	.2	.2	.1	.1	
5					1	2	5	9	8	10	10	166
FIVE					.6	1.2	3.0	5.4	4.8	6.0	6.0	.3
					.4	.3	.3	.4	.3	.3	.3	
6					2	3	10	16	22	15	18	317
SIX					.6	.9	3.2	5.0	6.9	4.7	5.7	.5
					.8	.4	.6	.7	.7	.4	.5	
7			1	7	12	35	41	50	60	44	892	
SEVEN			.1	.8	1.3	3.9	4.6	5.6	6.7	4.9	1.4	
			1.7	2.7	1.6	2.2	1.7	1.6	1.7	1.2		
8			6	15	64	130	203	238	265	265	4805	
EIGHT			.1	.3	1.3	2.7	4.2	5.0	5.5	5.5	7.3	
			10.2	5.7	8.7	8.4	8.5	7.7	7.7	7.3		
COLUMN TOTAL		1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0		2	3	2	15	9	3			1	49
ZERO		4.1	6.1	4.1	30.6	18.4	6.1			2.0	.1
		.1	.1	.0	.1	.1	.1			.1	
1		10	5	6	32	16	6	2		6	121
ONE		8.3	4.1	5.0	26.4	13.2	5.0	1.7		5.0	.2
		.3	.1	.1	.2	.1	.2	.4		.6	
2		4	4	3	10	15	2				52
TWO		7.7	7.7	5.8	19.2	28.8	3.8				.1
		.1	.1	.1	.0	.1	.1				
3		2	2	3	12	10	1			1	53
THREE		3.8	3.8	5.7	22.6	18.9	1.9			1.9	.1
		.1	.0	.1	.1	.1	.0			.1	
4		7	2	6	20	19	7	2		2	87
FOUR		8.0	2.3	6.9	23.0	21.8	8.0	2.3		2.3	.1
		.2	.0	.1	.1	.1	.2	.4		.2	
5		8	10	7	53	26	10	1		6	166
FIVE		4.8	6.0	4.2	31.9	15.7	6.0	.6		3.6	.3
		.2	.2	.2	.3	.2	.3	.2		.6	
6		13	26	20	83	54	20	6		9	317
SIX		4.1	8.2	6.3	26.2	17.0	6.3	1.9		2.8	.5
		.3	.6	.5	.4	.4	.5	1.3		.9	
7		50	55	51	272	143	43	10	1	17	892
SEVEN		5.6	6.2	5.7	30.5	16.0	4.8	1.1	.1	1.9	1.4
		1.3	1.4	1.2	1.3	1.1	1.2	2.2	10.0	1.7	
8		278	275	289	1499	904	260	36		78	4805
EIGHT		5.8	5.7	6.0	31.2	18.8	5.4	.7		1.6	7.3
		7.4	6.9	7.0	7.1	7.1	7.0	7.8		7.9	
COLUMN TOTAL		3753	4005	4122	21023	12672	3735	463	10	984	65937
		5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

(CONTINUED)

TABLE 18

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
9			10	35	178	470	1004	1541	2056	2330	2494	45971
NINE			.0	.1	.4	1.0	2.2	3.4	4.5	5.1	5.4	69.7
			76.9	59.3	67.9	64.1	64.5	64.7	66.5	67.9	68.5	
10		1	2	17	56	162	342	534	672	698	760	12839
TEN		.0	.0	.1	.4	1.3	2.7	4.2	5.2	5.4	5.9	19.5
		100.0	15.4	28.8	21.4	22.1	22.0	22.4	21.7	20.3	20.9	
11			1		2	12	11	15	23	35	32	585
NOT STATED			.2		.3	2.1	1.9	2.6	3.9	6.0	5.5	.9
			7.7		.8	1.6	.7	.6	.7	1.0	.9	
COLUMN TOTAL		1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	AGE COUNT ROW PCT COL PCT	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9		2600	2776	2815	14803	9131	2680	319	6	723	45971
NINE		5.7	6.0	6.1	32.2	19.9	5.8	.7	.0	1.6	69.7
		69.3	69.3	68.3	70.4	72.1	71.8	68.9	60.0	73.5	
10		748	803	890	4049	2242	680	81	3	99	12839
TEN		5.8	6.3	6.9	31.5	17.5	5.3	.6	.0	.8	19.5
		19.9	20.0	21.6	19.3	17.7	18.2	17.5	30.0	10.1	
11		31	44	30	175	103	23	6		42	585
NOT STATED		5.3	7.5	5.1	29.9	17.6	3.9	1.0		7.2	.9
		.8	1.1	.7	.8	.8	.6	1.3		4.3	
COLUMN TOTAL		3753 5.7	4005 6.1	4122 6.3	21023 31.9	12672 19.2	3735 5.7	463 .7	10 .0	984 1.5	65937 100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
0 ZERO	0						4	2	3	3	3	50
							8.0	4.0	6.0	6.0	6.0	.2
							.4	.1	.2	.1	.1	
1 ONE	1			2	3	3	8	6	13	11	13	156
				1.3	1.9	1.9	5.1	3.8	8.3	7.1	8.3	.5
				3.9	1.4	.5	.8	.4	.7	.5	.6	
2 TWO	2						6	6	3	10	5	85
							7.1	7.1	3.5	11.8	5.9	.3
							.6	.4	.2	.5	.2	
3 THREE	3					1		4	5	2	9	63
						1.6		6.3	7.9	3.2	14.3	.2
						.2		.3	.3	.1	.4	
4 FOUR	4					2	3	9	7	3	11	88
						2.3	3.4	10.2	8.0	3.4	12.5	.3
						.4	.3	.6	.4	.1	.5	
5 FIVE	5					8	7	6	11	19	11	175
						4.6	4.0	3.4	6.3	10.9	6.3	.6
						1.4	.7	.4	.6	.9	.5	
6 SIX	6		1	4	3		13	15	24	21	14	275
			.4	1.5	1.1		4.7	5.5	8.7	7.6	5.1	.9
			2.0	1.8	.5		1.3	1.0	1.3	1.0	.6	
7 SEVEN	7	2	1	5	10		17	23	35	50	60	656
		.3	.2	.8	1.5		2.6	3.5	5.3	7.6	9.1	2.1
		18.2	2.0	2.3	1.8		1.7	1.5	1.9	2.3	2.6	
8 EIGHT	8		7	20	52		101	129	146	176	200	2746
			.3	.7	1.9		3.7	4.7	5.3	6.4	7.3	8.7
			13.7	9.1	9.3		10.0	8.6	7.8	8.2	8.5	
COLUMN TOTAL		1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 21	22	23	24	25	26	27	28	29	30	ROW TOTAL
0		10	2	4	3	10	5	1				50
ZERO		20.0	4.0	8.0	6.0	20.0	10.0	2.0				.2
		.4	.1	.2	.2	.1	.1	.1				
1		11	8	11	9	26	22	4	1		5	156
ONE		7.1	5.1	7.1	5.8	16.7	14.1	2.6	.6		3.2	.5
		.5	.4	.5	.5	.3	.6	.3	.6		1.7	
2		9	6	5	3	18	10	2			2	85
TWO		10.6	7.1	5.9	3.5	21.2	11.8	2.4			2.4	.3
		.4	.3	.2	.2	.2	.3	.2			.7	
3		4	6	1	5	15	6	4			1	63
THREE		6.3	9.5	1.6	7.9	23.8	9.5	6.3			1.6	.2
		.2	.3	.0	.3	.2	.2	.3			.3	
4		4	6	3	5	15	13	6			1	88
FOUR		4.5	6.8	3.4	5.7	17.0	14.8	6.8			1.1	.3
		.2	.3	.1	.3	.2	.3	.5			.3	
5		11	5	7	5	39	29	12			5	175
FIVE		6.3	2.9	4.0	2.9	22.3	16.6	6.9			2.9	.6
		.5	.2	.3	.3	.5	.7	1.0			1.7	
6		22	16	16	15	55	34	14	3		5	275
SIX		8.0	5.8	5.8	5.5	20.0	12.4	5.1	1.1		1.8	.9
		.9	.7	.8	.8	.7	.9	1.1	1.7		1.7	
7		54	47	45	31	147	78	32	5	1	13	656
SEVEN		8.2	7.2	6.9	4.7	22.4	11.9	4.9	.8	.2	2.0	2.1
		2.3	2.1	2.1	1.6	2.0	2.0	2.5	2.8	12.5	4.4	
8		232	207	176	173	622	355	107	17	1	25	2746
EIGHT		8.4	7.5	6.4	6.3	22.7	12.9	3.9	.6	.0	.9	8.7
		9.8	9.3	8.4	8.7	8.3	8.9	8.5	9.6	12.5	8.5	
(CONTINUED)	COLUMN TOTAL	2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	AGE 11	12	13	14	15	16	17	18	19	20	ROW TOTAL
9		1	8	34	158	372	669	1010	1310	1489	1628	22120
NINE		.0	.0	.2	.7	1.7	3.0	4.6	5.9	6.7	7.4	69.9
		100.0	72.7	66.7	72.1	66.8	65.9	67.3	69.8	69.5	69.4	
10			1	5	26	96	169	265	300	327	354	4711
TEN			.0	.1	.6	2.0	3.6	5.6	6.4	6.9	7.5	14.9
			9.1	9.8	11.9	17.2	16.7	17.7	16.0	15.3	15.1	
11				1	3	10	18	25	19	32	39	498
NOT STATED				.2	.6	2.0	3.6	5.0	3.8	6.4	7.8	1.6
				2.0	1.4	1.8	1.8	1.7	1.0	1.5	1.7	
(CONTINUED)	COLUMN TOTAL	1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	AGE	21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
9	COUNT	1625	1560	1481	1389	5375	2790	896	126	6	193	22120
NINE	ROW PCT	7.3	7.1	6.7	6.3	24.3	12.6	4.1	.6	.0	.9	69.9
	COL PCT	68.8	69.8	70.3	69.7	71.7	70.2	71.3	71.2	75.0	65.9	
10	COUNT	343	335	325	327	1063	571	161	24		19	4711
TEN	ROW PCT	7.3	7.1	6.9	6.9	22.6	12.1	3.4	.5		.4	14.9
	COL PCT	14.5	15.0	15.4	16.4	14.2	14.4	12.8	13.6		6.5	
11	COUNT	37	36	33	28	116	59	17	1		24	498
NOT STATED	ROW PCT	7.4	7.2	6.6	5.6	23.3	11.8	3.4	.2		4.8	1.6
	COL PCT	1.6	1.6	1.6	1.4	1.5	1.5	1.4	.6		8.2	
COLUMN TOTAL		2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		1	26	49	13	9	1	99
ZERO		1.0	26.3	49.5	13.1	9.1	1.0	.1
		.0	.1	.1	.1	.1	.4	
1		14	80	118	39	16	10	277
ONE		5.1	28.9	42.6	14.1	5.8	3.6	.3
		.4	.4	.3	.2	.1	4.2	
2		2	43	58	18	16		137
TWO		1.5	31.4	42.3	13.1	11.7		.1
		.1	.2	.1	.1	.1		
3		4	33	43	26	8	2	116
THREE		3.4	28.4	37.1	22.4	6.9	1.7	.1
		.1	.2	.1	.1	.1	.8	
4		7	47	77	28	14	2	175
FOUR		4.0	26.9	44.0	16.0	8.0	1.1	.2
		.2	.2	.2	.2	.1	.8	
5		12	78	151	61	38	1	341
FIVE		3.5	22.9	44.3	17.9	11.1	.3	.3
		.4	.4	.4	.3	.2	.4	
6		18	144	288	87	55		592
SIX		3.0	24.3	48.6	14.7	9.3		.6
		.6	.7	.7	.5	.3		
7		66	364	646	266	203	3	1548
SEVEN		4.3	23.5	41.7	17.2	13.1	.2	1.6
		2.1	1.9	1.6	1.4	1.3	1.3	
8		267	1615	3144	1403	1105	17	7551
EIGHT		3.5	21.4	41.6	18.6	14.6	.2	7.7
		8.3	8.3	7.8	7.6	7.0	7.1	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

(CONTINUED)

CROSSTABULATION OF
APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR..
RACES VALUE = TOTAL

APGAR5	EDUC	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9 NINE	COUNT	2081	12943	27952	13183	11812	120	68091
	ROW PCT	3.1	19.0	41.1	19.4	17.3	.2	69.8
	COL PCT	65.0	66.5	69.3	71.5	74.3	50.2	
10 TEN	COUNT	685	3836	7375	3111	2505	38	17550
	ROW PCT	3.9	21.9	42.0	17.7	14.3	.2	18.0
	COL PCT	21.4	19.7	18.3	16.9	15.8	15.9	
11 NOT STATED	COUNT	44	261	433	192	108	45	1083
	ROW PCT	4.1	24.1	40.0	17.7	10.0	4.2	1.1
	COL PCT	1.4	1.3	1.1	1.0	.7	18.8	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 ZERO			13	23	6	7		49
			26.5	46.9	12.2	14.3		.1
			.1	.1	.0	.1		
1 ONE		7	30	52	21	11		121
		5.8	24.8	43.0	17.4	9.1		.2
		.3	.3	.2	.2	.1		
2 TWO		1	11	19	7	14		52
		1.9	21.2	36.5	13.5	26.9		.1
		.0	.1	.1	.1	.1		
3 THREE		3	12	21	12	5		53
		5.7	22.6	39.6	22.6	9.4		.1
		.1	.1	.1	.1	.0		
4 FOUR		4	20	37	15	10	1	87
		4.6	23.0	42.5	17.2	11.5	1.1	.1
		.2	.2	.1	.1	.1	.7	
5 FIVE		8	30	68	31	29		166
		4.8	18.1	41.0	18.7	17.5		.3
		.4	.3	.3	.2	.2		
6 SIX		5	66	147	56	43		317
		1.6	20.8	46.4	17.7	13.6		.5
		.2	.6	.6	.4	.3		
7 SEVEN		36	190	349	164	152	1	892
		4.0	21.3	39.1	18.4	17.0	.1	1.4
		1.8	1.7	1.4	1.2	1.1	.7	
8 EIGHT		149	880	1885	974	911	6	4805
		3.1	18.3	39.2	20.3	19.0	.1	7.3
		7.4	7.9	7.3	7.3	6.7	4.2	
COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

(CONTINUED)

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 1 WHITE

APGAR5	EDUC COUNT ROW PCT COL PCT	1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
9		1283	7296	17815	9491	10004	82	45971
NINE		2.8	15.9	38.8	20.6	21.8	.2	69.7
		63.7	65.3	69.2	71.1	74.1	57.7	
10		490	2525	5115	2458	2228	23	12839
TEN		3.8	19.7	39.8	19.1	17.4	.2	19.5
		24.3	22.6	19.9	18.4	16.5	16.2	
11		27	103	225	118	83	29	585
NOT STATED		4.6	17.6	38.5	20.2	14.2	5.0	.9
		1.3	.9	.9	.9	.6	20.4	
COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

CROSSTABULATION OF

APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACE VALUE.. 2 NONWHITE

APGAR5	COUNT / ROW PCT / COL PCT	EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0		1	13	26	7	2	1	50
ZERO		2.0	26.0	52.0	14.0	4.0	2.0	.2
		.1	.2	.2	.1	.1	1.0	
1		7	50	66	18	5	10	156
ONE		4.5	32.1	42.3	11.5	3.2	6.4	.5
		.6	.6	.5	.4	.2	10.3	
2		1	32	39	11	2		85
TWO		1.2	37.6	45.9	12.9	2.4		.3
		.1	.4	.3	.2	.1		
3		1	21	22	14	3	2	63
THREE		1.6	33.3	34.9	22.2	4.8	3.2	.2
		.1	.3	.2	.3	.1	2.1	
4		3	27	40	13	4	1	88
FOUR		3.4	30.7	45.5	14.8	4.5	1.1	.3
		.3	.3	.3	.3	.2	1.0	
5		4	48	83	30	9	1	175
FIVE		2.3	27.4	47.4	17.1	5.1	.6	.6
		.3	.6	.6	.6	.4	1.0	
6		13	78	141	31	12		275
SIX		4.7	28.4	51.3	11.3	4.4		.9
		1.1	.9	1.0	.6	.5		
7		30	174	297	102	51	2	656
SEVEN		4.6	26.5	45.3	15.5	7.8	.3	2.1
		2.5	2.1	2.0	2.0	2.1	2.1	
8		118	735	1259	429	194	11	2746
EIGHT		4.3	26.8	45.8	15.6	7.1	.4	8.7
		9.9	8.9	8.6	8.5	8.1	11.3	
	COLUMN TOTAL	1188	8294	14578	5074	2392	97	31623
		3.8	26.2	46.1	16.0	7.6	.3	100.0

(CONTINUED)

CROSSTABULATION OF APGAR5 APGAR SCORE FIVE MINUTES BY EDUC EDUCATION OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

APGAR5	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	ROW TOTAL
9 NINE	798	5647	10137	3692	1808	38	22120
	3.6	25.5	45.8	16.7	8.2	.2	69.9
	67.2	68.1	69.5	72.8	75.6	39.2	
10 TEN	195	1311	2260	653	277	15	4711
	4.1	27.8	48.0	13.9	5.9	.3	14.9
	16.4	15.8	15.5	12.9	11.6	15.5	
11 NOT STATED	17	158	208	74	25	16	498
	3.4	31.7	41.8	14.9	5.0	3.2	1.6
	1.4	1.9	1.4	1.5	1.0	16.5	
COLUMN TOTAL	1188	8294	14578	5074	2392	97	31623
	3.8	26.2	46.1	16.0	7.6	.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACES

VALUE = TOTAL

MAL	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	1	12	62	274	810	1723	3020	4199	5183	5710	96517
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	98.9
		100.0	100.0	96.9	98.6	98.9	98.6	98.8	98.6	99.0	98.8	
741.9	1							2	3	1	3	33
								6.1	9.1	3.0	9.1	.0
								.1	.1	.0	.1	
745,746	2			1			2	3	4	2	5	106
				.9			1.9	2.8	3.8	1.9	4.7	.1
				1.6			.1	.1	.1	.0	.1	
749.0 - 749.2	3					1	2	4	4	6	6	85
						1.2	2.4	4.7	4.7	7.1	7.1	.1
						.1	.1	.1	.1	.1	.1	
752	4					2	2	3	11	6	5	129
						1.6	1.6	2.3	8.5	4.7	3.9	.1
						.2	.1	.1	.3	.1	.1	
755.0 - 755.3	5				2	1	8	5	5	8	15	143
					1.4	.7	5.6	3.5	3.5	5.6	10.5	.1
					.7	.1	.5	.2	.1	.2	.3	
754.0,756,757	6		1	2	4	5	6	16	12	19	280	
			.4	.7	1.4	1.8	2.1	5.7	4.3	6.8	.3	
			1.6	.7	.5	.3	.2	.4	.2	.3		
758	7							1	2	2	1	46
								2.2	4.3	4.3	2.2	.0
								.0	.0	.0	.0	
ALL OTHER	8				1	6	12	13	13	17	221	
					.5	2.7	5.4	5.9	5.9	7.7	.2	
					.1	.3	.4	.3	.2	.3		
COLUMN TOTAL		1	12	64	278	819	1748	3056	4257	5233	5781	97560
		.0	.0	.1	.3	.8	1.8	3.1	4.4	5.4	5.9	100.0

(CONTINUED)

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

MAL		AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
0 NONE	COUNT	5925	5921	6051	6054	28252	16461	4942	623	18	1276	96517
	ROW PCT	6.1	6.1	6.3	6.3	29.3	17.1	5.1	.6	.0	1.3	98.9
	COL PCT	98.7	98.9	99.0	99.0	99.0	98.9	99.0	97.3	100.0	99.9	
1 741.9	COUNT	3		4	2	11	4					33
	ROW PCT	9.1		12.1	6.1	33.3	12.1					.0
	COL PCT	.0		.1	.0	.0	.0					
2 745,746	COUNT	10	6	5	4	40	19	5				106
	ROW PCT	9.4	5.7	4.7	3.8	37.7	17.9	4.7				.1
	COL PCT	.2	.1	.1	.1	.1	.1	.1				
3 749.0 - 749.2	COUNT	7	4	4	4	21	18	3	1			85
	ROW PCT	8.2	4.7	4.7	4.7	24.7	21.2	3.5	1.2			.1
	COL PCT	.1	.1	.1	.1	.1	.1	.1	.2			
4 752	COUNT	12	7	7	3	36	27	4	4			129
	ROW PCT	9.3	5.4	5.4	2.3	27.9	20.9	3.1	3.1			.1
	COL PCT	.2	.1	.1	.0	.1	.2	.1	.6			
5 755.0 - 755.3	COUNT	10	9	8	9	43	14	4	1		1	143
	ROW PCT	7.0	6.3	5.6	6.3	30.1	9.8	2.8	.7		.7	.1
	COL PCT	.2	.2	.1	.1	.2	.1	.1	.2		.1	
6 754.0,756,757	COUNT	20	23	19	20	63	50	17	3			280
	ROW PCT	7.1	8.2	6.8	7.1	22.5	17.9	6.1	1.1			.3
	COL PCT	.3	.4	.3	.3	.2	.3	.3	.5			
7 758	COUNT	1	4	1	5	9	10	5	5			46
	ROW PCT	2.2	8.7	2.2	10.9	19.6	21.7	10.9	10.9			.0
	COL PCT	.0	.1	.0	.1	.0	.1	.1	.8			
8 ALL OTHER	COUNT	15	13	13	14	49	41	11	3			221
	ROW PCT	6.8	5.9	5.9	6.3	22.2	18.6	5.0	1.4			.2
	COL PCT	.2	.2	.2	.2	.2	.2	.2	.5			
COLUMN TOTAL		6003	5987	6112	6115	28524	16644	4991	640	18	1277	97560
		6.2	6.1	6.3	6.3	29.2	17.1	5.1	.7	.0	1.3	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF CONGENITAL MALFORMATION BY AGE OF MOTHER

MAL CONGENITAL MALFORMATION
CONTROLLING FOR.. RACE
VALUE.. 1 WHITE

MAL		AGE 12	13	14	15	16	17	18	19	20	21	ROW TOTAL
NONE	0	1	13	57	257	723	1537	2348	3063	3393	3596	65263
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	99.0
		100.0	100.0	96.6	98.1	98.6	98.8	98.6	99.1	98.8	98.8	
741.9	1							3	1	1	1	21
								14.3	4.8	4.8	4.8	.0
								.1	.0	.0	.0	
745,746	2						1	2		4	10	76
							1.3	2.6		5.3	13.2	.1
							.1	.1		.1	.3	
749.0 - 749.2	3				1	2	2	2	6	3	7	64
					1.6	3.1	3.1	3.1	9.4	4.7	10.9	.1
					.4	.3	.1	.1	.2	.1	.2	
752	4				2	1	1	9	5	1	8	100
					2.0	1.0	1.0	9.0	5.0	1.0	8.0	.2
					.8	.1	.1	.4	.2	.0	.2	
755.0 - 755.3	5		1			1		1		7		48
			2.1			2.1		2.1		14.6		.1
			1.7			.1		.0		.2		
754.0,756,757	6		1	2	4	5	5	6	12	12	187	
			.5	1.1	2.1	2.7	2.7	3.2	6.4	6.4	.3	
			1.7	.8	.5	.3	.2	.2	.3	.3		
758	7						1	1	2	1	1	33
							3.0	3.0	6.1	3.0	3.0	.1
							.1	.0	.1	.0	.0	
ALL OTHER	8				2	9	10	7	12	6	145	
					1.4	6.2	6.9	4.8	8.3	4.1	.2	
					.3	.6	.4	.2	.3	.2		
(CONTINUED)	COLUMN TOTAL	1	13	59	262	733	1556	2381	3090	3434	3641	65937
		.0	.0	.1	.4	1.1	2.4	3.6	4.7	5.2	5.5	100.0

CROSSTABULATION OF
MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 1 WHITE
PAGE 2 OF 2

MAL	COUNT / ROW PCT / COL PCT	22	23	24	25	26	27	28	29	30	ROW TOTAL
		AGE 25 - 29	AGE 30 - 34	AGE 35 - 39	AGE 40 - 44	AGE 45 AND OVER	NOT STATED				
0 NONE		3710	3963	4082	20841	12531	3699	455	10	984	65263
		5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	99.0
		98.9	99.0	99.0	99.1	98.9	99.0	98.3	100.0	100.0	
1 741.9			4	2	6	3					21
			19.0	9.5	28.6	14.3					.0
			.1	.0	.0	.0					
2 745,746		4	4	1	28	19	3				76
		5.3	5.3	1.3	36.8	25.0	3.9				.1
		.1	.1	.0	.1	.1	.1				
3 749.0 - 749.2		4	2	3	15	14	2	1			64
		6.3	3.1	4.7	23.4	21.9	3.1	1.6			.1
		.1	.0	.1	.1	.1	.1	.2			
4 752		4	7	3	29	24	3	3			100
		4.0	7.0	3.0	29.0	24.0	3.0	3.0			.2
		.1	.2	.1	.1	.2	.1	.6			
5 755.0 - 755.3		3	3	3	18	10	1				48
		6.3	6.3	6.3	37.5	20.8	2.1				.1
		.1	.1	.1	.1	.1	.0				
6 754.0,756,757		14	13	13	52	34	14				187
		7.5	7.0	7.0	27.8	18.2	7.5				.3
		.4	.3	.3	.2	.3	.4				
7 758		3	1	4	6	5	4	4			33
		9.1	3.0	12.1	18.2	15.2	12.1	12.1			.1
		.1	.0	.1	.0	.0	.1	.9			
8 ALL OTHER		11	8	11	28	32	9				145
		7.6	5.5	7.6	19.3	22.1	6.2				.2
		.3	.2	.3	.1	.3	.2				
COLUMN TOTAL		3753	4005	4122	21023	12672	3735	463	10	984	65937
		5.7	6.1	6.3	31.9	19.2	5.7	.7	.0	1.5	100.0

CROSSTABULATION OF MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER
CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE
PAGE 1 OF 2

MAL	AGE	11	12	13	14	15	16	17	18	19	20	ROW TOTAL
NONE	0	1	11	49	217	553	1000	1483	1851	2120	2317	31254
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	98.8
		100.0	100.0	96.1	99.1	99.3	98.5	98.9	98.7	98.9	98.7	
741.9	1							2			2	12
								16.7			16.7	.0
								.1			.1	
745,746	2			1			2	2	2	2	1	30
				3.3			6.7	6.7	6.7	6.7	3.3	.1
				2.0			.2	.1	.1	.1	.0	
749.0 - 749.2	3							2	2		3	21
								9.5	9.5		14.3	.1
								.1	.1		.1	
752	4						1	2	2	1	4	29
							3.4	6.9	6.9	3.4	13.8	.1
							.1	.1	.1	.0	.2	
755.0 - 755.3	5				1	1	7	5	4	8	8	95
					1.1	1.1	7.4	5.3	4.2	8.4	8.4	.3
					.5	.2	.7	.3	.2	.4	.3	
754.0,756,757	6			1	1	2	1	1	11	6	7	93
				1.1	1.1	2.2	1.1	1.1	11.8	6.5	7.5	.3
				2.0	.5	.4	.1	.1	.6	.3	.3	
758	7								1			13
									7.7			.0
									.1			
ALL OTHER	8					1	4	3	3	6	5	76
						1.3	5.3	3.9	3.9	7.9	6.6	.2
						.2	.4	.2	.2	.3	.2	
(CONTINUED)	COLUMN TOTAL	1	11	51	219	557	1015	1500	1876	2143	2347	31623
		.0	.0	.2	.7	1.8	3.2	4.7	5.9	6.8	7.4	100.0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY AGE AGE OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 2 NONWHITE

MAL		AGE 21	22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	ROW TOTAL
NONE	0	2329	2211	2088	1972	7411	3930	1243	168	8	292	31254
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.5	.0	.9	98.8
		98.6	99.0	99.1	98.9	98.8	98.9	99.0	94.9	100.0	99.7	
741.9	1	2				5	1					12
		16.7				41.7	8.3					.0
		.1				.1	.0					
745,746	2		2	1	3	12		2				30
			6.7	3.3	10.0	40.0		6.7				.1
			.1	.0	.2	.2		.2				
749.0 - 749.2	3			2	1	6	4	1				21
				9.5	4.8	28.6	19.0	4.8				.1
				.1	.1	.1	.1	.1				
752	4	4	3			7	3	1	1			29
		13.8	10.3			24.1	10.3	3.4	3.4			.1
		.2	.1			.1	.1	.1	.6			
755.0 - 755.3	5	10	6	5	6	25	4	3	1		1	95
		10.5	6.3	5.3	6.3	26.3	4.2	3.2	1.1		1.1	.3
		.4	.3	.2	.3	.3	.1	.2	.6		.3	
754.0,756,757	6	8	9	6	7	11	16	3	3			93
		8.6	9.7	6.5	7.5	11.8	17.2	3.2	3.2			.3
		.3	.4	.3	.4	.1	.4	.2	1.7			
758	7		1		1	3	5	1	1			13
			7.7		7.7	23.1	38.5	7.7	7.7			.0
			.0		.1	.0	.1	.1	.6			
ALL OTHER	8	9	2	5	3	21	9	2	3			76
		11.8	2.6	6.6	3.9	27.6	11.8	2.6	3.9			.2
		.4	.1	.2	.2	.3	.2	.2	1.7			
COLUMN TOTAL		2362	2234	2107	1993	7501	3972	1256	177	8	293	31623
		7.5	7.1	6.7	6.3	23.7	12.6	4.0	.6	.0	.9	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR..
RACES VALUE = TOTAL

MAL		EDUC 1 NONE OR ELEM.	EDUC 2 H.S. 1-3 YEARS	EDUC 3 H.S. 4 YEARS	EDUC 4 COL.1-3 YEARS	EDUC 5 COL. 4+ YEARS	EDUC 6 NOT STATED	ROW TOTAL
0 NONE	COUNT	3159	19213	39898	18255	15758	234	96517
	ROW PCT	3.3	19.9	41.3	18.9	16.3	.2	98.9
	COL PCT	98.7	98.7	98.9	99.1	99.2	97.9	
1 741.9	COUNT	2	9	13	6	3		33
	ROW PCT	6.1	27.3	39.4	18.2	9.1		.0
	COL PCT	.1	.0	.0	.0	.0		
2 745,746	COUNT	2	22	50	15	17		106
	ROW PCT	1.9	20.8	47.2	14.2	16.0		.1
	COL PCT	.1	.1	.1	.1	.1		
3 749.0 - 749.2	COUNT	2	23	32	17	11		85
	ROW PCT	2.4	27.1	37.6	20.0	12.9		.1
	COL PCT	.1	.1	.1	.1	.1		
4 752	COUNT	8	30	48	26	17		129
	ROW PCT	6.2	23.3	37.2	20.2	13.2		.1
	COL PCT	.2	.2	.1	.1	.1		
5 755.0 - 755.3	COUNT	8	30	70	20	15		143
	ROW PCT	5.6	21.0	49.0	14.0	10.5		.1
	COL PCT	.2	.2	.2	.1	.1		
6 754.0,756,757	COUNT	11	73	109	45	40	2	280
	ROW PCT	3.9	26.1	38.9	16.1	14.3	.7	.3
	COL PCT	.3	.4	.3	.2	.3	.8	
7 758	COUNT		8	24	5	9		46
	ROW PCT		17.4	52.2	10.9	19.6		.0
	COL PCT		.0	.1	.0	.1		
8 ALL OTHER	COUNT	9	62	90	38	19	3	221
	ROW PCT	4.1	28.1	40.7	17.2	8.6	1.4	.2
	COL PCT	.3	.3	.2	.2	.1	1.3	
COLUMN TOTAL		3201	19470	40334	18427	15889	239	97560
		3.3	20.0	41.3	18.9	16.3	.2	100.0

NUMBER OF MISSING OBSERVATIONS = 0

CROSSTABULATION OF

MAL CONGENITAL MALFORMATION BY EDUC EDUCATION OF MOTHER

CONTROLLING FOR.. RACE VALUE.. 1 WHITE

MAL		EDUC 1 NONE OR ELEM.	2 H.S. 1-3 YEARS	3 H.S. 4 YEARS	4 COL.1-3 YEARS	5 COL. 4+ YEARS	6 NOT STATED	ROW TOTAL
0 NONE	COUNT	1988	11029	25479	13233	13394	140	65263
	ROW PCT	3.0	16.9	39.0	20.3	20.5	.2	99.0
	COL PCT	98.8	98.7	98.9	99.1	99.2	98.6	
1 741.9	COUNT		5	9	4	3		21
	ROW PCT		23.8	42.9	19.0	14.3		.0
	COL PCT		.0	.0	.0	.0		
2 745,746	COUNT		15	39	8	14		76
	ROW PCT		19.7	51.3	10.5	18.4		.1
	COL PCT		.1	.2	.1	.1		
3 749.0 - 749.2	COUNT	2	15	22	16	9		64
	ROW PCT	3.1	23.4	34.4	25.0	14.1		.1
	COL PCT	.1	.1	.1	.1	.1		
4 752	COUNT	7	19	36	23	15		100
	ROW PCT	7.0	19.0	36.0	23.0	15.0		.2
	COL PCT	.3	.2	.1	.2	.1		
5 755.0 - 755.3	COUNT	3	8	21	9	7		48
	ROW PCT	6.3	16.7	43.8	18.8	14.6		.1
	COL PCT	.1	.1	.1	.1	.1		
6 754.0,756,757	COUNT	8	40	76	32	31		187
	ROW PCT	4.3	21.4	40.6	17.1	16.6		.3
	COL PCT	.4	.4	.3	.2	.2		
7 758	COUNT		5	17	3	8		33
	ROW PCT		15.2	51.5	9.1	24.2		.1
	COL PCT		.0	.1	.0	.1		
8 ALL OTHER	COUNT	5	40	57	25	16	2	145
	ROW PCT	3.4	27.6	39.3	17.2	11.0	1.4	.2
	COL PCT	.2	.4	.2	.2	.1	1.4	
COLUMN TOTAL		2013	11176	25756	13353	13497	142	65937
		3.1	16.9	39.1	20.3	20.5	.2	100.0

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5321

Department of Environment, Health, and Natural Resources
Division of Statistics and Information Services
P.O. Box 27687
Raleigh, N.C. 27611-7687
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27611-7687
Permit No. 1862

600 copies of this public document were printed at a cost of $402.49 or 67¢ per copy.